

# CATEGORIES



**BELLINGHAM GLOVES**

**P.136**



**PERFORMANCE**

**P.138**



**COATED PALM**

**P.139**



**COLD WEATHER**

**P.141**



**LEATHER**

**P.142**



**CUT PROTECTION**

**P.150**



**CUT PROTECTION WITH  
DYNEEMA® DIAMOND  
TECHNOLOGY**

**P.154**



**DEWALT HAND  
PROTECTION  
(ALL CATEGORIES)**

**P.156**

# HAND PROTECTION

Radians has aggressively expanded our line of hand protection to provide gloves that keep workers' hands protected from common workplace hazards. The National Safety Council estimates that the direct cost of a laceration is \$10,000 including care and missing six days of work, which is the average time off for a hand injury.

You can look to us for performance gloves that protect your workers' hands while not compromising comfort and dexterity. We offer a variety of materials and coatings for various job applications, including nitrile, latex, polyurethane coatings, and cut resistant fibers.

**bellingham®  
GLOVE**

- High Quality Industrial Gloves
- Built Tough For The Workplace
- Designed For Performance

**DEWALT®**

- Trusted Brand
- Worldwide Marketing Support
- Premium Designs



**RADIANS®**

- Uncompromisable Protection
- Quality Performance
- Innovative Solutions








# STANDARDS & TESTING

Standardized testing of gloves ensures that the proper glove can be selected based on the hazards present. Testing includes ratings for abrasion, cut, tear, and puncture. New versions of the EN388 and ANSI/ISEA 107 standards improve cut testing to rate much higher cut levels, align cut test results between ANSI and EN cut test methods, and add ratings for vibration and impact resistance.

## ANSI Cut Level Ratings

There are many kinds of cut hazards, and each one requires a different level of protection. Use the table below to help determine the cut level rating necessary for your work environment.


	<b>Nuisance Cuts</b> Paper cuts, automotive maintenance, parts assembly, material handling.
	<b>Low Cut Hazards</b> Construction, automotive assembly, packaging, some masonry applications.
 	<b>Moderate Cut Hazards</b> Light metal stamping, light-duty glass handling applications.
 +	<b>High Cut Hazards</b> Metal stamping & casting, sheet metal, window & tile handling, meat & poultry.

## EN388

EN388



EN388 ratings are also noted on Radians hand protection. EN388 includes more specific information about the resistance to particular types of hazards you may encounter on the job. There are five numbers listed which indicate the level of resistance to puncture, tearing, blade cut and abrasion. Look at the diagram to the left to reference which number corresponds to which hazard.



## Palm Coatings

To address specific work-related hand protection issues, Radians uses several different types of palm coatings: smooth nitrile, foam nitrile, sandy foam nitrile, foam latex, sandy foam latex, crinkle latex, and PU polyurethane. Palm coatings allow for better gripping capabilities and tactile sensation without losing dexterity.

### DEFINITIONS/APPLICATIONS:



#### SMOOTH NITRILE

Smooth/Flat gloves do not have any texture on the surface of the glove. They provide excellent resistance to abrasion, snags, and perforation. Made of synthetic rubber, they are latex-free with no natural rubber proteins. Excellent puncture resistance, tactile sensitivity, and flexible grip.



#### FOAM NITRILE

Micro texture is the most common and lightest form of texturing for nitrile gloves. This texture is suitable for gripping small objects or tools in wet or dry applications. Breathable, flexible and porous, foam nitrile will channel oil and water away from surface quickly. Excellent resistance to abrasion, snags and perforation. Made of synthetic rubber, foam nitrile gloves are latex-free with no natural rubber proteins.



#### SANDY FOAM NITRILE

Roughened texture finish. The sandy-like finish on these gloves increases abrasion resistance and improves grip. They are good for wet, dry or oily applications. Made of synthetic rubber, these gloves are latex-free with no natural rubber proteins.



#### FOAM LATEX

Texture that offers better breathability and comfort. Excellent flexibility and resistant to tears and cuts. Good for wet or dry applications.



#### SANDY FOAM LATEX

Micro roughened texture for better breathability and comfort. Excellent flexibility and resistant to tears and cuts.



#### CRINKLE LATEX

Rough textured for better grip and abrasion. Latex gloves are natural material, made out of rubber. They offer excellent flexibility and protection from tears and cuts.



#### PU (POLYURETHANE)

Semi-smooth texture is extremely flexible and provides superior dexterity and sensitivity. A PU coating can be silicone free and has a low-particulate shed, which reduces risk of contamination from the dip itself. The coating "strikes through" onto the inside of the glove, which can lead to heat retention and sweating. Not as durable as nitrile or latex, PU gloves can be used for inside light duty, detailed assembly, inspection, light fabrication, and box/small parts handling.



# BELLINGHAM GLOVES

Bellingham Glove is a trusted source for high quality industrial gloves, with a reputation for supplying gloves that fit well, have excellent grip, and are tough enough to satisfy the demands of industry.

We also understand that industrial users require on-time delivery and competitive pricing.



## 3709 S-XL

- 13 Ga Nylon Shell
- Waterproof Double-Dipped PCT® Nitrile Palm Coating w/Palm Dots
- Unbeatable Grip in Dry or Wet/Oily Conditions



## NITRILE PALM COATING

## 3708 S-XL

- 13 Ga Nylon Shell
- Waterproof Double-Dipped PCT® Nitrile Palm Coating
- Unbeatable Grip in Dry or Wet/Oily Conditions



## 3500 S-XL

- 10 Ga Poly/Cotton Shell
- Tough, Flexible, Textured Nitrile Palm Coat
- Ergonomic Shaping Reduces Hand Fatigue



## 5550 S-2XL

- 13 Ga Aramid Fiber/HPPE Cut-Resistant Shell
- Advanced Flex-Nitrile Micro foam Palm Coat Adds Abrasion Resistance & Excellent Wet Grip



## LIQUID PROOF NITRILE/PVC COATING

### 3720 S-XL

- 13 Ga Seamless Nylon Knit Shell
- Liquidproof Full Nitrile Coating
- Unbeatable Grip & Tactility



### 6812 S-2XL

- Lightweight 18 Ga Knit Liner
- Oil/Chemical Resistant PCT® Nitrile Coating
- Unbeatable Grip In Dry or Wet/Oily Conditions



### 81115 S-2XL

- 15 Mil Unsupported Nitrile
- Embossed Palm & Fingertips, 14" Long



### 6201 S-2XL

- Triple Dipped PVC/Nitrile Coating
- 15 Ga Liner w/Excellent Dexterity
- Textured Palm, 12" Gauntlet



### 6601 S-2XL

- Triple Dipped PVC/Nitrile Coating
- Tough 13 Ga Liner Adds Strength
- Textured Palm, 12" Gauntlet



### 4901 M-XL

- Triple Dipped PVC/Nitrile Coating
- Soft Acrylic Fleece Liner
- Textured Palm



WARNING: Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)



# GLOVE HANG TAG PROGRAM

**For Fast, Easy, and Professional Retail Display of Radians Gloves at Industrial Storefronts.**


**FAST** Five business day turnaround.

**EASY** You can place an order for a case of "tagged" gloves just as you would place an order for a case of "untagged" gloves.

**ECONOMICAL** Our program is competitively priced. Radians provides and attaches hang tags for an additional \$1.80 per dozen.

## Minimum Order Requirement is One Case

The minimum order is a case and the gloves in that case can include bulk packs of a dozen in multiple sizes. Keep in mind some of our cases include 72 gloves and some cases include 120 gloves. After a case is ordered, you may order more gloves by the dozen. Many of our competitors will only sell by the case, but Radians is more flexible allowing for dozen bulk pack purchases after the minimum case requirement has been satisfied.



## MERCHANDISING

### DUMP BINS



**DB-DPG737**  
Holds 54 pair DPG737

**DB-DPG70**  
Holds 96 pair DPG70

**DB-DPG740**  
Holds 48 pair DPG740

### DISPLAYS



**DPWG-FD20**  
Available for  
Radians or  
DeWALT

**9525**  
Wall Display  
(48 Pairs) Available  
for Radians or  
DeWALT



## PERFORMANCE GLOVES

### RWG100 M-2XL

- Padded Double Layer Synthetic Palm
- Reinforced and Reflective Fingertips
- Easy Fit Open Cuff Design
- Silver Reflective Tape
- Reflective Pull Strap



### FR-RWG700 S-2XL

- Synthetic FR Work Glove
- 300GSM Kevlar Laminated Liner
- Kevlar Thread and Elastic Shirred Wrist
- FR Synthetic Leather Pull Strap



WARNING: Cancer and reproductive harm - www.P65warnings.ca.gov



POLYURETHANE PALM COATING/NITRILE PALM COATING

# COATED PALM GLOVES

## RWG19 XS-2XL

- Touchscreen
- 18 Ga Black Poly Shell
- Black PU Coating



2 - Abrasion  
1 - Coup Test/Cut  
1 - Tear  
0 - Puncture  
X - ISO Cut Test



Individually Polybagged

## RWG11 S-2XL

- 15 Ga Gray Nylon Shell
- Micro-Foam Nitrile Palm Dip
- Anti-Slip Nitrile Dotted Coating

Meets ANSI/ISEA



4 - Abrasion  
1 - Coup Test/Cut  
2 - Tear  
1 - Puncture  
X - ISO Cut Test



## RWG12 S-2XL

- 15 Ga Gray Nylon Shell
- 3/4 Micro-Foam Dipped Nitrile
- Anti-slip Nitrile Dotted Coating

Meets ANSI/ISEA



4 - Abrasion  
1 - Coup Test/Cut  
2 - Tear  
1 - Puncture  
X - ISO Cut Test



3 1 2 1 X  
3 - Abrasion  
1 - Coup Test/Cut  
2 - Tear  
1 - Puncture  
X - ISO Cut Test

Meets ANSI/ISEA



ABRASION

## RWG22 XS-2XL

- 13 Ga Hi-Viz Yellow Polyester
- Yellow PU Coating



3 1 2 1 X  
3 - Abrasion  
1 - Coup Test/Cut  
2 - Tear  
1 - Puncture  
X - ISO Cut Test

Meets ANSI/ISEA



ABRASION

## RWG14 S-2XL

- 13 Ga Gray Polyester Shell
- Gray PU Coating

**WARNING:** Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)



## NITRILE PALM COATING/LATEX PALM COATING

### RWG13 S-2XL

- 15 Ga Gray Nylon Shell
- Foam Nitrile Palm Coating
- Water Resistant



Meets ANSI/ISEA 105:2016



ABRASION



4 1 3 1 X

- 4 - Abrasion
- 1 - Coup Test/Cut
- 3 - Tear
- 1 - Puncture
- X - ISO Cut Test

### RWG13C S-2XL

- 15 Ga Gray Polyester Shell
- Foam Nitrile Palm Coating



4 1 2 1 X

- 4 - Abrasion
- 1 - Coup Test/Cut
- 2 - Tear
- 1 - Puncture
- X - ISO Cut Test

### RWG15 S-2XL

- 13 Ga Black Polyester Shell
- Gray Smooth Nitrile Coating



Meets ANSI/ISEA 105:2016



ABRASION



3 1 2 1 X

- 3 - Abrasion
- 1 - Coup Test/Cut
- 2 - Tear
- 1 - Puncture
- X - ISO Cut Test

### RWG20 S-2XL

- 15 Ga Nylon/Spandex
- Black 3/4 Micro-Foam Nitrile Coating



Meets ANSI/ISEA 105:2016



ABRASION



4 1 2 1 X

- 4 - Abrasion
- 1 - Coup Test/Cut
- 2 - Tear
- 1 - Puncture
- X - ISO Cut Test

### RWG21 S-2XL

- 13 Ga Hi-Viz Yellow Nylon
- Black Foam Nitrile Coating
- TPR On Back



Meets ANSI/ISEA 105:2016



ABRASION



4 1 4 1 X

- 4 - Abrasion
- 1 - Coup Test/Cut
- 4 - Tear
- 1 - Puncture
- X - ISO Cut Test

U.S. Pat. No. 9,241,519

### RWG10 S-XL

- 15 Ga Hi-Viz Nylon Shell
- Micro-Foam Latex Coating
- Elastic Cuff



Meets ANSI/ISEA 105:2016



ABRASION



2 1 3 1 X

- 2 - Abrasion
- 1 - Coup Test/Cut
- 3 - Tear
- 1 - Puncture
- X - ISO Cut Test

**CAUTION**  
Product Contains Latex

### RWG18 S-2XL

- 13 Ga Orange Nylon Shell
- Full Orange Waterproof Latex Coating
- Black Sandy Foam Latex Palm Dip



Meets ANSI/ISEA 105:2016



ABRASION



3 1 3 1

- 3 - Abrasion
- 1 - Cut
- 3 - Tear
- 1 - Puncture

**CAUTION**  
Product Contains Latex

### RWG16 S-2XL

- 10 Ga Gray Polyester Shell
- Blue Crinkle Latex Coating



Meets ANSI/ISEA 105:2016



ABRASION



2 1 4 2 X

- 2 - Abrasion
- 1 - Coup Test/Cut
- 4 - Tear
- 2 - Puncture
- X - ISO Cut Test

**CAUTION**  
Product Contains Latex

**WARNING:** Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

## RWG17 S-2XL

- 3/4 Dipped Micro Finish Black Latex Coating
- 2 Ply Water Resistant 13 Ga Orange High Visibility
- Nylon Outer Shell
- 7 Ga Acrylic Terry Liner



**CAUTION**  
Product Contains Latex

Meets ANSI/ISEA 105:2016	EN388:2016	2 - Abrasion 2 - Coup Test/Cut 4 - Tear 1 - Puncture X - ISO Cut Test
<b>A2</b> CUT/980g	<b>3</b> ABRASION	2 2 4 1 X

## RWG27 S-2XL

- 7 ga Hi-Viz Yellow Acrylic Shell
- Blue Crinkle Latex Palm Coating
- Liner: 80% Acrylic 20% Polyester
- EN511-2006 Test Against Cold Contact Achieved Performance Level 1 Thermal Resistance



**CAUTION**  
Product Contains Latex

Meets ANSI/ISEA 105:2016	EN511	EN388:2016	2 - Abrasion 1 - Coup Test/Cut 4 - Tear 1 - Puncture X - ISO Cut Test
<b>A3</b> CUT/1000g	X 1 X	2 1 4 1 X	

## RWG28 M-2XL

- 13 Ga Gray Nylon Shell
- 10 Ga Acrylic Liner
- Full Gray Waterproof Latex Coating
- Black Sandy Foam Latex Palm Dip



**CAUTION**  
Product Contains Latex

Meets ANSI/ISEA 105:2016	EN511	EN388:2016	2 - Abrasion 2 - Coup Test/Cut 3 - Tear 2 - Puncture X - ISO Cut Test
<b>A2</b> CUT/736g	X 2 X	2 2 3 2 X	

## RWG604 S-2XL

- 2 Ply 13 Ga Pepper HPPE Outer Shell
- 7 Ga Terry Acrylic Inner Shell
- Black Foam Nitrile Palm Coating
- TPR Overlays on Fingers and Back



U.S. Patent No. 9,241,519

Meets ANSI/ISEA 105:2016			4 - Abrasion 5 - Coup Test/Cut 4 - Tear 4 - Puncture E - ISO Cut Test P - Impact Test
<b>A4</b>	<b>5</b>	<b>5</b>	
<b>CUT/1785g</b>	<b>ABRASION</b>	<b>PUNCTURE</b>	

## RWG605 S-2XL

- 2 Ply 13 Ga Blue and White HPPE Outer Shell
- 7 Ga Acrylic Terry Liner
- Waterproof Blue Smooth Latex Coating
- Black Foam Latex Palm Coating



**CAUTION**  
Product Contains Latex

Meets ANSI/ISEA 105:2016		
<b>A4</b>	<b>5</b>	<b>5</b>
<b>CUT/1888g</b>	<b>ABRASION</b>	<b>PUNCTURE</b>



4 5 4 4  
4 - Abrasion  
5 - Cut  
4 - Tear  
4 - Puncture

## RWG800 S-2XL

- REFLECTIVZ™ Waterproof Plated Thermal Lined Palm
- Synthetic Leather Nail Guards
- Reflective Knuckle Strap
- Wraparound Index Finger Seam



**WARNING:** Cancer and reproductive harm - www.P65warnings.ca.gov



# LEATHER DRIVERS

**KAMORI**  
by RADIANS



## **RWG50** S-2XL

- White Grain Goat Skin Driver
- Aramid Lining
- TPR Overlays
- Slip-On Cuff
- Keystone Thumb

U.S. Patent No. 9,241,519



Meets ANSI/ISEA 105:2016



## **RWG52** S-2XL

- White Grain Goat Skin Driver
- Aramid Lining
- Slip-On Cuff
- Keystone Thumb



Meets ANSI/ISEA 105:2016



## **RWG51** M-2XL

- White Grain Goat Skin Driver
- TPR Overlays
- Slip-On Cuff
- Keystone Thumb

U.S. Patent No. 9,241,519



## GOATSKIN LEATHER DRIVERS

### **RWG4720** S-2XL

- Standard Grain Goatskin Leather Driver
- Straight Thumb
- Shirred Wrist, Cloth Hem



### **RWG4740** S-2XL

- Premium Grain Goatskin Leather Driver
- Straight Thumb
- Shirred Wrist, Cloth Hem



## PIGSKIN/COWHIDE LEATHER DRIVERS

### **RWG4810** S-XL

- Economy Top Grain Pigskin Leather Driver
- Straight Thumb
- Shirred Wrist, Cloth Hem



### **RWG4821** S-XL

- Standard Top Grain Pigskin Leather Driver
- Keystone Thumb
- Shirred Wrist, Cloth Hem



### **RWG4010** S-2XL

- Economy Gray Split Cowhide Leather Driver
- Straight Thumb
- Shirred Wrist, Cloth Hem



### **RWG4020** S-2XL

- Standard Split Cowhide Leather, Russet color
- Straight Thumb
- Shirred Wrist, Cloth Hem



### **RWG4120** S-2XL

- Economy Grain Cowhide Leather Driver
- Straight Thumb
- Shirred Wrist





## COWHIDE LEATHER DRIVERS

### **RWG4121** S-2XL

- Economy Grain Cowhide Leather Driver
- Wing Thumb
- Shirred Wrist



### **RWG4220** S-3XL

- Standard Grain Cowhide Leather Driver
- Keystone Thumb
- Shirred Wrist, Cloth Hem



### **RWG4220H** S-2XL

- Standard Grain Cowhide Leather Driver
- High-Viz Fingers
- Keystone Thumb
- Shirred Wrist, Cloth Hem



### **RWG4221** S-2XL

- Standard Grain Cowhide Leather Driver
- Keystone Thumb
- Pull Strap
- Shirred Wrist, Cloth Hem



### **RWG4221HV** S-2XL

- Standard Grain Cowhide Leather Driver
- Keystone Thumb
- Shirred Wrist, Cloth Hem



### **RWG4420** S-2XL

- Premium Grain Cowhide Leather Driver
- Keystone Thumb
- Shirred Wrist, Cloth Hem



 WARNING: Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

## COWHIDE LEATHER DRIVERS

## WINTER/LINED LEATHER DRIVERS

### **RWG4222** S-2XL

- Standard Grain Cowhide Leather Driver
- Grey Split Back
- Keystone Thumb
- Shirred Wrist, Cloth Hem



### **RWG4825** S-XL

- Standard Top Grain Pigskin Leather Driver
- Straight Thumb
- White Fleece Lined
- Shirred Wrist, Cloth Hem



### **RWG4025** S-2XL

- Economy Gray Split Cowhide Leather Driver
- Red Fleece Lined
- Straight Thumb
- Shirred Wrist, Cloth Hem



### **RWG4421** S-2XL

- Premium Grain Cowhide Leather Driver
- Grey Split Back
- Keystone Thumb
- Kevlar Sewn
- Shirred Wrist, Cloth Hem



### **RWG4225** S-2XL


- Standard Grain Cowhide Leather Driver
- Keystone Thumb
- Red Fleece Lined
- Shirred Wrist, Cloth Hem



### **RWG4425** S-2XL

- Premium Grain Cowhide Leather Driver
- Keystone Thumb
- 40 Gram Thinsulate® Lined Full Sock
- Shirred Wrist, Cloth Hem



 WARNING: Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)



# LEATHER PALM GLOVES



## **RWG3200JP** M-2XL

- Regular Shoulder Gray Split Cowhide Joint Leather Palm
- Gunn Cut w/ Wing Thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff



## **RWG3200DP** M-XL

- Regular Shoulder Gray Split Cowhide Double Leather Palm
- Gunn Cut w/ Wing Thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff



## **RWG3103** S-2XL

- Economy Shoulder Gray Split Cowhide Leather palm
- Gunn cut w/wing thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff

Available w/Gauntlet Cuff (RWG3103G)



## GOATSKIN/PIGSKIN/COWHIDE PALMS

## **RWG3700** M-XL

- Premium Grain Goatskin Leather Palm
- Gunn Cut
- Leather Knuckle Strap
- Rubberized Safety Cuff



## **RWG3840** M-XL

- Premium Grain Pigskin Leather Palm
- Gunn Cut w/Wing Thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff



## WINTER/LINED PIGSKIN PALM



## **RWG3825** L-XL

- Regular Grain Pigskin Leather Palm
- Gunn Cut w/Wing Thumb
- 150 Gram Micro Fleece Lined
- Leather Knuckle Strap
- 4" Knit Wrist



## COWHIDE LEATHER PALM GLOVES

### **RWG3010** L

- Economy Shoulder Gray Split Cowhide Leather palm
- Clute Cut
- Knit Wrist

Available In Ladies Size Large (RWG3012)



### **RWG3110** L

- Economy Shoulder Leather Palm
- Patch Palm Construction
- Gunn Cut w/ Wing Thumb
- Leather Knuckle Strap
- Denim Back & Safety Cuff



### **RWG3111** L

- Economy Shoulder Gray Split Cowhide Leather
- Gunn Cut w/ Wing Thumb
- Leather Knuckle Strap
- Starch Safety Cuff



### **RWG3200** S-2XL

- Regular Shoulder Gray Split Cowhide
- Gunn Cut w/Wing Thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff

Available w/Gauntlet Cuff (RWG3200G) Size Large



### **RWG3200W** M-2XL

- Regular Shoulder Split Gray Cowhide Leather
- Gunn Cut w/ Wing Thumb
- Canvas Back
- Leather Knuckle Strap
- Washable Duck Cuff



### **RWG3200HV** L-XL

- Regular Shoulder Split Cowhide Leather Palm w/Hi-Vis Nylon Back
- Gunn Cut w/ Wing Thumb
- Reflective Knuckle Strap
- Rubberized Safety Cuff





# LEATHER PALM GLOVES



## COWHIDE LEATHER PALM GLOVES

### **RWG3206** L

- Full Regular Shoulder Gray Split Cowhide Leather
- Gunn cut w/Wing Thumb
- Full Leather Back
- Rubberized Safety Cuff



### **RWG3300** M-XL

- Select Shoulder Gray Split Cowhide Palm
- Gunn Cut w/ Wing Thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff

Available w/Gauntlet Cuff (RWG3300G)



### **RWG3400W** M-2XL

- Side Split Gray Cowhide Leather palm
- Gunn Cut w/Wing Thumb
- Canvas back
- Leather Knuckle Strap
- Aramid Thread
- Rubberized Safety Cuff

Available w/Gauntlet Cuff (RWG3400WG) M-XL



### **RWG3400WDP** M-XL

- Side Split Gray Cowhide Double Palm
- Gunn Cut w/Wing Thumb
- Canvas Back
- Leather Knuckle Strap
- Aramid Thread
- Rubberized Safety Cuff

Available w/Gauntlet Cuff (RWG3400DPG)



## GRAIN LEATHER PALM

### **RWG3210** S-2XL

- Regular Grain Cowhide Leather Palm
- Gunn Cut w/ Wing Thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff



## WINTER/LINED COWHIDE PALM

### **RWG3105** L

- Economy Shoulder Gray Split Cowhide Leather palm
- Gunn cut w/wing thumb
- Leather Knuckle Strap
- Red Fleece Lined
- Rubberized Safety Cuff



### **RWG3205** M-2XL

- Regular Shoulder Gray Split Cowhide
- Gunn Cut w/Wing Thumb
- Leather Knuckle Strap
- 40 Gram Thinsulate® Liner
- Rubberized Safety Cuff



WARNING: Cancer and reproductive harm - www.P65warnings.ca.gov

## **RWG5100** XL

- Gray Split Economy Shoulder Cow Leather
- Fleece Cotton Drill Lining
- Wing Thumb
- 14" 1 piece Back

Also Available Left Hand Only (RWG5100LH)



## **RWG5410** XL

- Premium Side Split Blue Cowhide Leather
- Full Sock Lining With Foam
- Reinforced Palm
- Wing Thumb
- 14" Fully Weltd Seams
- Aramid Sewn



## MIG/TIG WELDING GLOVES

## **RWG6210** M-2XL

- Mig-Tig Regular Grain Cowhide
- Seamless Forefinger
- Wing Thumb
- 4" Blue Regular Split Shoulder Cuff
- Aramid Sewn



## **RWG6310** M-2XL

- Mig-Tig Select Grain Cowhide
- Seamless Forefinger
- Wing Thumb
- 4" Brown Regular Split Shoulder Cuff
- Aramid Sewn



## **RWG6710** M-2XL

- Mig-Tig Select Grain Goatskin
- Seamless Forefinger
- Wing Thumb
- 4" Brown Regular Split Shoulder Cuff
- Aramid Sewn



# WELDING GLOVES



## **RWG5210** XL

- Blue Regular Shoulder, Split Leather
- Full Sock Jersey Lined
- Wing Thumb, Reinforced Palm
- 14" Fully Weltd Seams
- Aramid Sewn

## **RWG5310** XL

- Select Split Brown Cowhide Leather
- Full Sock Lining With Foam
- Reinforced Palm
- Wing Thumb
- 14" Fully Weltd Seams
- Aramid Sewn





# RADIANS® CUT PROTECTION GLOVES



Meets ANSI/ISEA 105:2016

<b>A2</b>	<b>1</b>	<b>4</b>
CUT/616g	ABRASION	PUNCTURE

EN388:2003



4 3 4 3  
4 - Abrasion  
3 - Cut  
4 - Tear  
3 - Puncture

## RWG530 S-2XL

- 13 Ga Salt and Pepper HPPE Shell
- Polyurethane Coating



Meets ANSI/ISEA 105:2016

<b>A2</b>	<b>1</b>	<b>3</b>
CUT/620g	ABRASION	PUNCTURE

EN388:2016



4 2 4 2 B  
4 - Abrasion  
2 - Coup Test/Cut  
4 - Tear  
2 - Puncture  
B - ISO Cut Test

## RWG550 XS-2XL

- 13 Ga White HPPE Shell
- Polyurethane Dip

## POLYURETHANE PALM COATING

### RWG531 S-2XL

- Materials Compliant with FDA 21 CFR 177.152
- 13 Ga Hi-Viz Yellow HPPE Shell
- Water Based PU Coating

Made with  
FDA accepted  
material for use in  
food processing



Individually Polybagged

Meets ANSI/ISEA 105:2016

<b>A2</b>	<b>2</b>	<b>5</b>
CUT/960g	ABRASION	PUNCTURE

CE

EN388:2003



4 3 4 4  
4 - Abrasion  
3 - Cut  
4 - Tear  
4 - Puncture

### RWG561 XS-2XL

- 18 Ga Gray HPPE
- Black PU Coating



Meets ANSI/ISEA 105:2016

<b>A2</b>	<b>1</b>	<b>3</b>
CUT/697g	ABRASION	PUNCTURE

EN388:2003



4 5 3 2  
4 - Abrasion  
5 - Cut  
3 - Tear  
2 - Puncture

### RWG562 S-2XL

- 13 Ga Salt N Pepper HPPE
- Gray PU Palm Coating



Meets ANSI/ISEA 105:2016

<b>A3</b>	<b>1</b>	<b>4</b>
CUT/1292g	ABRASION	PUNCTURE

EN388:2003



4 5 4 3  
4 - Abrasion  
5 - Cut  
4 - Tear  
3 - Puncture

**WARNING:** Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

WORK HARD. STAY SAFE.

## POLYURETHANE PALM COATING/NITRILE PALM COATING

### RWG557 S-2XL

- 13 Ga Orange High Tenacity Nylon W/ Fiberglass
- Black PU Palm Coating



Meets ANSI/ISEA 105:2016

<b>A4</b>	<b>1</b>	<b>4</b>
CUT/1522g	ABRASION	PUNCTURE



### RWG560 XS-2XL

- 13 Ga Gray HPPE with Fiberglass
- Black PU Palm Coating



Meets ANSI/ISEA 105:2016

<b>A4</b>	<b>1</b>	<b>4</b>
CUT/1995g	ABRASION	PUNCTURE



### RWG566 XS-2XL

- Touchscreen
- 18 Ga Gray HPPE with Stainless Steel
- Black PU Palm Coating



Meets ANSI/ISEA 105:2016

<b>A4</b>	<b>2</b>	<b>2</b>
CUT/1910g	ABRASION	PUNCTURE



### RWG558 XS-2XL

- 13 Ga Hi-Viz Green HPPE w/ Fiberglass and Stainless Steel
- Black PU Palm Coating



Meets ANSI/ISEA 105:2016

<b>A7</b>	<b>1</b>	<b>4</b>
CUT/4231g	ABRASION	PUNCTURE



### RWG532 S-2XL

- Touchscreen
- 13 Ga Black HPPE Shell
- Foam NBR Palm Coating



Meets ANSI/ISEA 105:2016

<b>A2</b>	<b>3</b>	<b>4</b>
CUT/570g	ABRASION	PUNCTURE

Individually Polybagged



### RWG533 XS-2XL

- 18 Ga Green HPPE Shell
- Sandy Foam Nitrile Palm Coating



Meets ANSI/ISEA 105:2016

<b>A2</b>	<b>3</b>	<b>2</b>
CUT/785g	ABRASION	PUNCTURE



 WARNING: Cancer and reproductive harm - www.P65warnings.ca.gov



## NITRILE PALM COATING

### **RWG534** S-2XL

- 13 Ga Salt-N-Pepper HPPE Shell
- Micro Black Foam Nitrile Palm Coating



Meets ANSI/ISEA 105:2016

<b>A2</b>	<b>6</b>	<b>4</b>
CUT/645g	ABRASION	PUNCTURE

4 2 4 3 B  
4 - Abrasion  
2 - Coup Test/Cut  
4 - Tear  
3 - Puncture  
B - ISO Cut Test

### **RWG537** S-2XL

- 13 Gauge Kevlar® Lycra Outer Shell
- Black Foam Nitrile Palm Coating



Kevlar® is a registered trademark of DuPont.

Meets ANSI/ISEA 105:2016

<b>A2</b>	<b>6</b>	<b>3</b>
CUT/624g	ABRASION	PUNCTURE

4 3 4 2  
4 - Abrasion  
3 - Cut  
4 - Tear  
2 - Puncture

### **RWG538** XS-2XL

- 18 Ga Green HPPE Outer Shell
- Black Foam Nitrile Palm Coating With Dots
- Reinforced Thumb Crotch



Meets ANSI/ISEA 105:2016

<b>A2</b>	<b>4</b>	<b>2</b>
CUT/796g	ABRASION	PUNCTURE

4 3 4 1  
4 - Abrasion  
3 - Cut  
4 - Tear  
1 - Puncture

### **RWG555** XS-2XL

- 13 Ga Salt-N-Pepper HPPE Shell With Fiberglass
- Foam Nitrile Palm Coating



Meets ANSI/ISEA 105:2016

<b>A4</b>	<b>4</b>	<b>5</b>
CUT/1550g	ABRASION	PUNCTURE

4 X 4 4 D  
4 - Abrasion  
X - Coup Test/Cut  
4 - Tear  
4 - Puncture  
D - ISO Cut Test

### **RWG556** S-2XL

- 13 Ga HPPE With Fiberglass
- Black Sandy Nitrile Palm Coating
- Red Smooth Nitrile For Water Proofing



Meets ANSI/ISEA 105:2016

<b>A4</b>	<b>3</b>	<b>4</b>
CUT/1888g	ABRASION	PUNCTURE

4 5 4 3  
4 - Abrasion  
5 - Cut  
4 - Tear  
3 - Puncture

### **RWG559** XS-2XL

- 13 Ga Hi-Viz Orange HPPE w/ Fiberglass and Stainless Steel
- Black Sandy Nitrile Palm Coating



Meets ANSI/ISEA 105:2016

<b>A6</b>	<b>6</b>	<b>5</b>
CUT/3997g	ABRASION	PUNCTURE

4 5 4 4  
4 - Abrasion  
5 - Cut  
4 - Tear  
4 - Puncture

**WARNING:** Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

## NITRILE PALM COATING/LATEX PALM COATING

### RWG563 S-2XL

- Salt-N-Pepper HPPE
- Black Foam Nitrile Palm Coating



Meets ANSI/ISEA 105:2016

<b>A2</b>	<b>6</b>	<b>4</b>
CUT/504g	ABRASION	PUNCTURE

4 3 4 3  
4 - Abrasion  
3 - Cut  
4 - Tear  
3 - Puncture

### RWG564 S-2XL

- Hi-Viz Green HPPE w/Fiberglass
- Foam Nitrile Palm Coating



Meets ANSI/ISEA 105:2016

<b>A4</b>	<b>3</b>	<b>5</b>
CUT/1510g	ABRASION	PUNCTURE

4 5 4 4  
4 - Abrasion  
5 - Cut  
4 - Tear  
4 - Puncture

### RWG567 XS-2XL

- 18 Ga Blue Spandex/HPPE/Polyester
- Black Nitrile Palm Coating



Meets ANSI/ISEA 105:2016

<b>A4</b>	<b>3</b>
CUT/1561g	PUNCTURE

3 3 4 2 D  
3 - Abrasion  
3 - Coup Test/Cut  
4 - Tear  
2 - Puncture  
D - ISO Cut Test

### RWG603 S-2XL

- 13 Ga Pepper HPPE Shell W/ Fiberglass
- Sandy Foam Nitrile Palm Coating
- TPR Overlays



Individually Polybagged  
U.S. Patent No. 9,241,519  
Meets ANSI/ISEA 105:2016

<b>A5</b>	<b>5</b>	<b>5</b>
CUT/2570g	ABRASION	PUNCTURE

4 5 4 4 E P  
4 - Abrasion  
5 - Coup Test/Cut  
4 - Tear  
4 - Puncture  
E - ISO Cut Test  
P - Impact Test

### RWG603R M-2XL

- 13 Ga Pepper HPPE Shell W/ Fiberglass
- Sandy Foam Nitrile Palm Coating
- Reinforced Thumb Crotch
- TPR Overlays



Individually Polybagged  
U.S. Patent No. 9,241,519  
Meets ANSI/ISEA 105:2016

<b>A5</b>	<b>5</b>	<b>5</b>
CUT/2837g	ABRASION	PUNCTURE

4 5 4 4 E P  
4 - Abrasion  
5 - Coup Test/Cut  
4 - Tear  
4 - Puncture  
E - ISO Cut Test  
P - Impact Test

### RWG536 M-XL

- 15 Ga Blue and White HPPE Shell
- Sandy Foam Latex Palm Coating



**CAUTION**  
Product Contains Latex  
Meets ANSI/ISEA 105:2016


<b>A2</b>	<b>3</b>	<b>3</b>
CUT/525g	ABRASION	PUNCTURE

4 3 4 2  
4 - Abrasion  
3 - Cut  
4 - Tear  
2 - Puncture

 WARNING: Cancer and reproductive harm - www.P65warnings.ca.gov



# CUT PROTECTION GLOVES



## WORLD'S MOST ADVANCED CUT RESISTANT FIBER

Dyneema® Diamond Technology offers maximum protection over traditional materials like aramid, leather, nylon and polyethylene with glass fiber.

It can achieve levels B, C and D based on the latest EN388 2016 standard and levels A2, A3 and A4 on the new ANSI/ISEA 105-2016 standard without the use of glass or steel fiber reinforcement, which may break during use causing skin irritation.

## GREATER COMFORT & DEXTERITY

Dyneema® Diamond Technology fibers are thinner than generic HMPE fibers and 40% less dense than aramid fibers, making them more comfortable, thinner and cooler to the touch, while still providing advanced cut protection.

It also promotes skin-like dexterity, allowing users to perform delicate and precise tasks efficiently.

## HIGHER DURABILITY & COST EFFICIENCY

Cut resistant gloves made with Dyneema® Diamond Technology offer greater abrasion and U.V. resistance and higher durability in comparison to gloves made with leather, aramid and polyethylene with glass fiber.

They can also be laundered and reused multiple times without losing their performance, maximizing cost efficiency.

# Black Dyneema® Diamond Technology

**RWGD108** S - 2XL

EN388:2003



4 - Abrasion  
5 - Cut  
4 - Tear  
3 - Puncture

4 5 4 3

Meets ANSI/ISEA 105:2016



CUT/1788g ABRASION PUNCTURE

Individually Polybagged

Enhanced Dirt Masking Properties

Steel & Fiberglass Free

Radiates Heat Away To Help Keep You Cool

Durable & Washable For Long Lasting Protection



Black Sandy Nitrile

Excellent Abrasion Resistance

13 Ga Black

Dyneema® is a registered trademark of DSM. Use of this trademark is prohibited unless strictly authorized.

 **WARNING:** Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)



# CUT PROTECTION

## RWGD100 XS-2XL

- 15 Ga Speckled Hi-Viz Yellow Shell
- Black PU Palm Coating
- Touchscreen



EN388:2003



Individually Polybagged

Meets ANSI/ISEA 105:2016



4 5 4 4

4 - Abrasion  
5 - Cut  
4 - Tear  
4 - Puncture

## RWGD101 XS-2XL

- 13 Ga Light Gray Shell
- Gray PU Palm Coating



EN388:2003



Individually Polybagged

Meets ANSI/ISEA 105:2016



4 5 4 3

4 - Abrasion  
5 - Cut  
4 - Tear  
3 - Puncture

## RWGD104 S-2XL

- 13 Ga Blue Speckled Shell
- Black PU Palm Coating
- Touchscreen



EN388:2003



Individually Polybagged

Meets ANSI/ISEA 105:2016



4 5 4 3

4 - Abrasion  
5 - Cut  
4 - Tear  
3 - Puncture

## RWGD105 XS-2XL

- 18 Ga Light Blue Shell
- Black PU Palm Coating



EN388:2003



Individually Polybagged

Meets ANSI/ISEA 105:2016



4 4 4 2

4 - Abrasion  
4 - Cut  
4 - Tear  
2 - Puncture

## RWGD106 S-2XL

- 13 Ga Salt-N-Pepper Shell
- Black Foam Nitrile Palm Coating



EN388:2003



Individually Polybagged

Meets ANSI/ISEA 105:2016



4 5 4 4

4 - Abrasion  
5 - Cut  
4 - Tear  
4 - Puncture

## RWGD110 S-2XL

- 13 Ga Salt-N-Pepper Shell
- Black Foam Nitrile Palm Coating
- TPR Overlays



EN388:2003



Individually Polybagged

Meets ANSI/ISEA 105:2016



4 5 4 4

4 - Abrasion  
5 - Cut  
4 - Tear  
4 - Puncture

⚠ WARNING: Cancer and reproductive harm - www.P65warnings.ca.gov

sales@radians.com | www.radians.com | 877-723-4267

155



**DEWALT****GEAR**

# CUT PROTECTION GLOVES



Black Foam Nitrile

Durable & Washable  
For Long Lasting Protection



13 Ga Gray Speckled

Radiates Heat Away  
To Help Keep You Cool

**DPGD809** L-XL



CUT/1534g | ABRASION | PUNCTURE

Individually Polybagged

EN388:2003



4 5 4 3

4 - Abrasion  
5 - Cut  
4 - Tear  
3 - Puncture



**DPG805** M-XL

- 13 Ga TekShell™ HPPE Cut Resistant Fiber
- GripTough™ Sandy Nitrile Palm Dip



CUT/1548g | ABRASION | PUNCTURE



4 X 4 4 D

4 - Abrasion  
X - Coup Test/Cut  
4 - Tear  
4 - Puncture  
D - ISO Cut Test



**TekShell™ HPPE Fiber**  
(High Performance Polyethylene)  
for cut resistance



**GripTough™ Palm Dip**  
has high resistance to oils, gas and  
some chemicals. It is also extremely  
abrasion, heat and tensile resistant.



WARNING: Cancer and reproductive harm - www.P65warnings.ca.gov

# COATED PALM GLOVES

**DPG70**
**M-XL**


- Textured Rubber Palm
- Breathable Knit Back
- Ergonomic Design
- Seamless Fit

EN388:2016


2 1 4 2 X  
 2 - Abrasion  
 1 - Coup Test/Cut  
 4 - Tear  
 2 - Puncture  
 X - ISO Cut Test



**CAUTION**  
 Product Contains Latex

**DPG76**
**L-XL**


- Textured Nitrile Palm
- Breathable Knit Back
- Ergonomic Design
- Seamless Fit


**DPG73**
**L-2XL**


- Smooth Nitrile Coating
- Breathable Poly Shell
- Elastic Cuff

Tagged Pairs: DPG73TL  
 Three Pack: DPG73-3PK


**DPG78**
**L-XL**


- Impact Grip Hybrid
- TPR Impact Guards
- Foam Latex Palm Grip
- Breathable 10 Ga Shell



U.S. Patent No. 9,241,519

**CAUTION**  
 Product Contains Latex

**WARNING:** Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

[sales@radians.com](mailto:sales@radians.com) | [www.radians.com](http://www.radians.com) | 877-723-4267



# PERFORMANCE GLOVES

## DPG780 M - XL

- Performance Mechanic Grip
- Tacky Silicone Fingertip Grips
- PVC Palm Grip Overlays
- TPR Knuckle Guards
- Leather Nail Guards



U.S. Patent No. 9,241,519

## DPG870 M - XL

- Rubberized Grip Overlays
- High Visibility Green Back
- Silver Reflective Tape
- RapidFit™ Slip-On Cuff



## DPG212 M - XL

- Rugged Reverse Leather Overlays
- Premium Grade Cowhide Leather
- Reinforced Thumb Saddle



## DPG216 L - XL

- Split Cowhide Leather Palm
- Breathable Spandex Back
- Reinforced Thumb Saddle



WARNING: Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

## DPG20

M - XL

- ToughGrip™ Thumb Saddle
- Padded Palm & Knuckle
- Elastic Wrist Strap



## DPG222

L - XL

- Hi-Dex Nubuck Palm
- Reinforced Fingers and Thumb
- Rapidfit™ Slip-On Cuff



## DPG218

M - XL

- Reinforced Finger & Thumb
- Lightweight & Breathable
- Short Slip-On Cuff
- Foam Padded Knuckle



EN388:2016  
  
 3 - Abrasion  
 1 - Coup Test/Cut  
 1 - Tear  
 1 - Puncture  
 A - ISO Cut Test  
**3 1 1 A**

## DPG200

M - 2XL

- Water/Oil Resistant Palm
- Durable Double Stitching
- UlnaLock™ Wrist



## DPG230

M - XL

- High-Dexterity Fingerless Design
- Double Palm Overlay
- Terry Cloth Brow Wipe
- ToughThread™ Double Stitching



## DPG217

M - XL

- Foam Padded Knuckle
- Rubberized Overlays
- SecureFit™ Wrist Closure



WARNING: Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)





**DEWALT**

**GEAR**

## LEATHER GLOVES

### DPG210 M-XL

- Memory Gel Padded Palm
- Water/Oil Resistant PVC
- Synthetic Fourchettes
- UlnaLock™ Wrist



2 1 2 1 X

2 - Abrasion  
1 - Coup Test/Cut  
2 - Tear  
1 - Puncture  
X - ISO Cut Test



### DPG41 L

- Split Leather Knuckle Strap
- 2 1/2" Rubberized Cuff
- Double Leather Palm



### DPG31 L-XL

- ToughThread™ Double Stitching
- Durable Goatskin Leather
- Elasticized Wrist
- Keystone Thumb



### DPG32 M-XL

- Premium Grain Cow Driver
- Split Leather Palm Overlay
- Elasticized Wrist
- Keystone Thumb



### DPG250 M-2XL

- Padded Knuckle Guard
- Premium Leather Palm with Gel Padding
- ToughTanned™ Durable Leather Palm
- Vibration Reducing



2 1 X X

2 - Abrasion  
1 - Cut  
X - Tear  
X - Puncture



WARNING: Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

## DPG736 M-XL

- Thermal Gripper
- ¾ Foam Latex Dip Coverage
- Brushed Acrylic Breathable Knit Liner
- Pre-curved Ergonomic Design



EN388:2003



- 1 - Abrasion
- 2 - Cut
- 3 - Tear
- 1 - Puncture



**CAUTION**  
Product Contains Latex

## DPG737 M-XL

- 2-in-1 CWS™ Thermal Gripper
- Wicking Nylon Outer Shell
- Acrylic Thermal Liner
- Microfoam Latex ¾ Dip & Palm



**CAUTION**  
Product Contains Latex



## DPG740 M-XL

- Mild Condition Fleece
- Wind/Water Resistant Shell
- Palm & Finger Overlays
- Reinforced Thumb Saddle



## DPG748 L-XL

- Extreme Condition Insulated
- Water Resistant
- Palm & Finger Overlays
- Thermal Lined
- Rubber Pull Tab



## DPG750 M-2XL

- Extreme Condition Insulated
- Wind & Waterproof, Quad Layer, 100g Micro Fleece Liner
- Extended Gauntlet Cuff with Hook & Loop
- Reinforced, Water and Oil Resistant PVC Palm Overlay
- Durable PU Coated Polyester Shell



## DPG755 L-XL

- Waterproof Insulated
- Thinsulate™ / Hipora® Liner
- Dual Layer Thumb Saddle
- Durable Outer Shell
- Neoprene Pad & Wrist
- Rubberized Grip Overlays



**Thinsulate**  
INSULATION



**WARNING:** Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)