



**BREAKING**



**2025 PRODUCT CATALOG**



Getting the products you need, when you need them, at a price that works shouldn't be this tough. We know these challenges firsthand, and we're in this with you. At STARFIRE, we're redefining what it means to be your partner in the lubricant industry. Whether you're a distributor, fleet manager, tractor supply owner, farmer, or plant manager—if you're in the lubricant business, we've got your back.

**LET'S  
BREAK THE MOLD  
TOGETHER**



# INSIDE

## WHO WE ARE

**2 THE STARFIRE DIFFERENCE**

**4 OUR SERVICES**

## OUR PRODUCTS

**6 MARKETS SERVED**

**10 EX INDUSTRIAL**

**12 MOTOR OIL**

**21 TRANSMISSION FLUID**

**25 6-GALLON ECO-BOX &  
DISPENSING SYSTEM**

**26 GEAR LUBRICANTS**

**29 HYDRAULIC OILS**

**32 ANTIFREEZE/COOLANTS**

**38 GREASE**

**41 FUNCTIONAL FLUIDS**

**44 STARFIRE DEF**

**45 POUR CHEMICALS**

**46 TEC-A AEROSOLS**

**48 ANCILLARY PRODUCTS**



Digital Catalog &  
PDS/SDS Downloads

# THE



## PRODUCT YOU NEED, WHEN YOU NEED IT



With our comprehensive lineup of lubricants, coolants and chemicals, odds are we've got you covered from **ATF** to **Zombie Dry**. And delivery... our in-house logistics department provides the best lead times in the industry. That means we can get you the product you're looking for, delivered right on time.

## PRICES YOU CAN WORK WITH



Our goal is to provide the highest quality products at the most competitive market pricing, to help drive the success of **YOUR** company and increase **YOUR** bottom line. Lower prices are realized by controlling all manufacturing costs through our company-owned blending facility, in-house packaging lines and in-house logistics department.

## APPROVALS & LICENSING ABOVE SPECIFICATIONS

STARFIRE is a company of people committed to offering a complete line of field-tested, OEM-approved products that meet/exceed specifications and expectations. Where other companies might supply oil, grease, or brake cleaner, **FEW can offer ALL of these products under ONE trusted brand.**

# DIFFERENCE



## WE KNOW OUR STUFF

We are lubricant, coolant and chemical experts. Just ask us. If you have questions about lubricant specifications or product performance, we have people ready to address them and get you the information you need to make an informed decision.



## WE ACTUALLY ANSWER THE PHONE

We really do. It's a point of pride with our sales team. It's also part of our business philosophy. You are busy. Waiting on hold for an order or questions is out of the question. So when you call, we pick up and you talk to a STARFIRE team member and you get taken care of. Pronto.



# OUR SERVICES

## LOGISTICS

We provide a complete logistics department that can arrange delivery of STARFIRE products on regional route trucks, nationwide freight carriers and bulk transports. We can even load your export containers at our warehouse or ship to your freight forwarder of choice. We get it where you want it, when you need it!



## FROM QUARTS TO TRUCKLOADS

In addition to the packaging you see in this catalog, many STARFIRE products are also available in PAILS, KEGS, DRUMS, TOTES and BULK TANKER transports. We make sure you have the fluids you need, in the volumes you need. Because it just makes sense.



## TECHNICAL SUPPORT

Get answers on hard to find technical information. Find out which product is best to use for your application. Locate special blend lubricants, hard to find chemicals, specialty industrial lubricants and grease. STARFIRE Premium Products has what you need!

Questions? Talk to someone  
in our office at 1-888-258-8723  
OR ASK US HERE.





## LUBRICANT TESTING AND ANALYSIS

Join the STARFIRE Sentry Analysis Program and you'll have access to comprehensive lubricant and antifreeze testing, analysis interpretation, analysis summary and test kits; all from the convenience of your PC or mobile device!

We provide kits with advanced diagnostic and preventive maintenance testing designed to evaluate fluid condition, component wear and contamination in engines, hydraulic systems, transmissions, differentials, gear boxes, final drives, turbines and compressors.

- Maximize asset reliability
- Safely extend oil drain intervals
- Extend equipment life
- Minimize downtime by identifying minor problems before they become major failures
- Testing by an independent, ISO 17025 A2LA-accredited laboratory
- Get online results immediately
- Innovative data management tools to assist with daily maintenance

### RESULTS via HORIZON®

A web-based data management application. This system allows you to submit sample information electronically and manage your equipment lists from any PC or mobile device.

- Keep sampling schedules on track with daily maintenance
- Identify bottlenecks in turnaround time
- Monitor samples submitted online
- View graphs to quickly pinpoint trends
- Add or update equipment information

## LUBRICANT EQUIPMENT

We offer a full line of tanks and equipment. Steel and poly tanks, single wall/double wall tanks, pneumatic, electric and manual pumps, control nozzles, grease sets, hoses and reels. Call us for a quote!





## PRODUCTION 24/7

**STARFIRE EX** is high performance industrial lubricants for medium to large-scale industrial applications. Blended with premium base oils and advanced additives to provide exceptional protection and total reliability—coupled with technical support and fluid analysis services, STARFIRE EX is a solid choice to keep facilities on-line.

- **Hydraulic Oil**
- **Gear Oil**
- **Compressor Oil**
- **Grease**
- **Specialty Fluids**



# AUTOMOTIVE

## EVERYDAY DEPENDABILITY

When it comes to passenger cars and light trucks, we've got OEM quality fluids to keep everyday vehicles in drive. Whether you fix them for a living or fix them for a family, we work hard to make sure those vehicles are always moving forward.

- **Motor Oil – Synthetic Blend and Full Synthetic**
- **Transmission Fluid**
- **Gear Lubricants**
- **Antifreeze/Coolants**
- **Grease**
- **Brake Fluid**
- **Power Steering Fluid**
- **Gas Treatment**
- **Aerosol Products**
- **Wiper Fluid**



# HEAVY DUTY



## NEVER STOP DELIVERING

Getting product from point A to point B is an economy's lifeblood. So keeping fleets and service vehicles on the road is job one. You can rest easy knowing that's STARFIRE heavy duty lubricants are approved by major manufacturers. So they just work. And we work hard to get them to you in the quantities you need, when you need it and at prices that make sense.

- **Engine Oil**
- **Gear Oil**
- **HD Antifreeze/Coolant**
- **EP Grease**
- **Diesel Exhaust Fluid**



# AGRICULTURE



# & CONSTRUCTION



## KEEP GROWING

When you're clearing a path for progress or keeping stores stocked with food, agriculture and construction vehicles simply need to produce. STARFIRE off-road heavy duty lubricants keep engines running in the most extreme environments—so you AND your vehicles can keep producing.

- **Engine Oil**
- **Hydraulic Oil**
- **Gear Oil**
- **Tractor Hydraulic & Transmission Fluid**
- **HD Antifreeze/Coolant**
- **EP Grease**





## EX INDUSTRIAL

The next level of high-performance lubricants for large-scale industrial applications. Specifically blended to protect machinery, increase efficiency and deliver legendary STARFIRE reliability—so you can be sure your machines are protected 24/7.

## HYEX™ HYDRAULIC OIL



- AW
- PREMIUM AW
- HVI
- ZINC FREE AW

- R&O
- SYNTHETIC R&O
- FIRE RESISTANT



Product Data

## TALEX™ EP GEAR OIL



- CONVENTIONAL
- SYNTHETIC G-III (GROUP III)
- SYNTHETIC PAO (POLYALPHAOLEFIN)
- SYNTHETIC PAG (POLYALKYLENE GLYCOL)



Product Data

## CIREX™ COMPRESSOR OIL



- SYNTHETIC G-III (GROUP III)
- SYNTHETIC PAO (POLYALPHAOLEFIN)
- SYNTHETIC PAG (POLYALKYLENE GLYCOL)
- SYNTHETIC DE (DIESTER)



Product Data

## EPEX™ GREASE



- MULTI-PURPOSE
- HI-TEMP EP 2

- 3% MOLY EP 2
- CS EP 2



Product Data

## SOLEX™ SPECIALTY



- WAYLUBES
- ROCK DRILL
- WHITE OIL
- HEAT TRANSFER OIL
- TRANSFORMER OIL

- COOLFROST PG HTF
- COOLTHERM EG HTF



Product Data



## MOTOR OIL

STARFIRE motor and engine oils are engineered to meet or exceed the latest manufacturer requirements. They are formulated with the highest quality, hydro-treated, paraffinic lubricating oils and a technologically advanced additive system, which includes detergents, dispersants, anti-wear and anti-friction agents, and oxidation and corrosion inhibitors.

## SYNTHETIC BLEND

Fully licensed motor oils that meet or exceed the latest manufacturer requirements for use in passenger car, SUV and light duty truck gasoline engines, powerboats, motorcycles, and other stationary and mobile equipment.

### APPLICATIONS

- Licensed API SQ and ILSAC GF-7A (March 2025), API SP and ILSAC GF-6A and covers all preceding specifications.
- STARFIRE 5W-20 can be used when Ford WSS M2C960-A1, M2C945-B1, M2C945-A, M2C930-A, M2C153, Chrysler MS-6395, MS10797, GM 6094M or GM 4718 is specified
- STARFIRE 5W-30 can be used when Ford WSS M2C961-A1, M2C946-B1, M2C946-A, M2C929-A, Chrysler MS-6395, GM 6094M or GM 4718 is specified

### BENEFITS

- Superior protection against thermal breakdown and deposits at all operating temperatures
- Excellent cold-cranking capabilities
- Excellent anti-wear, anti-foam, anti-corrosion and anti-rust protection

### SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE	6 GAL ECO
5W20	•		•	•	•	•	•
5W30	•		•	•	•	•	•
10W30	•	•	•	•	•	•	•
10W40	•			•	•	•	



Product Data



# FULL SYNTHETIC

Fully licensed, full synthetic motor oils are engineered for virtually all service classifications for domestic and foreign gasoline engines — and are fully compatible with all other synthetic and petroleum-based motor oils.

## APPLICATIONS

- Licensed API SQ and ILSAC GF-7A (March 2025), API SP and ILSAC GF-6A (GF-7B and GF-6B for 0w-16) and covers all preceding specifications.
- STARFIRE 0W-20 can be used when Ford WSS M2C962-A1, M2C947-B1, M2C947-A, Chrysler MS-6395, GM 6094M or GM 4718 is specified
- STARFIRE 5W-20 can be used when Ford WSS M2C960-A1, M2C945-B1, M2C945-A, M2C930-A, M2C153, Chrysler MS-6395, MS10797 or GM 6094M is specified
- STARFIRE 5W-30 can be used when Ford WSS M2C961-A1, M2C946-B1, M2C946-A, M2C929-A, Chrysler MS-6395 or GM 6094M is specified

## BENEFITS

- Provides Low Speed Pre-Ignition (LSPI) protection
- Superior protection against thermal breakdown and deposits at all operating temperatures
- Excellent cold-cranking capabilities
- Excellent anti-wear, anti-foam, anti-corrosion and anti-rust protection

## SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE	6 GAL ECO
0W16	•			•	•	•	•
0W20	•		•	•	•	•	
5W20	•		•	•	•	•	•
5W30	•		•	•	•	•	
10W30	•			•	•	•	



Product Data



# FULL SYNTHETIC DEXOS™ 1 GEN 3

State-of-the-art, advanced technology with exceptionally high viscosity index minimizes cold-weather oil thickening, preventing battery drain and engine wear, even at subzero startups. Licensed and approved through GM dexos™1 Gen 3 specifications for worldwide requirements for all GM automotive gasoline engines currently in use.

## APPLICATIONS

- Licensed API SQ and ILSAC GF-7A (March 2025), API SP and ILSAC GF-6A and covers all preceding specifications
- Use in all Buick, Chevrolet, Cadillac, and GMC vehicles starting in the 2011 model year
- An excellent choice for all earlier model year vehicles produced by GM
- STARFIRE 0W-20 can be used when Ford WSS M2C962-A1, M2C947-B1, M2C947-A, Chrysler MS- 6395, GM 6094M or GM 4718 is specified
- STARFIRE 5W-30 can be used when Ford WSS M2C961-A1, M2C946-B1, M2C946-A, M2C929-A, Chrysler MS-6395 or GM 6094M is specified

## BENEFITS

- Provides Low Speed Pre-Ignition (LSPI) protection for small-displacement turbocharged and Gasoline Direct Injected (GDI) engines
- Meets manufacturer latest warranty requirements
- Enhanced rust protection for flex-fuel vehicles, specifically those that run on ethanol-based fuel (E85)

## SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE	6 GAL ECO
0W20	•		•	•	•	•	•
5W30	•		•	•	•	•	•



Product Data



GM License #  
D330BBDH271 (0W20)

GM License #  
D330ACDG271 (5W30)

## FULL SYNTHETIC EURO FORMULA

Delivers dependable, long-term performance for the extended drain intervals set by all major European automakers specifying a 5W-40 motor oil.

### APPLICATIONS

- The preferred oil for virtually all European automobiles, especially turbo-charged models

### BENEFITS

- Provides outstanding protection in high RPM, hot-running engines
- Designed for newer vehicle emission control systems
- Meets industry and vehicle manufacturer requirements for long-life protection of gasoline vehicle catalytic converters
- STARFIRE Full Synthetic Euro 5W-40 meets or exceeds the following performance specifications: API SN and SM, ACEA A3/B3 and A3/B4, BMW LL-01, Mercedes-Benz 229.5 and 229.3, Porsche A40, Opel GM LL-B-025, Renault 0700 and 0710, Volkswagen 501 01, 502 00 and 505 00

### SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE	6 GAL ECO
0W30			•	•	•		
5W30			•	•	•	•	
5W40	•			•	•	•	•



Product  
Data

## HIGH MILEAGE

Fully licensed motor oils that meet or exceed the latest manufacturer requirements for use in passenger car, SUV, and light duty truck gasoline engines, powerboats, motorcycles, and other stationary and mobile equipment. They are specially formulated for higher mileage vehicles to help protect worn seals, reduce oil loss, and prevent leaks.

### APPLICATIONS

- Vehicles with 75,000 miles or more
- Licensed API SQ and ILSAC GF-7A (March 2025), API SP and ILSAC GF-6A and covers all preceding specifications
- STARFIRE 5W-30 can be used when Ford WSS M2C961-A1, M2C946-B1, M2C946-A, M2C929-A, Chrysler MS-6395 or GM 6094M is specified

### BENEFITS

- Special additives and seal conditioner for older vehicles
- Helps combat engine oil consumption
- Helps reduce oil loss caused by burn-off
- Superior protection against thermal breakdown and deposits at all operating temperatures
- Excellent anti-wear, anti-foam, anti-corrosion and anti-rust protection

### SYNTHETIC BLEND SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
5W20				•	•	•
5W30				•	•	•
10W30	•			•	•	•

### FULL SYNTHETIC SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
5W20				•	•	•
5W30	•			•	•	•
10W30				•	•	•



Product  
Data



# SYNTHETIC BLEND HEAVY DUTY

Specially engineered for heavy duty diesel and gasoline engines operating under all service conditions, including today's emission-controlled engines with EGR and diesel particulate filters using Ultra-Low Sulfur Diesel fuel (ULSD) and Low Sulfur Diesel (LSD). They provide extra protection and performance compared with conventional engine oil formulations, with excellent oxidation control and soot suspension characteristics to provide outstanding protection for extended drain intervals.

## APPLICATIONS

- Meets or exceeds performance requirements for all naturally aspirated and turbo-charged four-stroke diesel engines in which the API CK-4 service category and preceding service categories and when 15W-40 or 10W-30 grades are recommended
- Formulated for engines operating under severe service conditions and a wide range of cold and hot temperatures

## RECOMMENDATIONS:

Cummins-Approved	Allison
Detroit Diesel-Approved	Caterpillar
Mack-Approved	Ford
Volvo-Approved	Global
Mercedes-Benz-Approved	Man
Renault-Approved	MTU
	and more

For a complete list of manufacturer specifications, please refer to the Product Data Sheet (PDS).

## SYNTHETIC BLEND SAE / AVAILABLE SIZES

QT	GAL	5 QT	5 GAL	55 GAL	TOTE	6 GAL ECO
10W30	•		•	•	•	
15W40	•	•	•	•	•	•

## FULL SYNTHETIC SAE / AVAILABLE SIZES

QT	GAL	5 QT	5 GAL	55 GAL	TOTE	6 GAL ECO
5W40	•		•	•	•	•



Product  
Data



Watch  
Product  
Video



DETROIT DIESEL  
CORPORATION



Mercedes-Benz



## PREMIUM HEAVY DUTY

Formulated with high viscosity index paraffinic base oils and select additive technology to provide superior thermal and oxidative stability, to protect against corrosion (EGR critical) and valve train wear, and to prevent the formation and accumulation of deposits and sludge.

### APPLICATIONS

- For all modern, heavy duty diesel and gasoline engines calling for an SAE 30 engine oil, operating in both highway and off-highway conditions
- Meets or exceeds the CF-2 and CF service classifications

### BENEFITS

- Protects from deposits at all operating temperatures
- Anti-foam and Anti-rust properties
- Soot control

### SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GALL	55 GAL	TOTE
10W				•	•	•
30W	•			•	•	•
50W				•	•	•



Product Data

## PERFORMANCE

Premium-quality oil formulated for gasoline engines. It contains only the highest quality, hydro-treated, paraffinic lubricating oils and a technologically advanced additive system, which includes detergents, dispersants, viscosity improver, anti-wear and anti-friction agents, and oxidation and corrosion inhibitors.

### APPLICATIONS

- Licensed API SP and covers all preceding specifications
- For use in all domestic and foreign automotive gasoline-fueled passenger cars and light-duty trucks where an SAE 20W-50 is specified

### BENEFITS

- Superior protection against thermal breakdown
- Excellent protection from deposits and sludge at all operating temperatures
- Provides oxidation stability
- Anti-corrosion and anti-wear protection

### SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GALL	55 GAL	TOTE
20W50	•			•	•	•



Product Data



## MULTI-USE AIR COOLED

STARFIRE Premium Air-Cooled 2-Cycle Oil is a high-quality, low ash and sulfur free motor oil formulated for use in outboard motors, ATV's, snowmobiles, chain saws, lawnmowers, string trimmers, leaf blowers and other fuel-lubricated or fuel-injected 2-cycle engines requiring an air-cooled 2-cycle oil. It is formulated to prevent ring-sticking, to reduce spark plug fouling and to keep engines clean.

### BENEFITS

- Multi-application usage
- Ideal for oil-injected and fuel/oil-lubricated engines
- Meets API TC, JASO FD and ISO-L-EGD

### SAE / AVAILABLE SIZES

	24 - 2.6 OZ	24 - 6.4 OZ	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
AIR COOLED	•	•	•	•	•	•	•	•



Product Data

## MULTI-USE TC-W3®

Premium, high-quality motor oil formulated for use in lubricated engines requiring a liquid-cooled 2-cycle oil. It is formulated to prevent ring-sticking, to reduce spark plug fouling, and to keep engines clean.

### BENEFITS

- Multi-application usage
- Ideal for oil-injected and fuel/oil-lubricated engines
- Meets API TC and JASO FB, TC-W3® specifications
- Licensed by National Marine Manufacturers Association (NMMA)

### SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
TC-W3	•	•		•	•	•



Product Data



## TRANSMISSION FLUID

STARFIRE Premium and Full Synthetic transmission fluids are specially formulated with a unique combination of base stocks and advanced additive technology, designed to provide smooth performance and the assurance of meeting or exceeding ever-changing OEM requirements and specifications.

# DEXRON® III / MERCON® MULTI-PURPOSE

Multi-purpose automatic transmission fluid especially designed and engineered to extend transmission life and provide smooth operation for Ford and General Motors vehicles where a DEXRON® III/MERCON® fluid is specified.

## APPLICATIONS

- DEXRON® III H, DEXRON® III G, DEXRON® II, DEXRON®, AWI
- MERCON®, M2C138-CJ or M2C166-H fluids
- Allison C-4 fluids and Caterpillar TO-2 fluids
- In all 1979 through 2005 transmissions built by Ford (exceptions: Ford FMX and pre-1980 C-4 transmissions and where MERCON® V is required)

## BENEFITS

- Wide range of seal compatibility
- Excellent wear protection and oxidation resistance
- Fortified against rust and corrosion
- Meets requirements for foam protection
- Superior frictional characteristics, with excellent friction and smooth shifting

## SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE	6 GAL ECO
ATF	•	•		•	•	•	•



Product  
Data

## FULL SYNTHETIC LV MULTI-VEHICLE

High-performance, low viscosity multi-vehicle transmission fluid that is specially formulated for use in most planetary-gear transmissions applications. It is approved for use in General Motors automatic transmissions calling for DEXRON® VI.

### BENEFITS

- Full synthetic
- GM approved
- Protection against wear and transmission shudder
- Resistance to thickening due to high temperature
- Friction stability to maintain smooth, consistent shift performance

### RECOMMENDATIONS:

Audi/VW	Hyundai	Peugeot
BMW	Kia	Porsche
Caterpillar	Idemitsu	SAAB
Chrysler	Isuzu	Saturn
Daewoo	Jaguar	Subaru
Daihatsu	Lexus	Suzuki
Esso	Mazda	Toyota
Fiat	Mercedes-Benz	Voith
Ford	Mitsubishi	Volvo
GM	Mopar	VW
Hino	Nissan	
Honda	Opel	

For a complete list of manufacturer specifications, please refer to the Product Data Sheet (PDS).

### SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
MV ATF	•			•	•	•



Product  
Data

## FULL SYNTHETIC ATF+4®

Uniquely blended, full synthetic fluid designed to meet the specific requirements of Chrysler and FCA automatic transmissions/transaxles specifying any of the applications below.

### APPLICATIONS

- Mopar ATF+4®, Mopar ATF+3®, Mopar ATF+2®, Mopar ATF+®
- Type MS-9602®
- Type MS-7176®

### BENEFITS

- Excellent high and low temperature protection
- Resistance to thickening due to high temperatures
- Friction stability to maintain smooth, consistent shift performance

### SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
ATF+4	•			•	•	•



Product Data

## FULL SYNTHETIC CVT

Specially formulated and recommended for use in most belt or chain driven Continuously Variable Transmissions, and it is not a replacement for ATF.

### APPLICATIONS

Suitable for use in the following applications:

Audi/	Mazda
Volkswagen	Mercedes-Benz
BMW	Mini Cooper
Daihatsu	Mitsubishi
Dodge/Jeep	Nissan
Ford /Motorcraft	Renault
GM/Saturn	Subaru
Honda	Suzuki
Hyundai/Kia	Toyota

For a complete list of manufacturer specifications, please refer to the Product Data Sheet (PDS).



Product Data

### SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
CVT	•			•	•	•

## 6-GALLON ECO-BOX & DISPENSING SYSTEM

An innovative design that provides professional installers with a cost-effective alternative for offering a wider variety of STARFIRE motor oils and fluids. The innovative Eco-Box design reduces plastic packaging by as much as 85% when compared with quart packaging. The flexible bag-in-box design also provides a significant reduction in residual oil that would normally be left in conventional plastic packing, so there is less wasted product!

### STARFIRE ECO-BOXES ARE AVAILABLE IN:

#### FULL SYNTHETIC MOTOR OIL

- 0W-16
- 0W-20 dexos™ 1 Gen 3
- 5W-20
- 5W-30 dexos™ 1 Gen 3
- 5W-40 Heavy Duty
- 5W-40 Euro

#### SYNTHETIC BLEND MOTOR OIL

- 5W-20
- 5W-30
- 10W-30
- 15W-40 Heavy Duty

#### AUTOMATIC TRANSMISSION FLUID

- Multi-Purpose ATF DEXRON® III/MERCON®
- Full Synthetic LV Multi-Vehicle DEXRON® VI ATF

#### BENEFITS

- Space-saving rack dispensing system
- Quick access to up to 6 different products
- User-friendly dispensing system
- Inventory cost savings





## GEAR LUBRICANTS

The STARFIRE comprehensive lineup of gear lubricants satisfies a diverse fleet's increased demands for extended protection. They are formulated with refined paraffinic base stocks and a sulfur-phosphorus extreme-pressure additive package.

# PREMIUM GEAR LUBRICANT

Multi-purpose lubricants designed for service in automotive and heavy duty applications. They provide excellent thermal and oxidative stability, as well as anti-foam, anti-rust and anti-corrosion protection, and they have excellent load-carrying capabilities.

*Note: These products are not approved for Eaton Roadranger and ArvinMeritor extended warranties.*

## APPLICATIONS

- STARFIRE GL-5 Gear Lubricant meets the API GL-5 Service Designation as well as the MIL-L-2105F and MIL PRF 2105E and is suitable for use in limited-slip differentials
- Also suitable for use in Mack GO-H & GO-J and Proposed PG-1/PG-2 Service Designations, Scania STO 110, MERITOR®-076D (80W90), and MERITOR®-076A (85W140), MAN 342 M2 (160,000 km), and MB 235
- Meets API MT 1. For use when extreme-pressure (EP) gear oils are required: in all heavy duty truck differentials, in all domestic automobile differentials and some manually shifted transmissions, heavy duty manually shifted truck transmissions requiring API MT 1 performance, and oil-lubricated wheel bearings

## SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
80W90	•	•		•	•	•
85W140	•	•		•	•	•



Product  
Data

# FULL SYNTHETIC GEAR LUBRICANT

Multi-purpose lubricants designed for service in automotive and heavy-duty applications. Formulated with synthetic base stocks and a sulfur-phosphorus extreme-pressure additive package with friction modifier, which provides excellent thermal and oxidative stability as well as excellent load-carrying capabilities.

## APPLICATIONS

STARFIRE Full Synthetic 75W-90, 75W-140 and 80W-140 Gear Lubricants are suitable for use in the following applications:

API GL-5

API MT-1

MIL-PRF-2105E and MIL-PRF-2105D

Mack GO-J, GO-H

PG-2 limited slip differentials

STARFIRE Full Synthetic 50W Transmission Oil is suitable for use in the following applications:

API MT-1

Eaton PS-164 Rev 7

Navistar/International TMS 6816

Mack TO-A Plus

MERITOR® O-81 (Publication TP-90014)

ZF Freedomline

## BENEFITS

- Provides excellent protection against wear under extreme pressure and high torque operation
- High resistance to thermal breakdown
- Helps prevent foaming, rust, and corrosion

## SAE / AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	16 GAL KEG	55 GAL	TOTE
75W90	•			•	•	•	•
75W140	•			•	•	•	•
80W140				•	•	•	•
50W				•	•	•	•



Product  
Data



Watch  
Product  
Video



## HYDRAULIC OILS

STARFIRE hydraulic oils are high-performance hydraulic fluids recommended in all major OEM equipment. They contain active anti-wear agents, anti-oxidation, anti-corrosion, anti-rust and anti-foam additives formulated to deliver ultimate equipment protection and extended operating life.

## ANTI-WEAR (AW) HYDRAULIC OIL

Formulated from select base stocks and advanced additive technology to deliver ultimate equipment protection and extended operating life.

### APPLICATIONS

Recommended for hydraulic pumps and hydraulic and high-pressure circulating systems requiring:

Parker Hannifin (Denison) HF-O, HF-1, HF-2  
Eaton Vickers 35VQ25A Pump, M-2950-S, I-286-S  
Cincinnati Milacron P-68, P-69, P-70  
DIN 51524 Part 2, 3



### BENEFITS

- Outstanding wear protection
- Excellent resistance to system rust and oil oxidation
- Maintains excellent water-separating properties
- Excellent foam control and air release deliver consistent system operation

### SAE / AVAILABLE SIZES

QT	GAL	5 QT	5 GAL	55 GAL	TOTE
AW 32	•		•	•	•
AW 46			•	•	•
AW 68			•	•	•

## NON-DETERGENT LUBRICATING OILS

Manufactured using highly refined base oils for increased lubrication and wear protection in operating conditions which do not require a detergent oil.

### APPLICATIONS

- Light engines calling for non-additive motor oil
- Compressors
- Circulating oil
- Low-pressure hydraulic systems

### BENEFITS

- Superior anti-foam control
- Wide range of applications

### SAE / AVAILABLE SIZES

QT	GAL	5 QT	5 GAL	55 GAL	TOTE
ND-10W			•	•	•
ND-30W	•		•	•	•
ND-50W			•	•	•



**CAUTION:** This oil is rated API SA. It contains no additives. It is not suitable for use in most gasoline-powered automotive engines built after 1930. Use in modern engines may cause unsatisfactory engine performance or equipment harm.



Product Data

## MEF-3 MOBILE EQUIPMENT FLUID

Field-tested in farm, construction, and logging equipment. This multi-purpose hydraulic lubricant is an economical lubricant suited for equipment that requires frequent fluid replacement.

### APPLICATIONS

- Multi-purpose lubricant applications
- Older, aging equipment
- Not recommended for equipment manufactured after 1974

### BENEFITS

- Anti-wear protection
- Good seal compatibility
- Protection against rust and oxidization
- Economical multi-purpose lubricant

### SAE / AVAILABLE SIZES

QT	GAL	5 QT	5 GAL	55 GAL	TOTE
MEF-3			•	•	•



Product  
Data



## PREMIUM TRACTOR HYDRAULIC FLUID

Recommended for use in all major OEM equipment. Designed for use in a variety of farm equipment, off-highway machinery, industrial tractors, final drives, power take-off units, wet brakes, power steering units, and hydraulic systems. It provides the unique combination of ultimate equipment protection and the convenience of using one fluid in place of two or more fluids while maintaining optimum component performance and durability.

### APPLICATIONS

John Deere: J20C	J.I. Case
International Harvester	Case New Holland
AGCO (Massey Ferguson)	Kubota
AGCO-Allis	Volvo
	Caterpillar

### BENEFITS

- Superior wear protection to protect critical components
- Excellent frictional properties for smooth shifting
- Excellent anti-shudder performance
- Good seal compatibility
- Protection against varnish and sludge formation
- Superior thermal stability and oxidation resistance

### SAE / AVAILABLE SIZES

QT	GAL	5 QT	5 GAL	55 GAL	TOTE
PREM UTH	•		•	•	•



For a complete list of manufacturer specifications, please refer to the Product Data Sheet (PDS).



Product  
Data





## ANTIFREEZE/COOLANTS

From light duty to extended life and extreme heavy duty—STARFIRE antifreeze and coolants, either 50/50 Pre-diluted or Concentrate, are designed for use in virtually all of today's cooling system applications, providing the life and protection you expect.

## CONVENTIONAL GREEN

Premium ethylene glycol-based antifreeze that provides all-season protection and, when used as directed, offers superior protection against:

- Freeze-up
- Boil over
- Scale buildup
- Rust corrosion
- Sludge/clogging
- Wet sleeve liner pitting

### APPLICATIONS

- Meets light duty ASTM D-3306 and heavy duty ASTM D-6210, TMC RP329
- One universal product for light duty and heavy duty applications
- No need to add SCAs or chemical filters
- Compatible with all conventional green antifreeze

### Meets the following OEM Specifications:

Case	GM
Caterpillar	GMC Truck
Chrysler	International
Detroit Diesel	John Deere
Ford	Mack
Freightliner	Military
GE Locomotive	Orion/MCI Coaches

*For a complete list of manufacturer specifications, please refer to the Product Data Sheet (PDS).*

### Available in concentrate and pre-diluted formulas.

### AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
GREEN		•		•	•	•



Product  
Data

## ALL MAKES ALL MODELS

A true universal antifreeze/coolant that can be used as a top-off or a complete flush and fill in virtually any application. Its HOAT chemistry is designed for both light duty automotive and heavy duty diesel use. STARFIRE All Makes All Models is a premium ethylene glycol-based product and, when mixed with water and used as directed, offers superior protection against:

- Freeze-up
- Boil over
- Scale buildup
- Rust corrosion
- Sludge/clogging
- Wet sleeve liner pitting

### APPLICATIONS

- Meets light duty ASTM D-3306 and heavy duty ASTM D-6210, TMC RP329
- One universal product for light duty and heavy duty applications
- Perfect choice for mixed fleets; no need to add SCAs
- Phosphate free and low silicate - the choice for Japanese and Korean models
- Light duty - 5 years/150,000 miles; heavy duty - 3 years/300,000 miles

### Meets the following OEM Specifications:

Case	GE Locomotive
New Holland	GM
Caterpillar	International
Chrysler	John Deere
Cummins Engine	Komatsu
Detroit Diesel	Mercedes
Ford	Navistar
Freightliner	Volvo Trucks

*For a complete list of manufacturer specifications, please refer to the Product Data Sheet (PDS).*

### Available in concentrate and pre-diluted formulas.

### AVAILABLE SIZES

QT	GAL	5 QT	5 GAL	55 GAL	TOTE
AMAM	•	•	•	•	•



Product  
Data

## PURECOOL EXTENDED LIFE

A premium, virgin, ethylene glycol-based product that may be used in all GM vehicles that require DEX-COOL® coolant, as well as other cars and light duty trucks recommending an extended life coolant.

### APPLICATIONS

- Meets GM 6277M, ASTM D3306 and ASTM D4985
- May be added to conventional antifreeze/coolant
- Protects aluminum and ANY other engine metals
- Meets GM and Ford performance specifications
- DEX-COOL® is a registered trademark of GM Corporation

**Available in concentrate and pre-diluted formulas.**

### AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
PURECOOL		•		•	•	•



Product  
Data

## PUREFLEET HEAVY DUTY ELC

When used as directed, offers superior performance in virtually every light and heavy duty application. The proprietary inhibitor package is low silicate and phosphate/2-EH free. Can be used as a top-off, but to achieve maximum protection, a complete flush and fill should be performed. Provides protection against:

- Freeze-up
- Scale buildup
- Sludge/clogging
- Boil over
- Rust corrosion
- Wet sleeve liner pitting

### APPLICATIONS

- Meets light duty ASTM D-3306 and heavy duty ASTM D-6210, TMC RP329 and Caterpillar EC-1
- One product for light duty and heavy duty applications
- Perfect choice for mixed fleets; no need to add SCAs
- Blended with pure deionized water for your quality needs
- Phosphate free and low silicate - the choice for Japanese and Korean models
- Light duty - 5 years/150,000 miles
- Heavy duty - 3 years/300,000 miles
- Compatible with hybrid and OAT coolants

### Meets the following OEM Specifications:

Case New Holland	GM
Caterpillar	International
Chrysler	John Deere
Cummins Engine	Komatsu
Detroit Diesel	Mercedes
Ford	Navistar
Freightliner	Volvo Trucks
GE Locomotive	

For a complete list of manufacturer specifications, please refer to the Product Data Sheet (PDS).

**Available in concentrate and pre-diluted formulas.**

### AVAILABLE SIZES

QT	GAL	5 QT	5 GAL	55 GAL	TOTE
----	-----	------	-------	--------	------

HD ELC	•	•	•	•	•
--------	---	---	---	---	---



Product  
Data

# PUREFLEET EXTREME HEAVY DUTY ELC

A premium, virgin, ethylene glycol-based heavy duty antifreeze/coolant that contains a proprietary poly-organic/multi-organic acid technology inhibitor system. It provides total cooling system protection without the use of additive-containing coolant filters or supplemental coolant additives (SCAs).

## APPLICATIONS

- Meets ASTM D3306, ASTM D4985, ASTM D6210, TMC RP-329/330 and Caterpillar EC-1
- Compatible with ALL types of coolant technologies, including conventional inorganic acid salt formulations, straight organic acid (OAT) formulations, hybrid organic acid formulations (HOAT), nitrited HOAT formulations (NOAT), and other poly-organic acid formulations
- Provides up to 750,000 miles of total cooling system protection
- Suitable for passenger cars, vans, SUVs, light trucks, heavy duty fleet vehicles and many off-road applications such as stationary engine cooling systems

## Meets the following OEM Specifications:

Audi	Mazda
BMW	Mercedes-Benz
Caterpillar	Mitsubishi
Chrysler	Navistar/International
Cummins	PACCAR: Kenworth, Peterbilt
Detroit Diesel	Porsche
Ford	Saab
GM	Suzuki
Honda	Toyota
Hyundai	Volkswagen
Isuzu	Volvo
John Deere	

*For a complete list of manufacturer specifications, please refer to the Product Data Sheet (PDS).*

## Available in concentrate and pre-diluted formulas.

## AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
EXT HD ELC		•		•	•	•



Product  
Data



Watch  
Product  
Video



## GREASE

STARFIRE greases are formulated to provide outstanding water resistance and protection against wear and corrosion. They are recommended for most automotive, construction and industrial applications, from moderate to severe heavy duty.

## HI-TEMP RED EP 2

Recommended for most automotive and industrial applications, including trucks, automobiles, construction equipment and heavy duty industrial service. Commonly recommended for wheel bearings, U-joints, chassis, and fifth wheels, as well as heavy duty industrial ball, roller and sleeve bearing designs. Licensed with NLGI to meet NLGI GC/LB specifications for automotive wheel bearings and chassis lubrication.

### BENEFITS

- High-temperature capability
- Excellent thermal and mechanical stability
- Oxidation and rust resistance
- Excellent water resistance
- Good low-temperature pumpability
- Extreme pressure additive
- Compatible with lithium or lithium complex greases
- Excellent adhesion properties, tacky consistency



Product  
Data

### AVAILABLE SIZES

	10/14 OZ	35 LB	120 LB	400 LB
HT RED	•	•	•	•

## MULTI-PURPOSE EP 2

Recommended for moderate speed and temperature applications. Suitable for bearing temperatures up to 121°C (250°F) and down to -12.2°C (10°F). Lithium hydroxystearate thickener and extreme pressure (EP) additives provide excellent lubrication performance for automotive chassis, electric motor bearings, universal joints, fifth wheels and general-purpose bearing lubrication.



Product  
Data

### AVAILABLE SIZES

	10/14 OZ	35 LB	120 LB	400 LB
MP	•	•	•	•

## 3% MOLY EP 2

A high-quality multi-purpose grease for construction, industrial and transportation service. It has a lithium complex thickener for compatibility with a wide range of industrial greases. Fortified with 3% molybdenum disulfide for additional EP protection. Also recommended for high-temperature service.

### APPLICATIONS

Can be used in any ball or roller bearing application. It is specifically designed for use in heavy duty construction equipment where high shock loads and water wash-out are required. NLGI GC-LB performance guarantees excellent wheel bearing performance. Molybdenum disulfide provides EP protection when the bulk grease has dissipated. This is vital for reciprocating bearings such as backhoe knuckle bushings and universal joints.

### FEATURES

- Excellent extreme pressure properties
- High shock load resistance
- Excellent rust and corrosion protection
- Outstanding oxidation stability

### SPECIFICATIONS

- Caterpillar multi-purpose grease with 3% Moly


### AVAILABLE SIZES

	10/14 OZ	35 LB	120 LB	400 LB
--	----------	-------	--------	--------

MOLY	•	•	•	•
------	---	---	---	---



Product  
Data



## FUNCTIONAL FLUIDS

STARFIRE functional fluids are a one-stop resource for aerosols and pour chemicals that help provide optimal efficiency, increased mileage and increased engine life.

## BRAKE FLUID

STARFIRE Brake Fluids meet or exceed the high standards of performance and safety for DOT 3.

### APPLICATIONS

- For all disc and drum brake systems, including ABS, in which a DOT 3 is recommended
- Complies with Federal Motor Vehicle Safety Standard (FMVSS) No. 516.116
- Surpasses SAE Spec. J1703 (DOT 3)
- Minimum wet boiling point 284°F (140°C)



Product  
Data



### AVAILABLE SIZES

	12/12 OZ	QT	GAL	5 QT	5GAL	55 GAL	TOTE
DOT 3	•	•	•	•	•	•	•

## POWER STEERING FLUID

Provides optimum protection in power steering systems of both foreign and domestic automobiles. Controls seal swelling and protects pump parts against wear while providing the proper friction coefficient for system operation.

### APPLICATIONS

- Suitable for use in most passenger car and light truck applications
- NOT recommended for systems where special fluids are specified, e.g., Saab, Honda, Mercedes-Benz, etc.



Product  
Data



### AVAILABLE SIZES

	12/12 OZ	QT	GAL	5 QT	5GAL	55 GAL	TOTE
PSF	•	•	•	•	•	•	•

## MOTR TREATMENT

Specially formulated fuel and carburetor cleaner for use in gas and diesel engines. It helps reduce hesitation and rough idle and eliminates noisy lifters. It also eliminates moisture and ice problems. Great for use in cars, trucks, boats, tractors and small engines.

### APPLICATIONS

- Any gasoline or diesel engine
- Oil treatment in crankcase
- Fuel treatment during fill-up

### • BENEFITS

- Upper cylinder lubricant
- Adds lubricity to fuel
- Cleans up motor sludge
- Removes varnish



 [Product Data](#)

## AIR BRAKE ANTIFREEZE AND CONDITIONER

Helps clean, condition and protect all air brake systems. Contains no ingredients or residues which can corrode brake line systems. It contains only the purest anhydrous-grade methanol.

### BENEFITS

- Prevents moisture and freeze-ups, even in sub-zero weather
- Rust and corrosion inhibitor
- Works in all air brake systems
- Ultra-pure formula

### AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
AIR BRAKE	•				•	



 [Product Data](#)

# STARFIRE DEF

A mixture of 32.5% high-purity urea and 67.5% deionized water that is used in Selective Catalytic Reduction (SCR) systems on diesel engines.

## BENEFITS

- API licensed
- Meets or exceeds all OEM specifications
- Conforms to ISO 22241-1 specification for DEF

## HANDLING

- Use only dedicated DEF equipment when handling/ dispensing DEF, and keep dispensing equipment clean and free of dirt or other contaminants
- DO NOT add DEF to diesel fuel tank
- DO NOT add diesel fuel to DEF tank
- DO NOT add water to DEF

## AVAILABLE SIZES

	GAL	2/2.5 GAL	5 QT	5 GAL	55 GAL	TOTE
DEF	•	•		•	•	•



Product  
Data



## POUR CHEMICALS

Specially formulated to improve performance and extend engine and component life.

### FUEL INJECTOR & CARB CLEANER

Uses the latest technology in gasoline detergency to clean and lubricate fuel injectors and carburetors and restore fuel flow and performance.

#### BENEFITS

- Cleans fuel system as you drive
- Dissolves gum and varnish
- Contains no alcohol
- Restores lost power
- Reduces rough idle and stalling
- Increases Mileage
- Will not harm catalytic converters or oxygen sensors



Product Data



### GAS TREATMENT

A special blend of powerful cleaners designed to clean the entire fuel system of gum, varnish, and deposits. Will not harm catalytic converters or oxygen sensors. Works with both fuel injectors and carburetors.

#### BENEFITS

- Cleans as you drive
- Restores lost power
- Reduces rough idle and stalling



Product Data



### OCTANE BOOSTER

Designed to restore lost power, reduce hesitation and stalling, and prevent difficult starting.

#### BENEFITS

- Cleans fuel system as you drive
- Restores fuel flow
- Dissolves fuel system deposits
- Effective with methanol and alcohol fuel mixtures



Product Data



### OIL TREATMENT

Advanced formula designed to provide a protective barrier against friction and heat.

#### BENEFITS

- Improves oil viscosity
- Can be added between drains to fortify the oil
- Keeps engine parts clean
- Coats engine with a tough, slippery film that resists heat and pressure
- Protects against corrosion



Product Data



## TEC-A AEROSOLS

Aerosol products provide a convenient, efficient and cost-effective way to apply the necessary lubricant or chemical for your application.

### TEC-A-BRAKE®

#### LOW VOC BRAKE & PARTS CLEANER

Non-chlorinated formula that quickly and effectively removes grease, brake dust, brake fluids, oils, and other contaminants. Do not use on electrical motors or circuits and avoid contact with rubber and plastic.

#### APPLICATIONS

- ABS
- Discs
- Drum
- Brake cylinders, drums, linings, shoes
- Clutch discs
- Disc brake pads

#### BENEFITS

- Fast drying
- Removes grease, oil, brake fluid and other contaminants from disc and drum brake components instantly
- Leaves no residue
- Cleans without disassembly
- Helps stop brake squeaking and can improve braking performance
- 10% and 45% VOC formulas available



Product Data

### TEC-A-START® STARTING FLUID

Professional-grade engine starting fluid. It is a balanced formulation combining active, volatile solvents, upper cylinder lubricant and corrosion inhibitors, each designed to play a vital part in starting engines.

#### APPLICATIONS

- Cars, trucks, buses, tractors
- Motorbikes and motorcycles
- Chainsaws
- Boats (inboard and outboard)
- Go-carts
- Stationary engines
- Compressors
- Diesel, gasoline, and kerosene engines
- 2-cycle and 4-cycle engines

#### BENEFITS

- Ensures fast, economical starting of all diesel and gasoline engines
- Reduces starter motor and spark plug wear
- Saves battery strain and engine wear during cold start
- Equipped with the 360° (upside down) spray valve and extension tube for added convenience



Product Data

## TEC-A-CARB™ CARB/CHOKE CLEANER

Quickly dissolves and removes harmful carbon, gum, sludge and varnish deposits from throttle plates, manifold heat control valves, PCV valves, automatic chokes, combustion chambers, and carburetor linkages and passages. Serves as an excellent penetrant to free hard-to-reach passages and sliding surfaces that are clogged or bound by gum, carbon, or corrosive deposits. Safe for oxygen sensors and catalytic converters.



### BENEFITS

- Quickly dissolves deposits
- Removes varnish
- Restores performance
- Non-chlorinated



Product  
Data

## TEC-A-GLASS™ GLASS CLEANER

Quickly cleans glass, mirrors, windshields and windows. Its clinging foam formula quickly removes fingerprints, smudges, lipstick, light grease, bugs, dust, dirt, smoke film and other residues from glass surfaces. Dries quickly, requires no rinsing, and leaves a pleasant, fresh aroma.



### APPLICATIONS

- Industrial
- Commercial
- Institutional
- Automotive
- Household

### BENEFITS

- Clinging foam formula-no dripping or running
- Leaves a streak-free shine
- No ammonia
- Dries quickly
- Pleasant, fresh scent
- Ergonomically designed spray tip for maximum comfort during use



Product  
Data

## TEC-A-NUT™ PENETRATING OIL

Fast-acting penetrant that quickly cuts through grease, penetrates corrosion and dissolves rust to free seized parts. Gets into cracks and crevices to displace water and leave a protective film to protect against rust and corrosion.



### APPLICATIONS

- Loosens, cleans, lubricates, and protects nuts/bolts, lock mechanisms, hinges, pipe threads, lug nuts and equipment subject to moisture

### BENEFITS

- Helps free seized parts
- Displaces moisture
- Silences squeaks
- Non-chlorinated spray valve and extension tube for added convenience



Product  
Data



## ANCILLARY PRODUCTS

STARFIRE can supply a comprehensive array of products, from windshield washer fluid and bar & chain oil to hand cleaner and absorbent, so you have a one-stop source for the all the products you need for everything that keeps you moving.

## RV & MARINE ANTIFREEZE

Provides burst protection in potable water systems down to -50°F. An economical alternative for the winterization of campers, RVs, boats, and summer homes.

### BENEFITS

- 2 formulations: ethanol blend and PG only
- No mixing required
- Non-toxic
- Safe for freshwater systems



### AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
RV		•		•	•	•



Product Data

## WINDSHIELD WASHER FLUID

Formulated to provide the additional freezing protection that water just cannot provide. Clears windshields of dirt, bug stains, frost, and ice.

### BENEFITS

- No mixing necessary
- Freeze protection to -20°F
- Harmless to car finishes



### AVAILABLE SIZES

	QT	GAL	5 QT	5 GAL	55 GAL	TOTE
-20		•			•	•



Product Data

## WINDSHIELD WASHER CONCENTRATE

### BENEFITS

- Lowers freeze point on existing fluid that was subject to alcohol evaporation
- Environmentally conscious with reduced plastic packaging
- Saves inventory space



### AVAILABLE SIZES

	24/16 OZ	5 GAL	55 GAL
-20	•	•	•



Product Data

## PURPLESTAR DEGREASER

Powerful, concentrated, non-hazardous cleaner and degreaser. Special deep-cleaning formulation separates, entraps and removes grease, dirt, oil, and grime from almost every type of surface.

### APPLICATIONS

- Works in manual, mechanical and pressure-washing systems
- Concentrated
- Dilute up to 20:1

### BENEFITS

- Non-flammable, non-abrasive
- Water based
- Readily biodegradable and solvent (VOC) free
- Safe to use on any water-washable surface or material
- Rinses quickly for residue-free surfaces
- Retards post-cleaning rusting and oxidation

### AVAILABLE SIZES

QT	GAL	5 QT	5 GAL	55 GAL	TOTE
PS			•	•	•



Product  
Data

## INDUSTRIAL BAR & CHAIN OIL

Premium lubricant designed to prevent rusting and reduce wear and link breakage, thus extending bar and chain life. High tackifier formula provides maximum resistance to dropping and throw-off, even at the highest speeds. High viscosity index makes it an excellent choice for commercial bar and chain applications.

### APPLICATIONS

- Commercial logging operations
- Professional tree-trimming services
- Professional clearing operations
- Homeowners seeking premium-grade protection

### AVAILABLE SIZES

QT	GAL	5 QT	5 GAL	55 GAL	TOTE
BAR & CHAIN	•		•	•	•



Product  
Data

## INDUSTRIAL HAND CLEANER

Non-solvent industrial hand soap that's formulated with natural walnut scrubbers for the toughest cleaning without drying out your hands. Multiple emollients and conditioners moisturize chapped skin with repeated use.

### APPLICATIONS

- Use on hands to liquify and remove stubborn industrial soils, grease, oil, tar, ink, paint and more

### BENEFITS

- An official USDA-certified biobased product. The super-concentrated formula reduces hand soap use by up to 75%. Leaves no greasy residue.



Product  
Data

## GRIME TIME HEAVY DUTY HAND & SURFACE WIPES

Built for ultimate performance. The abrasive side cuts through the toughest soils, while the smooth side allows for wiping the most delicate surfaces. Fortified with new-generation cleaning agents and unmatched skin conditioners.

### APPLICATIONS

- Use on grease, grime, oil, and many other soils
- Use as a hand cleaner or surface wipe to take on the toughest jobs

### BENEFITS

- Multi-purpose
- Two-sided cleaning wipe
- Fortified with skin conditioners



Product  
Data

# ZOMBIE DRY ABSORBENT

Kiln-dried, calcined and milled natural Montmorillonite Clay (CAS # 70892-59-0) with lower bulk density, higher absorptive capacity, higher surface area and high hardness (low solubility).

**SCREEN SIZE\***

### U.S.A. Standard Test Sieve (ASTME-II)

+10 MESH..... 5%  
 +20 MESH..... 50%  
 +50 MESH..... 40%  
 +PAN ..... <5%  
 (100.00%)

*\*Typical analysis of standard product, individual results may vary.*



## Product Data

## MULTI-PURPOSE ABSORBENT

Kiln-dried, calcined and milled natural Montmorillonite Clay (CAS # 70892-59-0) with medium bulk density, medium absorptive capacity, average surface area and high hardness (low solubility).

## SCREEN SIZE\*

### U.S.A. Standard Test Sieve (ASTME-II)

+4 MESH .....	0%
+6 MESH .....	16%
+10 MESH .....	40%
+20 MESH .....	35%
+30 MESH .....	5%
+60 MESH .....	<5%
+PAN .....	<0.5%
	(100.00%)

*\*Typical analysis of standard product, individual results may vary.*



## Product Data

# LIKE SUBSCRIBE CONNECT

## AND SEE HOW WE ARE BREAKING THE MOLD EVERYDAY

### STARFIRE Premium Lubricants

Product/service

2 You, and 25 others

Like



### STARFIRE

a seller and distributor of Lubricant,  
Chemical products is celebrating 25  
years! From startup in 1999 to an ...more

We're STARFIRE. Lubricants



Company - Coolants Plus, Inc.  
coolantsplus.com

starfire.com

Subscribe



### STARFIRE Premium Lubricants

October 29 at 12:49 PM ·

<https://youtu.be/ONZE09U2Fyg>

Home

Videos

Playlists

### For You

f



in

Visit us at [STARFIRE.com](http://STARFIRE.com)

**DISTRIBUTED BY:**

**BREAKING THE MOLD  
TOGETHER**



2570 Van Hook Ave.  
Hamilton, OH 45015  
(888) 258-8723  
[STARFIRE.com](http://STARFIRE.com)

©2025 Coolants Plus Inc.