

SAFETY DATA SHEET

SECTION 1) CHEMICAL PRODUCT AND MANUFACTURER'S IDENTIFICATION

Product ID: I K M 1 4
Product Name: C D N I N K M A S T E R
Revision Date: J u n 2 2 , 2 0 2 0 **Date Printed:** O c t 0 2 , 2 0 2 6
Version: 3 . 0 **Supersedes Date:** O c t 0 9 , 2 0 1 8
D i s t r i b u t o r ' s N a m e : C D N D i s t r i b u t o r s , I n c .
Address: 5 5 0 M i l w a u k e e A v e . , O l d F o r g e P A 1 8 5 1 8
Emergency Phone: o i n n i y t y i n y t
Information Phone Number: a 8 0 0) 8 3 4 - 8 9 1 6 (5 7 0) 4 5 7 - 1 9 6 0
Product/Recommended Uses: G e l V a n d a l R e m o v e r

SECTION 2) HAZARDS IDENTIFICATION

Classification

Aerosols - Category 1
Gases Under Pressure - Liquefied Gas
Aspiration Hazard - Category 1
Skin Irritation - Category 2
Eye Irritation - Category 2
Reproductive Toxicity - Category 2
Specific Target Organ Toxicity - Single Exposure (Narcotic Effect)

Pictograms



Signal Word

Hazardous Statements - Physical

H222 - Extremely flammable aerosol
H280 - Contains gas under pressure; may explode

Hazardous Statements - Health

H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H361 - Suspected of damaging the unborn child
H336 - May cause drowsiness or dizziness

Precautionary Statements - General

P102 - Keep out of reach of children.

Precautionary Statements - Prevention

- P210 - Keep away from heat, hot surfaces, sparks, open flames and
- P211 - Do not spray on an open flame or other ignition source.
- P251 - Do not pierce or burn, even after use.
- P201 - Obtain special instructions before use.
- P202 - Do not handle until all safety precautions have been read
- P280 - Wear protective gloves, protective clothing, eye protection
- P264 - Wash hands thoroughly after handling.
- P261 - Avoid breathing mist, vapors or spray.
- P271 - Use only outdoors or in a well-ventilated area.

Precautionary Statements - Response

- P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or d
- P331 - Do NOT induce vomiting.
- P308 + P313 - IF exposed or concerned: Get medical attention.
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for do. Continue rinsing.
- P337 + P313 - If eye irritation persists: Get medical attention.
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.
- P332 + P313 - If skin irritation occurs: Get medical attention.
- P362 + P364 - Take off contaminated clothing and wash it before r
- P304 + P340 - IF INHALED: Remove person to fresh air and keep com
- P312 - Call a POISON CENTER or doctor if you feel unwell.

Precautionary Statements - Storage

- P410 + P412 - Protect from sunlight. Do not expose to temperature
- P403 + P405 - Store in a well-ventilated place. Store locked up.

Precautionary Statements - Disposal

SECTION 3) COMPOSITION, INFORMATION ON INGREDIENTS

CAS	Chemical Name	% By Weight
0000108-88-3	TOLUENE	15% - 24%
0000074-98-6	PROPANE	8% - 18%
0000067-64-1	ACETONE	8% - 17%
0000123-42-2	DIACETONE ALCOHOL	2% - 5%
0064742-47-8	Isoparaﬃnic Petroleum	2% - 5%
0000064-17-5	ETHYL ALCOHOL	2% - 5%
0068439-46-3	Ethoxylated Alcohols (C9 - C11)	2% - 5%
Confidential	Confidential	0.9% - 2%
0068953-58-2	Quaternary Ammonium CPD Tallow Alkyl) Dimethyl	0.9% - 2%
0000532-32-1	SODIUM BENZOATE	0.1% - 2%
0000110-91-8	MORPHOLINE	0.1% - 2%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

SECTION 4) FIRST-AID MEASURES

Inhalation

A m A m A A A A A A I
A A A A A A A I
A A A A A A A A A A A

Eye Contact

[illegible]

Skin Contact

A A A A h A A A A A A A A I I AA
A A o y i s n A l A A A A A A A
A A A A A m l

Ingestion

A A A A A A A A A A A

Most Important Symptoms/Effects, Acute and Delayed

A A I

Indication of Immediate Medical Attention and Special Treatment Needed

A A I

SECTION 5) FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

A A hA hA A I A A A A A A A A
A A A A A A A A A A A A A A
A A A A A A A A A A A A A A

Unsuitable Extinguishing Media

A A I

Specific Hazards in Case of Fire

Contents under pressure. Keep away from ignition sources and open cause them to rupture often with violent force. Product is highly oxidizing agents. Vapors are heavier than air and may travel along During a fire, irritating and highly toxic gases may be generated sealed containers to rupture due to a build up of internal pressure. Empty Containers retain product residue which may exhibit hazards any other purposes. Container could potentially burst or be punctured upon mechanical

Fire-Fighting Procedures

Isolate immediate hazard area and keep unauthorized personnel out
containers from immediate hazard area if it can be done safely. W
protect personnel. Water may be ineffective but can be used to co
when using water or foam as frothing may occur, especially if spr
Dispose of fire debris and contaminated extinguishing water in a c

Special Protective Actions

A A A i A A A a

SECTION 6) ACCIDENTAL RELEASE MEASURES

Emergency Procedure

ELIMINATE all ignition sources (no smoking, flares, sparks or fla

Do not touch or walk through spilled material. Isolate hazard area and keep unnecessary people away. Remove all authorities if any exposure to the general public or the environment. If spilled material is cleaned up using a regulated solvent, the

Recommended Equipment

A A A A A A A A A

Personal Precautions

Avoid breathing vapor. Avoid contact with skin, eye or clothing. (in immediate area). Do not touch damaged containers or spilled material.

Environmental Precautions

A m A A A A A A I A A A A A A A A A

Methods and Materials for Containment and Cleaning up

A A A h A A h A h A A A A A

SECTION 7) HANDLING AND STORAGE

General

A A A A A A A A c A I A A A A A A A

Ventilation Requirements

A A A i A I

Storage Room Requirements

Store and use in a cool, dry, well-ventilated area. Do not store

SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection

A A A A A I A A A A

Skin Protection

A i A A A A A A A

Respiratory Protection

A A A I A A A h A A A A A A A A A A A A

Appropriate Engineering Controls

A A A A A A A A A

Chemical Name	OSHA TWA (mg/m3)	OSHA TWA (ppm)	OSHA STEL (mg/m3)	OSHA Carcinogen	OSHA Skin designation	OSHA Tables (Z1, Z2, Z3)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)
	s u n n	o n n n				o		s y n
	A s u n	y n				o		y n
A	o n n	o n n n				o		
Isoparaffinic Petroleum Distillate	s u n n	y n n				o	a c n n o y n n	o y a c a y A n c
		n s n			o	o		s n
	o n n	o n n n				o		
	n l s	s n n A a	c m A t n n A			o h s		s n

SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

			I	A	m
	A		t l t n A		m
R A			u T R A		
<hr/>					
			w A	A	A
	A			A	

SECTION 10) STABILITY AND REACTIVITY

Stability

A A A A A A I

Conditions to Avoid

A h A h A h A A A A A

 A A A I

Incompatible Materials

A A h A h A h A A I

Hazardous Reactions/Polymerization

A A I

Hazardous Decomposition Products

A A I

SECTION 11) TOXICOLOGICAL INFORMATION

Skin Corrosion/Irritation

A A

Likely Route of Exposure

h A h A A I

Serious Eye Damage/Irritation

A A A

Carcinogenicity

A A I

Germ Cell Mutagenicity

A A I

Reproductive Toxicity

A A A A A

Respiratory/Skin Sensitization

A A I

Specific Target Organ Toxicity - Single Exposure

A A A A

Specific Target Organ Toxicity - Repeated Exposure

A A I

Aspiration Hazard

A A A A A A A

A A I

[illegible]

n n n n o n i i t A

nnnnnon i i t AAAAAAAAAA

ynAa nnoA AA Aau i A cAasc

ynAa c AA nnnA Aa i A cAatc

ynAa hA c As nnA A ynnA m Aathyhooho c

ynAa hA c AA A m A nA m Aatc

ynAa hA c AoshssyA m Aa A AouloA m cAaoc

nnnnn i ui oAAAAAAAAA

ynAa tnnAnA c AAau i A c A A onnnA m tAau i A

ynAa A c Ao nnA Aau i A c A AuunnnA m tAau i

ynAa hA A c Ay nnA m Aasuc

ynAa hA A c A nnA m Aa A A l y A m cAatoc

ynAa hA A c Ao ynA m Aa A As l s A m cAatoc

ynAa hA c At nnnA m Aat sh c

ynAa hA c A A Ao nnnA m A A AsnA m cAatnc

No data available.

No data available.

No data available.

No data available.

No data available.

A A h A A A A A A A A A A A A h A
A A A A I A A A A A A A A A A A A
A A I A A A A A A A A A A A A A A

SECTION 14) T51132571112507211

	IATA Information	I M D I 6 Information	U.S. DOT Information
UN number:	UN1950	UN1950	UN1950
Proper shipping name:	Aerosols, flammable	Aerosols	Aerosols
Hazard class:	2 . 1	2 . 1	2 . 1
Packaging group:	NA	NA	NA
Hazardous substance (RQ):			No Data Available
Marine Pollutant:		No Data Available	No Data Available
Note / Special Provision:	(L T D Q T Y)	(L T D Q T Y)	(L T D Q T Y)
Toxic-Inhalation Hazard:			No Data Available

SECTION 15) REGULATORY INFORMATION

CAS	Chemical Name	% By Weight	Regulation List
0000108-88-3	TOLUENE	15% - 24%	SARA313, CERCLA, HAPS, SARA312, VOC, TSCA, RCRA, ACGIH, California Proposition 65 D o
0000074-98-6	PROPANE	8% - 18%	SARA312, VOC,TSCA, ACGIH, OSHA
0000067-64-1	ACETONE	8% - 17%	CERCLA, SARA312, TSCA, RCRA, ACGIH, OSHA
0000123-42-2	DIACETONE ALCOHOL	2% - 5%	SARA312, VOC,TSCA, ACGIH, OSHA
0064742-47-8	I s o p a r a f f i n i c P e t r o l e u m 29-i-54 i l l a t e	29-i-54	SARA312, TSCA
0000064-17-5	ETHYL ALCOHOL	2% - 5%	SARA312, VOC,TSCA, ACGIH, OSHA
0068439-46-3	Ethoxylated Alcohols (C9 - C11)	2% - 5%	SARA312, VOC,TSCA, ACGIH, OSHA
C o n f i d e n t i a l	C o n f i d e n t i a l	0.9% - 2%	SARA312, TSCA
0068953-58-2	Qu a r t e r a m m o n i u m p e r s o l f a t e (H y d r o g e n t a l t e d) d i m e t h y l S a l t	0.9% - 2%	SARA312, TSCA
0000532-32-1	SODIUM BENZOATE	0.1% - 2%	SARA312, TSCA
0000110-91-8	MORPHOLINE	0.1% - 2%	SARA312, VOC,TSCA, ACGIH, OSHA
0014808-60-7	Q U A R T Z	Trace	SARA312, TSCA, ACGIH, C a l i f o r n i a P r o p o s i t i o n 6 5
0000071-43-2	BENZENE	Trace	SARA313, CERCLA, HAPS, SARA312, VOC, TSCA, RCRA, ACGIH, California Proposition 65 Cancer - Dev elopmental - Male
0001330-20-7	XYLENE	Trace	SARA313, CERCLA, HAPS, SARA312, VOC, TSCA, RCRA, ACGIH, OSHA
0000109-86-4	2 - M e t h o x y e t h a n o l	Trace	SARA313, CERCLA, HAPS, SARA312, VOC, TSCA, ACGIH ,California Proposition 65 Dev elopmental - Male
0 0 0 0 1 0 7 - 1 5 - 3	E T H Y L E N E N B A M	Trace	CERCLA, SARA312, VOC, TSCA


Glossary

[illegible]

HMIS

Health	☒ ☐
FLAMMABILITY	☐
Physical Hazard	☐
Personal Protection	☐

NFPA



a A e c A i A A

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 represent

DISCLAIMER

A large grid of 100 small plots, each containing a different arrangement of the letter 'A'. The plots are arranged in 10 rows and 10 columns. Each plot shows a unique configuration of 'A's, ranging from a single 'A' to complex, symmetrical patterns. Some plots include additional characters like 'h' or 'I'.