

Project Backboard Court Renovation Process

1. Local Contractor: Power-wash (½ day)
2. Local Contractor: Crack fill and patch repair low areas (1-2 days)
3. Local Contractor: Apply Acrylic Resurfacer (1 day)
4. Project Backboard: Draw artwork using a grid (1 day)
5. Project Backboard: Paint court art using sports specific color coatings applied with squeegees and roofing brushes. (@4 days per court)
6. Local Contractor: Paint game lines (1 day)

Court Artwork Considerations

1. Due to perspective and scale one should not need to be able to view the entire work to experience its energy
 1. For example, we avoid detailed figurative works
 2. Fewer, larger shapes are more successful than lots of small shapes.
2. Try to avoid lines that will have the same width as game lines (2")
3. Due to expected accumulation of dirt and debris (bike tire tracks, soda spills etc.) and wear delicate shading will become obscured
4. The areas around the hoop and inside the three point line will experience fading first when heavily used (4-5 years) and the areas of design near center and sidelines will last longest
5. Light colors accumulate dirt fast.
6. White is not successful due to dirt accumulation and sunlight reflection.
7. Large black areas absorb heat and can get hot.
8. Please see attached color card for acceptable colors. Minor variations to these colors can be hand mixed in small quantities.



Draw Court Artwork



Use squeegees for large color sections



Use roofing brushes for smaller sections



Completed court art pre-lines.

Court Examples



