



PHOENIX

ODRO

GOLD DISCOVERED IN THE WEST!

BUCKEYE ARIZONA ROASTING CO. LLC 623.332.1360

INTRODUCING
THE 2017
PHOENIX
LINE:
BASIC OR
ORO

PHOENIX
ORO

INFO@BUCKEYECOFFEE.COM

CALL RANDY AT:
623.332.1360

ARIZONA REP: BRIAN
BRIAN@BUCKEYECOFFEE.COM

TENNESSEE SALES REP: JEREMIAH
JEREMIAH@BUCKEYECOFFEE.COM

**A GOLD MINE OF QUALITY COMMERCIAL COFFEE
ROASTERS MAKES IT'S WAY TO THE USA**

**A HIGH END LINE OF AFFORDABLE
COMMERCIAL ROASTERS WELL
ESTABLISHED IN EUROPE, ASIA AND
THROUGHOUT THE KNOWN WORLD
DISCOVERS AMERICA!**

CARRYING A NAME RICH IN MEANING:

PHOENIX =

**MEANING A THING OF
PEERLESS BEAUTY OR
EXCELLENCE**

ORO = GOLD

**THE PHOENIX LINE COMES IN YOUR
CHOICE:**

**PHOENIX BASIC
(ECONOMY VALUE)**

OR

PHOENIX ORO

**(WITH FUJI COMPONENTS AND ARTISAN PROFILING
SYSTEM)**

PHOENIX

ORO

PHOENIX

ORO

PHOENIX

ORO

**BEAUTY & EXCELLENCE IN A ROASTER LINE
STARTING FROM 2.5 LB. TO 135 LB. PER ROAST**



**IN CHOICE OF
NATURAL GAS, LPG
OR ELECTRIC**



**NEW CONTROL PANELS IN THE
2017 LINE!**

**ALL ELECTRIC IN
MODELS 2.5 TO 8**

PHOENIX BASIC M3

AFFORDABLE QUALITY TO MASTER THE ART!

M3 SERIES

THE M3 SERIES IS OFFERED ONLY IN OUR BASIC 2.5 OR ORO 2.5 & 5 MODELS. IT HAS 3 MOTORS AND ONE MOTOR SHARES EXHAUST AND COOLING TRAY ALLOWING ROASTER TO ONLY NEED ONE EXHAUST PIPE OUT OF BUILDING

NO ROASTMASTER LEFT OUT!

PHOENIX IS NOT FOR THE RICH.
NOT WITH THE PHOENIX BASIC
OR
PHOENIX ORO LINE

THE PHOENIX ROASTER IS MADE FOR THOSE RICH AT HEART. THOSE RICH WITH THE PASSION TO DEVELOP THE ART OF THE CRAFT
THE PHOENIX BASIC

GIVES YOU ALL YOU NEED TO DEVELOP THE ART OF THE CRAFT WITHOUT SELLING YOUR SOUL. GET MOST ALL THE FEATURES AND ALL THE QUALITY OF THE ORO LINE (BASIC HAS STANDARD TEMPERATURE CONTROLS AND NO COMPUTER PROFILING)



PHOENIX BASIC 2.5 IN ELECTRIC
OR CHOICE OF GAS

PHOENIX
ORO

PHOENIX BASIC

2.5 LB TO 3 LB. PER ROAST

10-12 LB. PER HOUR WITH MOST ALL THE FEATURES OF THE
TOP LINE ORO:

- ✦ **STAINLESS & CARBON STEEL DRUM FOR SMOOTH ROASTING**
- ✦ **PRECISE AIR FLOW VIA MANUAL-DIAL DAMPER**
- ✦ **CUSTOM DESIGNED BURNER SYSTEM ON BOTH GAS AND ELECTRIC MODELS**
- ✦ **SINGLE EXHAUST PIPE**
- ✦ **BASIC DOES NOT OFFER COMPUTER PROFILING ONLY THE ORO LINE OFFERS THIS**



PHOENIX

ORO

2.5

THE PHOENIX ORO LINE

IS LIKE THE BASIC 2.5 WITH A

PLUS:

FUJI TEMPERATURE CONTROLS AND
ARTISAN PROFILING

PLUS CHOICE OF ALL GOLD

UPGRADE:

GOLD HOPPER, GOLD COOLING
TRAY, GOLD HOUSING & ALL

GOLD PIPES

...LIKE A SPORTS CAR FOR
ROASTERS...

ORO 2.5 M4 SILVER

ORO ALL GOLD M4

ALL 2017 ORO'S COME STANDARD WITH
M4 DUAL EXHAUST



Call Randy @
623.332.1360

THE PHOENIX 2.5 STATS

- ✦ BOTH CONDUCTIVE & CONVECTIVE ROASTING WITH A SLASH OF INFRARED
- ✦ DOUBLE LAYER INNER DRUM COMBINES CAST CARBON STEEL WITH STAINLESS 304S
- ✦ DOUBLE INSULATED FOR HIGH EFFICIENCY AND EVEN ROASTING
- ✦ HIGH QUALITY MOTORS FOR DRUM, MIXING AND AIR FLOW
- ✦ RAPID COOLING TRAY LOCKS IN FLAVOR
- ✦ SAFETY CONTROL SYSTEM FOR HEAT PROTECTION
- ✦ PRECISE AIR FLOW CONTROL WITH STEPLESS DAMPER
- ✦ ADJUSTABLE BEARINGS AND COMPLETE DRUM CONTROL
- ✦ PROFILING ON THE ORO LINE
- ✦ SINGLE OR DUAL EXHAUST WITH 3 OR 4 MOTORS

- ✦ ROASTING TIME 10-15 MINUTES
- ✦ MACHINE DIMENSIONS:
 - ✦ 88X71X104CM
 - ✦ 35X28X41 INCHES
- ✦ WEIGHT: 100 KG OR 220 LB.
- ✦ POWER: 220V (110V CONVERTER WITH ALL GAS MODELS IN US & CANADA)
- ✦ 50/60HZ FOR WORLDWIDE USAGE
- ✦ 250W OR 1-2 AMPS ON GAS MODEL
- ✦ GAS MODEL ROASTS UP TO 3 LB. PER ROAST ELECTRIC 2.5 LB.
- ✦ ELECTRIC MODEL IS 220/240V ONLY WITH DEDICATED 20-30A LINE
- ✦ ALL ELECTRIC 4800W
- ✦ SHIPPING SIZE AND WEIGHT:
 - ✦ 132 KG OR 291 LB.
 - ✦ CRATE SIZE:
 - ✦ 102X82X100CM OR 41X33X40 INCHES


PHOENIX

ORO 5

5 LB. PER ROAST
20 PLUS LB. HOUR



ORO 5 SILVER MODEL



ORO 5 GOLD MODEL
(CHOICE OF GOLD OR ROSE GOLD)



PHOENIX

ORO

ORO 5

TRANSFORMER
CHAFF SYSTEM

TRANSFORMER
CHAFF SYSTEM

ALLOWS DIRECT CONNECT
CHAFF UNIT TO BE PLACED
BESIDE OF OR BEHIND
ROASTER FOR BEST FIT IN
YOUR BUILDING

ONLY AVAILABLE ON THE 2017 ORO 5 MODELS



THE ORO 5 IS THE BEST SIZE FOR A STARTUP BUSINESS

ORO 5 FEATURES:

- + CONDUCTIVE & CONVECTIVE HEAT WITH ADDED INFRARED TECHNOLOGY
- + TWO LAYER DRUM WITH COMBINED CAST CARBON STEEL & 304S STAINLESS
- + DOUBLE-INSULATED ENCLOSURE, HEAT UTILIZATION EFFICIENCY IS HIGH.
- + HIGH-POWER RAPID COOLING SYSTEM TO LOCK IN FLAVOR
- + SAFETY CONTROL SYSTEM, OVER TEMPERATURE PROTECTION.
- + STEPLESS MANUAL-DIAL DAMPER, COMPLETE CONTROL OF AIRFLOW.
- + ADJUSTABLE BEARINGS, ROLLER AND CAN ADJUST THE DOOR CLEARANCE.
- + ARTISAN TEMPERATURE CURVE OUTPUT SOFTWARE APPLICATIONS. (STANDARD)
- + OPTIONAL ELECTROSTATIC SMOKE SUPPRESSION SYSTEM TO ELIMINATE ENVIRONMENTAL POLLUTION.
- + OPTIONAL ALL GOLD PIPES, HOUSING, HOPPER AND COOLING TRAY
- + CHOICE OF 3 OR 4 MOTORS WITH SINGLE OR DUAL EXHAUST (M4 IS \$150 EXTRA)
- + ROASTING TIME 10-15 MINUTES GAS
- + ALL ELECTRIC MODEL 12-18 MINUTES
- + DIMENSIONS: 135X87X101CM
- + 54X35X40 INCHES
- + WEIGHT: 120KG OR 264 LB.
- + GAS MODEL 320W
- + GAS MODEL ROASTS 5 LB ELECTRIC 4.5 LB. PER ROAST
- + 220V (GAS MODELS CAN USE 110V CONVERTER)
- + 50/60HZ FOR WORLDWIDE USAGE
- + ELECTRIC MODEL REQUIRES DEDICATED 220V 30A BREAKER
- + ALL ELECTRIC MODEL IS 6300W
- + SHIPPING SIZE:
- + CRATE WEIGHT: 170 KG OR 374 LB.
- + CRATE SIZE: 156X67X118CM OR 62X27X47



PHOENIX

ODOR

SMOKE SUPPRESSION FILTER SYSTEM

FOR THE PHOENIX 2.5 & 5


- ✦ REDUCES EXTERNAL BUILDING SMOKE AND ODOR BY UP TO 90% OR MORE
- ✦ ALSO SERVES AS A HEAVY DUTY ROASTER STAND
- ✦ ALLOWS YOU TO ROAST COFFEE IN LOCATIONS NORMALLY NOT PERMITTED
- ✦ UTILIZES FILTER AND ION SYSTEMS TO KEEP AIR CLEAN AND FREE OF MOST ODORS
- ✦ SIMPLE WEEKLY AND MONTHLY MAINTENANCE ASSURES LONG LIFE
- ✦ CALL FOR CURRENT PRICING

PHOENIX ORO 8

8 LB COMMERCIAL SHOP ROASTER

28-35 LB. PER HOUR STAND
ALONE ROASTER ON LOCKING
CASTERS IN CHOICE OF SILVER OR
ALL GOLD!

- HIGH END DOUBLE STEEL DRUM
- STEPLESS DIAL PRECISE
- MANUAL DAMPER
- CUSTOM BURNER SYSTEM
- FUJI CONTROLS AND ARTISAN
PROFILING
- IN GAS OR ELECTRIC MODELS
- (ORO 8 ELECTRIC IN SINGLE WALL ONLY)



WWW.BUCKEYECOFFEE.COM
INFO@BUCKEYECOFFEE.COM
623.332.1360
BUCKEYE, AZ 85326



8 STATS

FEATURES:


- + ROASTING WITH CONDUCTIVE AND CONVECTIVE HEAT PLUS INFRARED
- + DOUBLE WALL STAINLESS STEEL INNER DRUM WITH CARBON STEEL FRAME TO HEAT EVENLY.
- + DOUBLE-INSULATED ENCLOSURE, HEAT UTILIZATION EFFICIENCY IS HIGH.
- + HIGH-POWER COOLING TRAY FAN, RAPID COOLING, LOCK FLAVOR.
- + SAFETY CONTROL SYSTEM, OVER-TEMPERATURE PROTECTION.
- + STEPLESS PRECISE MANUAL-DIAL DAMPER, COMPLETE AIRFLOW CONTROL DISPLACEMENT.
- + ADJUSTABLE BEARINGS, ROLLER AND CAN ADJUST THE DOOR CLEARANCE.
- + COMPUTER PROFILING WITH FUJI COMPONENTS AND DATA LOGGING.

STATS

- + ROASTING TIME 12-18 MINUTES
- + MACHINE DIMENSIONS
120X83X153CM
48X33X61 INCHES
- + WEIGHT 200 KG OR 440 LB.
- + 220V ELECTRICAL SINGLE PHASE
50/60HZ FOR WORLDWIDE USE
- + 700W GAS ROASTER
- + 9600W ALL ELECTRIC
- + (YOUR CHOICE OF GOLD OR ROSE GOLD STAINLESS STEEL)

FEATURES & HIGHLIGHTS ON THE ORO ROASTERS SIZED FROM 2.5 LB. TO 8 LB.

**PRECISE
CONTROL OVER
AIRFLOW WITH
STEPLESS
MANUAL-DIAL
DAMPER SYSTEM
(MDDS)**



**CUSTOM MADE BURNER
SYSTEMS FOR BOTH
ELECTRIC AND GAS**



**ELECTRIC HEAT TUBES
INCASD IN CERAMIC
BURNER SYSTEM**



**DOUBLE WALL
STAINLESS DRUM WITH
CARBON STEEL FRAME
BOTH GAS AND
ELECTRIC DRUMS
CONTAIN
DOUBLE WALLED 304S**

WWW.BUCKEYECOFFEE.COM
INFO@BUCKEYECOFFEE.COM
623.332.1360
BUCKEYE, AZ 85326

PHOENIX

ORDO

14

PRODUCTION ROASTERS

WWW.BUCKEYECOFFEE.COM
INFO@BUCKEYECOFFEE.COM
623.332.1360
BUCKEYE, AZ 85326

INFO@BUCKEYECOFFEE.COM
623.332.1360

ARIZONA REP: BRIAN
BRIAN@BUCKEYECOFFEE.COM

TENNESSEE SALES REP: JEREMIAH
JEREMIAH@BUCKEYECOFFEE.COM





14-135 PRODUCTION MODELS

**BUILT TOUGH
BUILT TO LAST!**

**MADE TO RUN ALL DAY AND PRODUCE
GREAT COFFEE WITH MINIMAL DAILY
MAINTENANCE**

**THE 14 LB. MODEL HAS A DOUBLE
WALL STAINLESS DRUM WITH CARBON
STEEL FRAME**

**THE 22 TO 135 LB. ROASTERS ALL
HAVE CAST IRON DRUMS**



WWW.BUCKEYECOFFEE.COM
INFO@BUCKEYECOFFEE.COM
623.332.1360
BUCKEYE, AZ 85326

PHOENIX ORO 14

FEATURES:

**SAME GREAT FEATURES AS THE
2.5-8 MODELS**

ROASTING TIME 12-18 MINUTES

SIZE: 160X150X235CM

63X60X93 INCHES

WEIGHT 580 KG OR 1276 LB.

220V SINGLE PHASE

ELECTRIC MODEL 9500W

GAS MODEL 1600W

BODY TYPE: STAINLESS STEEL

**COLOR: SILVER+YELLOW,
SILVER+BLACK**

CALL FOR CURRENT PRICING

ARIZONA REP: BRIAN
BRIAN@BUCKEYECOFFEE.COM

TENNESSEE SALES REP: JEREMIAH
JEREMIAH@BUCKEYECOFFEE.COM



WWW.BUCKEYECOFFEE.COM

INFO@BUCKEYECOFFEE.COM

623.332.1360

BUCKEYE, AZ 85326

PHOENIX ORRO 25

NEW 25LB. MODEL FOR 2017!
CALL FOR CURRENT PRICING

WWW.BUCKEYECOFFEE.COM
INFO@BUCKEYECOFFEE.COM
623.332.1360
BUCKEYE, AZ 85326



ARIZONA REP: BRIAN
BRIAN@BUCKEYECOFFEE.COM

TENNESSEE SALES REP: JEREMIAH
JEREMIAH@BUCKEYECOFFEE.COM

PHOENIX ORO

45-135



CALL FOR CURRENT PRICING

WWW.BUCKEYECOFFEE.COM

INFO@BUCKEYECOFFEE.COM

623.332.1360

BUCKEYE, AZ 85326

ARIZONA REP: BRIAN
BRIAN@BUCKEYECOFFEE.COM

TENNESSEE SALES REP: JEREMIAH
JEREMIAH@BUCKEYECOFFEE.COM

REPORT



ARIZONA REP: BRIAN
BRIAN@BUCKEYECOFFEE.COM

TENNESSEE SALES REP: JEREMIAH
JEREMIAH@BUCKEYECOFFEE.COM

WWW.BUCKEYECOFFEE.COM
INFO@BUCKEYECOFFEE.COM

PHOENIX ORO 22

BATCH CAPACITY:22 LB.

**ROASTING TIME :12MINUTES FOR LIGHT ROAST ,
18MINUTES FOR DARK ROAST CAPACITY:**

110LB./H FOR LIGHT ROAST 66LB./H FOR DARK ROAST

ROASTING TYPE:CONDUCTION & CONVECTION

LPG/NG/PROPANE

**BEAN AND EXHAUST SMOKE TEMPERATURE CAN BE
CONTROLLED SEPARATED CHAFF COLLECTING**

CYCLONE

PID CONTROL

FIRE FLAME CAN BE ADJUSTED

BODY DIMENSION:L290CM-W125CM-H190CM

115X50X75 INCHES

NET WEIGHT/GROSS WEIGHT:800KG/1000KG

NET 1760LB. GROSS 2200B.

POWER:AC/220V,50HZ /60HZ,OR THREE PHASE

380V,50HZ POWER:2550W

BODY TYPE:STAINLESS STEEL

COLOR:BLACK ,LIGHT YELLOW



CALL FOR CURRENT PRICING

WWW.BUCKEYECOFFEE.COM

INFO@BUCKEYECOFFEE.COM

623.332.1360

BUCKEYE, AZ 85326

PHOENIX

ORRO

45

Batch Capacity :45lb.
Roasting Time :16 minutes for light roast ,22 minutes for dark roast
Roasting Capacity:175lb./H for light roast ,135lb./H for dark roast,
Heating type: Conduction & Convection
LPG/NG/PROPANE
PID Control
Body Dimension:L350cm-W140cm-H215cm
138x56x85 inches
Net weight:1100KG 2420lb.
Power: Three Phase 380V, 50Hz/60Hz
Power:4500W
Gas Consumption:2.2KG/H
Color:Black ,Light Yellow
Body Type:Stainless Steel



CALL FOR CURRENT PRICING

WWW.BUCKEYECOFFEE.COM

INFO@BUCKEYECOFFEE.COM

623.332.1360

BUCKEYE, AZ 85326

PHOENIX

ORO 90

Batch Capacity :90lb. per roast

Roasting Time :20minutes for light roast ,25minutes for dark roast

Roasting Capacity:270 lb./H for light roast , 225lb./H for dark roast

Roasting type: Conduction & Convection

Heating type: LPG/NG/PROPANE

Bean and Exhaust smoke temperature can be controlled Separated Chaff collecting cyclone

PID Control

Fire flame can be adjusted

Body Dimension:

Net weight:2860KG 6292LB.

Power: Three Phase 380V,50Hz/60HZ

Power:9000W

Color:Black ,Light Yellow

Body Type:Stainless Steel

Optional accessories: Pneumatic feeding device, De-stoner



WWW.BUCKEYECOFFEE.COM

INFO@BUCKEYECOFFEE.COM

623.332.1360

BUCKEYE, AZ 85326

ARIZONA REP: BRIAN

BRIAN@BUCKEYECOFFEE.COM

TENNESSEE SALES REP: JEREMIAH

JEREMIAH@BUCKEYECOFFEE.COM

CALL FOR CURRENT PRICING

PHOENIX

ORR 135

Batch Capacity :135LB.

**Roasting Time :20minutes for light roast,
25minutes for dark roast Roasting Capacity:
405LB./H for light roast, 340/H for dark roast**

Roasting type: Conduction & Convection

Heating type: LPG/GAS

Body Dimension:L520cm-W320cm-H385cm

205x126x152 inches

Net weight:3000KG 6600LB.

Volt: Three Phase 380V,50Hz/60HZ

Power:10000W

Gas Consumption:0.4KG/H

Color:Black ,Light Yellow

Body Type:Stainless Steel

**All body is made of High temperature resistant
stainless steel Stainless steel contact roaster and
cyclone**

Fuse and leakage protector

WWW.BUCKEYECOFFEE.COM

INFO@BUCKEYECOFFEE.COM

623.332.1360

BUCKEYE, AZ 85326

**ARIZONA REP: BRIAN
BRIAN@BUCKEYECOFFEE.COM**

**TENNESSEE SALES REP: JEREMIAH
JEREMIAH@BUCKEYECOFFEE.COM**



CALL FOR CURRENT PRICING