2020 BC-15 DW

BY BCROASTERS.COM

The BC-15 MD or DW comes in single or double wall models. These are great for production roasting for the wholesale or retail coffee business. It can roast from 3lb. to 15lb. per roast and up to 4-5 roasts per hour. The DW Model can roast even smaller sample batches. It will roast well over 400lb. per day. It has all the features most companies charge extra for built into the base price. The only option is if you wish to add a MAG AIRFLOW GAUGE. These models all come with the advanced and precise airflow control via the MDDS (manual damper) system & many new safety features. Solid heavy-duty stainless steel drum and built in profiling system for BT & ET. Direct-Connect chaff unit for efficiency & reduced footprint. Comes in choice of Natural or LPG (propane) gas. **Now in choice of Single or Double Wall models!**







BC-14MD	GAS TYPE
Batch Size	3-14lb.
Roasting Time	12-15 minutes
Production	56lb.hr
Heat Source	NG/LPG
Voltage	220V
Wattage	780W
Drum Motor	200W
Chaff Fan Motor	200W
Cooling Fan Motor	200w
MIXING ARM	90W
BTU	105,000
NG PRESSURE	7-14WC
LPG PRESSURE	MAX. 16-20WC
Gas Consumption	0.8kg/hr
Roaster Dim.	58x24x63"
Roaster Weight	838lb.
Package Dimensions	63x44x61 1017lb.

FEATURES

DRUM TYPE
DATA LOGGING
THERMOCOUPLES
CONTROL PANEL
WARRANTY
PARTS AVAILABLE
110V CONVERTER
TYPE
DATA LOGGING

Single or DW 5mm or Double Wall 2 OMRON CONTROLS w/BT & ET K-TYPE for BT & ET BT & ET VEIW ON PANEL 1 YEAR PARTS & INSTRUCTION 10 Year Parts Available Guarantee Optional 110V Voltage Converter 3000W may be purchased.

SEE OUR NEW COLOR OPTIONS! BLACK, RED & WHITE BODIES!

<u>BCROASTERS.COM</u> BC ROASTERS WAREHOUSE: AVONDALE, AZ 85323 SHOWROOM: BUCKEYE, AZ 85326 info@BuckeyeCoffee.com 623.332.1360

THE BC-15 MD IS A HEAVY DUTY ROASTER BUILT WITH A CARBON STEEL BODY WITH APPROVED POWDER COAT HIGH TEMPERATURE BODY IN BLACK, RED OR WHITE. THE HOUSINGS COME IN A CHOICE OF 4 COLORS (Gold, Rose Gold, Black Titanium & Stainless) In two type finishes (MIRROR or MATTE) Also New Textured Housings (Checkered)

TWO EXHAUST PIPE COMES OFF THE BC-15 AT 5" AS SHOWN BELOW AND CAN BE EXHAUSTED SEPARATELY OUT OF BUILDING OR JOINED WITH A BLAST DAMPER OR BACKDRAFT DAMPER ABOVE CHAFF UNIT.


MDDS SYSTEM FOR PRECISE AIRFLOW CONTROL



IN WHITE OR RED BODIES







SHOWN IN DRAWING WITH OPTIONAL MAG AIRFLOW GAUGE



