### Ingersoll Rand® Cordless Impact Wrenches







1/4"

### \$616.95 IRTW3111-K22

20v 1/4" Hex Drive Compact Impact Driver - 2-Battery Kit

- 20v 1/4" Hex Drive Compact Impact Driver 2-Battery Kit

  1/4" hex drive with quick release collet for use with impact rated bits

  Lightest in its class at 2.3lbs, reduces fatigue and improves tool control

  Patented 360° shadowless LED light ring illuminates fastener from all sides

  3,400 in-lbs, 2,800 RPMS 5.2" tip-to-tail length for easy access

  3-year limited warranty on tool and batteries

  Kit includes (1) W3111 1/4" Impact Driver, (1) BL2023 battery 5.0Ah, (1) BL2012 battery 2.5Ah, and (1) BC1121 battery charger

### IRTW3111 (Bare Tool) \$337.45



20v 1/2" Compact Impact Wrench - 2-Battery Kits

- S speed modes with variable speed trigger to fine-tune for application
   Light 2.3 lbs. weight provides excellent control and maneuverability of tool
   Patented 360° shadowless LED light ring illuminates fastener from all sides

- 3-year limited warranty on tool and batteries
   Kit includes: Impact Wrench, (1) BL2023 battery 5.0Ah, (1) BL2012 battery 2.5Ah, and (1) BC1121 battery charger

IRTW3151 (Bare Tool) \$419.45



3/8"

### IRTW3131-K22 \$680.95

20v 3/8" Compact Impact Wrench - 2-Battery Kit

- 3 speed modes with variable speed trigger to fine-tune for application
   Light 2.3 lbs. weight provides excellent control and maneuverability of tool
- Patented 360° shadowless LED light ring illuminates fastener from all sides
- 3-year limited warranty on tool and batteries
- Kit includes: Impact Wrench, (1) BL2023 battery 5.0Ah, (1) BL2012 battery 2.5Ah, and (1) BC1121 battery charger

### IRTW3131 (Bare Tool) \$385.95



IRTW5133-K22

20v 3/8" High Torque Impact Wrench - 2 Battery Kit

- 550 ft-lbs nut-busting torque and 365 ft-lbs of MAX torque
- 360° Shadowless LED light ring with task light mode and 4 dimmable settings

IRTW5133 (Bare Tool) \$455.45





IRTW7153-K22 \$1,183.95 Drive Xchange System™ DXS2 20V High-Torque

1/2" Cordless Impact Wrench 2 Battery Kit

- The patented DXS® system features torque that works smarter, not harder. Tight-fitting DXS® attachments deliver up to 15% more motor torque to fasteners\*, making the tools more effective so you never lose power
- Compatible with all DXS2 anvils and sockets sold as separate sets
- Friction ring retainer
- 1500 ft.-lbs. nut-busting torque



3/4"

### CALL IRTW8171-K2

20v 3/4" Cordless Pistol Grip Impact Wrench - 2 Battery Kit

- 2,000 ft-lbs of breakaway torque
   Kit Includes: (2) BL2022 5.0Ah Batteries and BC1121 Charger.

  Output Control Con
- IQV® Power Control System includes 4 forward modes: MAX Power, MID, Wrench, Snug and full power reverse
- Powerful brushless motor
   Variable Speed Trigger
- Shadowless Light: A patented 360° ring light around the anvil
- 3 yr warranty on material and workmanship

IRTW8171 (Bare Tool) \$990.95

### Ingersoll Rand® Cordless Impact Wrenches







### IRTW8571-K2 CALL

20v 3/4" Cordless Impact Wrench with 6" Extended Anvil 2 Battery Kit

- 2,000 ft-lbs of breakaway torque
- 360 degree shadowless LED light ring
- Variable speed trigger
  IQV® Power Control System includes 4 forward modes
- Includes: (2) BL2022 5.0Ah Batteries and BC1121 Charger

IRTW8571 (Bare Tool) \$1,023.95



### IRTW8191-K2 CALL

20v 1" Cordless Impact Wrench 2 Battery Kit, 2000 ft-lb Torque, Friction Ring, Pistol

- Safety: Remove hoses & trip hazards to keep operators & technicians safe without sacrificing power.
- IQV® Power Control System includes-4forward modes: MAX Power, MID, Wrench, Snug and full power reverse







### IRTW8591-K2 CALL 20v 1" Cordless Impact Wrench with 6" Extended Anvil 2 Battery Kit

- 2,000 ft-lbs of breakaway torque
- 360 degree shadowless LED light ring
- Variable speed trigger
  IQV® Power Control System includes 4 forward modes
- Includes: (2) BL2022 5.0Ah Batteries and BC1121 Charger

IRTW8591 (Bare Tool) \$1.089.95









3000 ft-lbs Nut-busting Torque, 4 Batteries and Charger, 6" Extended Anvil

 Power: World's Most Powerful 1" Cordless Impact Wrench with best in class power-to-weight ratio. 3,000 ft-lbs of nut busting torque, 2,200 ft-lbs of tightening torque

IRTW9691-K2E CALL

20v 1" D-Handle High Torque Impact Wrench with Extended 6" Anvil - 2 Battery Kit

IRTW9691 (Bare Tool) CALL



### IRTW9491-K4E CALL 20v High-Torque 1" Cordless **Impact Wrench 4 Battery Kit**

- 2,600 ft-lbs of nut busting torque, 2,200 ft-lbs of tightening torque
- 250 bolts per charge
- IP56 rated
- IQV® Power Control System includes 3 modes
- 360° adjustable D-handle
- Includes impact wrench, (4) batteries, charger, charger cord, and manuals

IRTW9491-K2E (2 Battery Kit) CALL IRTW9491 (Bare Tool) CALL

### **Ingersoll Rand® Cordless Drills**

### IRTD5241-K22 \$687.45 1/2" 20V Cordless Hammer Drill 2 Battery Kit, Keyless Chuck

- 1,100 in-lbs of torque
- 24 position clutch
- Impact-resistant rubberized design helps reduce kickback
- LED light so you can see your work area Includes the D5241 Hammer Drill, Auxiliary Handle, (2) BL2022 5.0Ah Batteries. and BC1121 Dual Voltage Charger.

\$363.45 1/2" 20V Cordless Hammer Drill Bare Tool, Keyless Chuck (Bare Tool)





### IRTD3141-K22 \$553.45 1/2" 20V Cordless Compact **Drill Driver Kit, Keyless Chuck**

- Up to 450 in-lbs of torque
- Equipped with both drill and drive modes
- · Impact-resistant rubberized design
- · Fine-tune fastening depth with an 18-position clutch
- Includes the D3141 Drill Driver, (2) BL2012 2.5Ah Batteries, and BC1121 Dual Voltage Charger

\$312.45 IRTD3141 1/2" 20V Cordless Compact Drill Driver, **Keyless Chuck (Bare Tool)** 



Ingersoll Rand® Cordless Screwdrivers / Torque Multiplier / Saws / Polishers / Tire Buffers / Heat Guns







### IRTD3411-K22 \$550.95 1/4" Hex 20V Cordless Compact Screwdriver 2 Battery Kit

- Up to 450 in-lbs of torque
- Impact-resistant rubberized design
- Fine-tune fastening depth with an 18-position clutch
- LED light so you can see your work area
   Includes Screwdriver, (2) BL2012 2.5Ah
   Batteries, and a BC1121 Dual Voltage Charger



### **IRTD3411** \$293.95

1/4" Hex 20V Cordless Compact Screwdriver, **Quick Change Chuck Pistol Grip** 

- Up to 450 in-lbs of torque
- Impact-resistant rubberized design
- · Fine-tune fastening depth with an 18-position clutch
- LED light so you can see your work area





### CALL

## IRTQXXD5PT01KPW16K2

1" 40V Cordless Torque Multiplier, 2 Battery Kit, Bluetooth, Pistol Grip

- Dattery Nt, Bibetooni, Fistor Grip
   Property of the Indian Property of the Indian





### IRTC5101-K22 20V Cordless Reciprocating Saw -2 Battery Kit

- 3,000 strokes per minute
- 1-1/4" in. stroke length
- Safety trigger lock provides anti-restart protection
- LED light so you can see your work area
- UL IPX6 certified water-resistant
- Includes (2) BL2022 5.0Ah Batteries and a BC1121 Dual Voltage Charger







A high-power brushless motor

- A threaded, all-metal chuck and spindle lock keep accessories in place during tough jobs and make abrasive changes quick.
- Small size to easily reach spots where large sanders (DA/Orbital) cannot.
- LED light located at the foot of the tool
- 3 yr warranty on material and workmanship

Kit Includes: G4621 Polisher/Sander, 2" & 3" Roloc Pads, 3" Hook & Loop Backing Pad, 3" Wool Pad, 3" Soft Foam Pad, 3" Medium Foam Pad, Auxiliary Handle, (2) BL2012 2.5Ah Batteries, and BC1121 Dual Voltage Charger.

IRTG4621(Bare Tool) \$374.45

### \$321.45 IRTG4911

20V Cordless Tire Buffer, 7/16" Hex Quick Change, 3000 RPM (Bare Tool)

• The G4911 is up to 25% quieter with 50% less vibration than competitive air tools, greatly reducing shop noise and operator discomfort



\$455.95 IRTG4911-K1 20V Cordless Tire Buffer 1 Battery Kit, 7/16" Hex Quick Change, 3000 RPM

- · Ergonomics: Eliminate noisy and cumbersome air tools
- The G4911 is up to 25% guieter with 50% less vibration than competitive air tools, greatly reducing shop noise and operator discomfort



### \$240.95 **IRTH3111** 20V Cordless Heat Gun, (Bare Tool)

 Performance: The H3111 reaches operational temperatures up to 20% faster than leading cordless competitors, reducing the time waiting for quick jobs like shrink tubing

 Productivity: Don't trade portability for productivity



### IRTH3111-K1 \$453.45 20V Cordless Heat Gun, 1 Battery Kit

- Performance: The H3111 reaches operational temperatures up to 20% faster than leading cordless competitors, reducing the time waiting for quick jobs like shrink tubing
- Productivity: Don't trade portability for productivity



### Makita® Contractor Tools

### **DeWALT® Cordless Tools**



### \$629.45 **DWTDCE592B** 20V MAX Grabo Lifter (Tool Only)

- Liftload capacity of up to 265 lbs MAX
- Work with a wide range of both non and semiporous materials including rough textured surfaces

  • Built-in pressure sensor that automatically engages
- to help maintain the vacuum suction
- · Color LED screen and digital pressure gauge



### \$213.45 **DWTDCE512B** Jobsite Fan 20V (Tool Only)

- · Delivers a powerful, concentrated air flow
- · Conveniently stand it up, hang it, or mount it where you need so it
- Variable speed control



### \$425.45 **DWTDCHT821B** 20V MAX 22 inch Brushless Cordless

- **Hedge Trimmer (Tool Only)** • Up to 78 minutes of runtime
- · Tackle tough branches and overgrowth up to 34" thick with a high output motor
- Make clean, fast cuts with laser-cut, 22" hooked tooth blades



### \$505.45 DWTDCCS621B 20V MAX Compact 12" Cordless Chainsaw (Tool Only) • Low Kickback - 12 in. low kickback bar and chain

- High-efficiency brushless motor that delivers up
- to 100 cuts per charge

   A lightweight design that helps maximize user control

   Gas-Free Operation

 Up to 450 CFM of air volume Low noise during operation - 62 dB(A)





# DEWALI



1/2"

### DWTDCK397HM2 \$976.45 20V MAX Lithium-Ion 3-Tool Combo Kit

- DCGG571 20V MAX\* Lithium Ion Grease Gun Powerful motor delivers 10,000 max psi to power through clogged grease fittings. High-volume pump pushes up to 5.0 oz/min high-flow applications
- DCF899H 20V MAX\* XR Brushless High Torque Impact Wrench with Hog Ring Anvil -Delivers up to 700 ft-lbs of max torque and 1200 ft-lbs of max breakaway torque.
- DCL043 3 bright LEDs illuminate dark jobsite work areas. Can be seen up to 508 yards or 1,525 feet.
- Kit includes: DCF899HB, DCGG571B, DCL043, (2) DCB204, Charger and Carry Bag



1/2"

# DWTDCF900P2 \$734.95 20V MAX\* XR® 1/2" Drive High Torque Impact Wrench with Hog Ring Anvil

- 1030 ft-lbs of max fastening torque and 1400 ft-lbs of max breakaway torque
   D4-mode speed settings and variable speed trigger
   Illuminate dark workspaces using the on-tool LED work light

- Includes: (1) DCF900 Impact Wrench, (1) DCB115 Charger,
   (2) DCB205 20V MAX 5.0 AH Battery, (1) Kit Bag



### DWTDCF900GP2 \$1,104.95

- 20V MAX\* XR® 1/2" High Torque Impact Wrench with Hog Ring Anvil

   POWERFUL AND VERSATILE PERFORMANCE: Complete a wide variety of fastening applications with 1,030 ft-lbs. of max fastening torque and 1,400 ft-lbs. of max
- breakaway torque

  CONTROL WHEN IT'S NEEDED MOST: Maximize user control in a variety of applications
- with 4-mode speed settings and variable speed trigger

   PRECISION WRENCH™ MODE: Helps prevent over-tightening and fastener run-off.

   3 yr warranty on material and workmanship

### **DeWALT® Cordless Tools**



### \$796.95 DWTDCF964GH1

20V MAX XR Brushless Cordless 3/4" High Torque Impact Wrench with Hog Ring Anvil Kit With XR Powerstack

- Delivers 1420 ft-lbs of max fastening torque and 1900 ft-lbs of max
- breakaway torque

  3 Speed Settings And Precision
  Wrench<sup>TM</sup> Mode To help prevent over tightening and fastener run-off





20V Max XR Brushless Cordless 3/4" High Torque Impact Wrench With Hog Ring Anvil (Bare Tool)



1/2"

### DWTDCF961GH1 CALL

20V Max XR Brushless Cordless 1/2" High Torque Impact Wrench With Hog Ring Anvil Kit With XR Powerstack

- Get Up to 28 Percent More Torque to complete tough fastening applications
- 3 Speed Settings And Precision Wrench Mode To help prevent overtightening and fastener runoff
- Combats Harsh Environments Resist damage from oil grease and solvents with oil resistant tool and battery housing
- Operate On Tool LED Work Light to illuminate dark workspaces

### DWTDCF961B \$527.45 20V 1/2" Drive High Torque Impact Wrench (Bare Tool)

• Delivers 1200 ft-lbs of max fastening torque and 1750 ft-lbs of max breakaway torque.



### DWTDCF923B

ATOMIC™ 20V MAX 3/8" Cordless Impact Wrench with Hog Ring Anvil (Bare Tool)

• Up to 300 ft-lbs of max fastening torque

- and 450 ft-lbs of max breakaway torque
- Hog ring anvil for rapid, secure socket changes
- Illuminate dark workspaces using the on-tool LED work light

### \$315.95 DWTDCD800D2

- 20V MAX XR® Brushless Cordless 1/2" Drill/Driver Kit

  ACCESS HARD TO REACH WORK AREAS: Compact 6.37" size is 1/2" shorter in length compared to the DCD791, tool head only HIGH BIT RETENTION with 1/2" metal ratcheting chuck
- PRÓ-LEVEL SPEED, CONTROL, AND PRECISION: High-speed transmission with variable trigger and 2 speed settings (0-650/0-2,000 rpm)
- BRIGHTEN DARK WORK AREAS: Adjustable 3-Position, 3 Mode LED with up to 70 Lumens, including LED spotlight mode which features a 20-minute shutoff function for extended work time in low-light spaces

• DESIGNED TO HELP YOU GET MORE DONE with optimized performance and runtime







### **DWTDCF870B**

20V MAX XR Brushless Cordless 1/4" **Quiet Hydraulic Impact Driver (Bare Tool)** 

- ADVANCED ENGINEERING provides consistent performance in demanding applications and performs in cold temperatures

  • DESIGNED FOR TIGHT SPACES - Complete framing,
- cabinetry, and other applications in tight areas with an ergonomic design
- UP TO 6X BRIGHTER Help illuminate work areas with 9 LEDs featuring a 20 minute work light mode



1/4"

1/4"

### \$317.95 **DWTDCF860B**

20V MAX XR Brushless Cordless 3-Speed High Torque 1/4" Impact Driver (Bare Tool)

- Power through tough jobs with up to 2,500 in-lbs. max torque and a no-load speed up to 3,800 RPM
- Built-In LEDs 9 built-in LEDs and 20-minute work light setting provide additional illumination

**INTERCHANGEABLE** 

ANVIL DESIGN



# \$612.95

### DWTDCF510GE1

20V MAX XR® Brushless Cordless 3/8" & 1/2"
Sealed Head Ratchet with Dewalt Powerstack™

- 75 ft-lbs of max torque and speed of 0-300 RPM
- Quickly swap between 3/8" and 1/2" square drives
- · Includes ratchet, battery, charger and bag

\$389.45 DWTDCF510B

20V MAX XR® 3/8" & 1/2" Ratchet (Bare Tool)

### **DWTDCF500B** 12V MAX\* 3/8" and 1/4"

Brushless Cordless Sealed **Head Ratchet (Bare Tool)** 

 Delivers up to 50 ft-lbs. of max torque with a no-load speed of 0-450 RPM



### DWTDCF503B

XTREME™ 12V MAX Brushless 3/8" Ratchet (Bare Tool)

- Brushless motor delivers up to 60 ft-lbs of max torque for use with a wide variety of fastener sizes and applications
- LED work light that helps illuminate applications

### \$328.45 DWTDCF513B 3/8" Ratchet (Bare Tool)

Delivers up to 70 ft-lbs of torque



DEWALT

### **DeWALT® Cordless Tools**



### DWTDCD1007WW1 \$640.45 20V MAX XR Brushless Cordless 1/2" 3-Speed **Hammer Drill Kit**

• 3-Speed High-Performance Transmission Help optimize runtime and performance with an all metal transmission.





### DWTDCF414GE2 CALL 20V MAX\* XR Brushless Cordless

1/4" Rivet Tool Kit with DEWALT POWERSTACK BRUSHLESS MOTOR delivers up to 4,500 LBF of pulling force for fastening rivets, including those made of stainless steel

- Up to 300 rivets per charge
   Kit includes two 20V MAX\* DEWALT POWERSTACK Oil-Resistant Compact Batteries
- 1 yr warranty on material and workmanship

### DWTDCF403D1 \$626.45 20V MAX\* XR® Brushless

Cordless 3/16" Rivet Tool Kit

• Includes Rivet Tool, 20V MAX\* 2 Ah Battery, • Charger, (1) 3/32" Nose Piece, (1) 1/8" Nose • Piece, (1) 5/32" Nose Piece, (1) 3/16" Nose • Piece, (1) Replacement Jaw Set, (1) Belt Hook, and (1) Kit Bag



### DWTDCS384B 20V MAX XR Brushless Cordless Reciprocating Saw Kit (Bare Tool)

- Powerful Performance Take on heavy-duty jobs with the brushless motor that delivers more power for tough demands.

  • Convenient Onboard LED - Help brighten
- work areas with an onboard LED that provides additional illumination

### DWTDCS384WW1 \$622.95 20V MAX XR Brushless Cordless **Reciprocating Saw Kit with XR POWERPACK**

- High Efficiency Help maximize efficiency on tough jobs with up to 102 cuts per charge
- Convenient Onboard LED Help brighten work areas with an onboard LED that provides additional illumination

### \$643.45 DWTDCM200E1 20V MAX\* XR® 18" Bandfile Kit

- Brushless motor delivers more power than pneumatic with 700 MWO of power rotating up to 5,600 ft/min
- 104° Rotating arm
- Tool free belt change permits simple belt changes
- 1 Year warranty on material and workmanship
   Includes: (1) DCM200 20V MAX\* XR® 18in. Bandfile, (2) 80 grit 18" (457mm) sanding belts, (1) DCBP034
  POWERSTACK™ 1.7ah compact battery and (1) DCB107 charger





### \$200.95 **DWTDCV580H**

- 20V MAX Cordless Wet/Dry Vac (Bare Tool)
- 2-gallon tank capacity

  HEPA RATED wet-dry filter traps with 99.97% efficiency at 0.3 microns

  The integrated flexible, heavy-duty 5 ft. hose is ideal for tough worksite conditions

  3 yr warranty on material and workmanship

### \$718.45

### DWTDCM849P2 20V MAX 7" Rotary Polisher Kit

- Brushless Motor
- 800-2200 RPM variable speed
- Lock off and lock on trigger
- Removable dust cover
- Side ways battery pack for ergonomics

### \$474.45

### DWTDCM848B 20V 5" Dual Action Polisher (Bare Tool)

- Brushless Motor
- Rubber gear case
- Adjustable variable speed (200 to 5500 OPM)
- Side ways battery pack for ergonomics
- Removable dust covers

# **DeWALT® Batteries & Chargers**



DWTDCBP520G \$424.45 20V MAX Powerstack™ Oil Resistant 5.0 Battery



\$349.95 DWTDCB2108 20V MAX XR POWERPACK 8AH Battery



### **DeWALT® Corded Tools**



### \$429.45 DWTDWP849X

- 7" High Performance Electronic Polisher
- Controlled finishing system with soft start Variable speed dial sets speed from
- 0-3500 rpm Variable speed trigger controls speed from 0- specified speed



### DWTDWP849 \$345.45

### 7" / 9" Variable Speed Polisher

- 12 amp all ball bearing construction
  Variable speed dial sets speed
- from 0 3,500 rpm
- This polisher is the best in class with 12 amp motor, 0-600/0-3,500 rpm and weighs 6.6lbs







### **IRT216B** \$374.95 3/8" Drive Butterfly Impact Wrench

- 175 ft/lbs of maximum torque
- · Great for working in small spaces
- Butterfly throttle for comfort and control
- Recessed regulator dial

### \$494.45 IRT2115TIMAX 3/8" Drive MAX Series Titanium Impact Wrench

- 300 ft-lbs torque
- 2 year warranty

1/2"

### IRT360MAX \$342.95

1/2" Drive Ultra Compact Impact Wrench

- Max Power 640 ft/lbs of Nut Busting Torque Quiet - Patented technology provides a quiet design at only 91.3 dB(A)
- Weight At only 2.4 lbs, it is the industry leader in power-to-weight ratio



### 1/2" Drive Super Duty Impactool™

- Maximum torque: 600 ft-lbs
- IR Twin Hammer Mechanism
- Adjustable power regulator Pressure feed lubrication

\$330.45 IRT231HA-2 1/2" Drive Super Duty Air Impact Wrench with 2" Extended Anvil

590 ft./lbs. maximum torque

### IRT21350XPA \$473.45

1/2" Drive Composite Impact Wrench • 1,100 ft-lbs nut-busting torque

• 1 year warranty Weighs 4 lbs

IRT2135QXPA-2 \$557.95

1/2" Drive Composite Impact Wrench with 2" Anvil



- Patented Drive Xchange System™ with 3/8," 1/2", and 3/4" drive options and 5 different anvil lengths
- 1,500 ft.-lbs. of breakaway torque from a unique patented motor design
- · 4 decibels quieter running from a patented motor design
- Patented Direct Greasing System
- Under 4.5 lbs. and 7.4" overall length
- 2 yr warranty on material and workmanship

IRT2236QTIMAX - Standard Friction Ring Anvil \$617.45 IRT22360PTIMAX - Standard Pin Anvil \$653.45 IRT2236QTIMAX-2 - 2" Extended Friction Ring Anvil \$675.95

### Ingersoll Rand 2236QTiMAX Visibility Series DXS2 1/2" Air Impact Wrench

- 1,500 ft.-lbs. of breakaway torque
- Patented Direct Greasing System
- · Friction Ring Retainer

IRT2236QTIMAX-G (Green) \$617.45 IRT2236QTIMAX-0 (Orange) \$617.45 IRT2236QTIMAX-R (Red) \$617.45








### **IRT261** \$1,029.45 3/4" Super Duty Impact Wrench

- 1.200 ft-lbs reverse torque
- Weighs 12.4 lbs
- 1 year warranty

### IRT261-3 CALL

3/4" Super Duty Impact Wrench with 3" Anvil





- NEW on-board pressure gauge optimizes power & durability
- 2,000 ft-lbs of nut busting torque and the ability to monitor pressure for optimum performance.
- 2 year warranty



### 3/4" High Torque Air Impact Wrench with 3" Extended Anvil

- 2,000 ft-lbs Nut-busting torque
- Maintenance Duty, Pistol Grip
- · Quiet Technology reduces the sound of the tool, sparing your ears without sacrificing a single ounce of power
- Pressure gauge improves productivity and prolongs product life

### IRT2146Q1MAX-6 CALL

3/4" High Torque Air Impact Wrench with 6" Extended Anvil

### CALL IRT2146Q2MAX

- 1" High Torque Air Impact Wrench
- 2.000 ft-lbs Nut-busting torque
- Maintenance Duty, Pistol Grip
   Quiet Technology reduces the sound of the tool, sparing your ears without sacrificing a single ounce of power
- · Pressure gauge improves productivity and prolongs product life

### IRT295A CALL

### 1" Drive Heavy Duty Air Impactool™

- 1,475 ft-lbs max torque
- Durable and Resistant: Phenolic 6 vane motor resist harsh environments for less downtime on the job

IRT2175MAX CALL

1" Drive Pistol Grip

**Maintenance Duty Air Impact Wrench** 2,000 ft-lbs max torque

IRT2175MAX-6 CALL 1" Drive Air Impact Wrench with 6" Extended Anvil



- 1" D-Handle Impact Wrench
- 1,770 ft-lbs nut-busting torque Weighs 27.8 lbs
   1 year warranty

IRT285B CALL 1" Drive Heavy Duty Impact Wrench





IRT2850MAX-6 CALL

1" Drive Air Impact Wrench Maintenance Duty, D-handle with 6" Extended Anvil

2100 ft-lbs Max Torque

Weighs under 20 lbs

IRT2850MAX **CALL** 1" Drive Air Impact Wrench Maintenance Duty, D-handle



## IRT1211MAX-D3 \$397.45

3/8" Drive High Speed Air Impact Ratchet

• 625 RPMs • 80ft-lbs of nut-busting torque • 1 year warranty on material and workmanship

### \$202.45 IRT107XPA 3/8" Drive Air Ratchet

- 54 ft-lbs of maximum torque
- Variable speed lever-style throttle
- 360° adjustable exhaust

### IRT109XPA \$308.45 3/8" Drive Super Duty Air Ratchet

 76 ft-lbs (103 Nm) maximum torque at 220 rpm free speed

### \$216.95 IRT105-D2 1/4" Drive Air Ratchet

 25 ft-lb max torque and 250 rpm free speed deliver impressive power to get the task at hand done fast









IRT7802RA 3/8" Chuck Heavy Duty Reversible Air Drill

2.000 RPM



## IRT307B \$109.45 Straight Die Grinder

 Powerful motor delivers .25 HP at 28,000 rpm free speed

 Includes 1/4" and 6 mm collets and two wrenches



**Angle Die Grinder** 

• 220 rpm free speed

### IRT302B \$194.45 Angle Die Grinder with Composite Housing

IRT5102MAX \$342.95

Angle Die Grinder - Premium

0.4 hp and 20,000 rpm motor

Powerful motor delivers 0.33 HP 20,000 rpm free speed

### \$158.45 IRT308B

Straight Die Grinder with Composite Housing Powerful motor delivers .33 HP and 25,000 rpm free speed

Tool comes with 1/4" and 6 mm collets and two wrenches

### IRT5108MAX \$318.95 Straight Die Grinder - Premium

0.4 hp and 25,000 rpm motor

• Optimal lube free design eliminates oil contamination

Enhanced grip design and low-profile reduces hand fatigue



Air Hammer Kit

· Kit includes: air hammer. quick change retainer, 5 piece chisel set, carrying case

One-Year Warranty

IRT123MAXK \$353.45 **Short Barrel Air Hammer Kit - Low Vibration** 

# IRT135MAXK

Heavy Duty Air Hammer Kit

Kit Includes 5-piece chisel set

2 year warranty

IRT135MAX \$374.45 **Heavy Duty Air Hammer (Tool Only)** 

### \$203.45 **IRT429**

**Heavy Duty Air Reciprocating Saw** 

- · Excellent for body shop repair, muffler and exhaust work, and sun roof installations
- Reduced vibration

### **IRT529** \$353.45 Air Saw - Low Vibration

 Patented vibration reduction device reduces hand fatigue - 88% reduction in vibration



**IRT426** \$187.95 Reversible Cut Off Tool with 5 Cut Off Wheels Included

- 20,000 RPM max free speed
- 3" cutting wheel diameter Rear exhaust

### \$351.95 IRT125-A 125 Standard Duty Needle Scaler, 4600 BPM

- 4600 Blows per minute at free speed
- 1 yr warranty from date of shipment from vendor

### \$441.45 IRT313-B

7" Air Angle Sander, Composite Pad, 5000 RPM, 0.5 HP

 With a side handle exhaust that blows air away from the work area, you never have to worry about debris getting in your space



### \$274.95

### Pinstripe Remover Tool with 12 Eraser Pads

• 3700 rpm max free speed • Rear exhaust • Arbor 5/16" - 24 with 4" pad diameter



### IRT4151 \$293.95

Ultra Duty Vacuum Ready Random Orbital Air Sander

• 12,000 rpm free speed, weighs less than 2 lbs., pad diameter: 6", Lubrication free motor



### Air Belt Sanders

- POWER: Loaded with power and easily adjusted to accomplish every task
- · Includes Sander, hex wrench and 3 belts
- One Year Warranty

IRT360-313 (3/8" x 13") \$219.45 IRT360-418 (1/2" x 18") \$262.45



# RTOOIS



IRT320PGK \$374.45 Air Pencil Grinder Kit

- 1/8" Collet size, 56,000 RPMs
- and includes integrated 5 ft. hose
- Kit includes storage case. (5) assorted carbide burrs & (5) assorted mounted points
- 1 year warranty on material and workmanship



THORES

### \$262.45 IRT140EP

Air Engraving Pen

• 11400 BPM, Slide Throttle

IRT320PG \$235.95 Straight Pencil Grinder

1/8" Collet, Burr, 56000 RPM



# **PAstro**

**AST1895** \$381.45 ONYX 1/2" "THOR" G2 Impact Wrench

 Rated 1.020 ft-lbs traditional Max Torque (compare to 1650) nut-busting) thanks to a larger motor and greatly increased air passageways in the handle and trigger feeding it



AST1896 \$395.95

ONYX 3/4" "THOR" G2 Impact Wrench
• Rated 1,100 ft-lbs traditional Max Torque



1/2"

### **ONYX Palm Impact Wrenches**

 True remote impacting access with 445 ft-lbs of torque • 25" hose with swivel ends and remote throttle means wherever your hand and arm can fit, you can now impact

AST1831 (3/8" Drive) \$265.45 AST1830 (1/2" Drive) \$265.45



### AST1834 \$319.45

1/2" Nano Flex-Head Angle Impact Wrench - 400ft/lb

- An industry first true flex-head impact wrench and with our shortest length yet at 3.34
- 180° flex-head with 360° swivel handle
  Front head exit exhaust, 400ft.lbs MAX torque,
- 280ft.lbs working torque



### AST3SB40 \$21.95

### World's 1st High Flow 3-Way Air Swivel

- 1.5X the body size of normal 3-way swivels but ported out for 2X the air passageway size
- Enjoy more power and RPM compared to even traditional 45° swivels but with 360° of freedom
- 1/4" NPT thread size. 175PSI max pressure



# **PAstro**

### AST219 \$299.95 3 Piece Die Grinder Kit (AST201, AST204 and AST2181)

- AST201 Composite body 1/4
- AST201 Composite body 1/4" die grinder with 25,000 rpm
   AST204 Composite body 1/4" 90° angle die grinder with 20,000 rpm
   AST2181 8 piece double cut carbide rotary burr set



## AST3037 \$202.45

Air Belt Sander (1/2" x 18") with 3 Piece Belts

- Free Speed: 16,000rpm
  Size of Belt: 1/2" x 18"
- Average Air Consumption: 4 cfm
  Overall Length: 15.15" (365mm)



### AST1756 \$634.45 Air Spot Drill Kit

 Kit Includes: Air Spot weld drill, 5.5"
 Deep clamp, (4) Drill bits (2-8mm, 2-6.5mm), End line oilier (3000), 3
 Way swivel (3SB10) and Plastic blow molded case



### ASTPR14 \$194.95

Air Riveter 1/4" Capacity

- All riveter 1/4 Capacity

  Includes the following nosepieces: 1/4", 3/16", 5/32", 1/8", 3/32"

  Performs well at any angle

  Gets into hard-to-reach places

  Provides quick, quiet and comfortable

- operation preventing user fatigue
   Stroke: 15mm Motor: 1/2 HP Air inlet thread: 1/4" NPT Air hose I.D. size: 3/8" Average air consumption: 2.320 liter/stroke Air pressure: 90-120 psi







### KTI81634 \$209.45 1/2" Drive Heavy Duty Air Impact Wrench

- 900 ft. lbs. of breakaway torque
- · Handle exhaust, directs air away from the user
- Built in regulator for positive speed control







### KTI81635 \$302.45 1/2" Drive Super Duty **Air Impact Wrench**

- Over 1,350 ft. lbs. of breakaway torque
- 1,650 Blows per minute
- 7-vane super motor provides 8,500 RPMs







### KTI81776 \$635.45 3/4" Drive Super Duty Air Impact Wrench

- Over 2,400 Max ft. lbs. of breakaway torque
- 1,500 Blows per minute
- 7-vane super motor provides 8,500 RPMs





### \$1,170.95 KTI81791 1" Drive Super Duty Air Impact Wrench

- Over 2,700 Max ft. lbs. of breakaway torque
- 1,000 Blows per minute
- 7-vane super motor provides 5.500 RPMs



## KTI81792 \$1,236.45 1" Drive with 6" Extended Anvil **Super Duty Air Imapct Wrench**

- Over 3,200 Max ft. lbs. of breakaway torque
- 1,000 Blows per minute
- 3 Forward speed settings and full power in reverse







## \$778.45 DYBNF1 Nitro Series NITROFILE Abrasive Belt Tool Sanding head pivots 306 degrees Runs belts 1/4"-3/4" wide by 18" long



### \$1,047.45 ACA1870-P

1" Low Weight Pistol Grip Impact Wrench Twin hammer impact mechanism

- 2,100 ft-lbs. maximum torque
- Features combined friction ring and through hole socket retainers

Weights only 12.95 lbs



### ACA1992-A \$756.45 1" Drive Straight Impact Wrench

with 6" Extended Anvil Provides 1800 ft-lbs. Maximum Torque And 2000 ft-lbs. of Loosening Torque

• Weighs 27.8 lbs.





### \$1,196.45 ACA1993-VXL

1" Vibrotherm Drive™ Composite Straight Impact Wrench With 6" Anvil

- Provides 2,100 ft-lb maximum torque and 2,300 ft-lb of loosening torque
  VIBROTHERM DRIVE® design reduces vibration levels by 30%-40% and increases the life of the mechanism by 50%
- 6,000 RPM Free SpeedWeighs 20.2 lbs



# ACA1994

1" Drive Super Duty Impact Wrench with 8" Extended Anvil

- 2,300 ft-lb Maximum torque
- · Durable brushed aluminum motor housing

\$835.45

· Unique low wear pin-less hammer for ultimate reliability and added hitting power



# **NEUMATIC TOOLS**

### ACA1125 \$411.45 1/2" Drive Full Power Low Weight

- Magnesium Air Impact Wrench 1000 ft-lb maximum torque and 1,250 ft-lb loosening torque
- Patented quiet tuned exhaust (87 dBA)
- Weights only 3.8 lbs.

ACA1178-VXL \$474.95 1/2" Vibrotherm Drive Composite Impact Wrench

• 950 ft-lb maximum torque and 1,300 ft-lb of loosening torque VIBROTHERM DRIVE® mechanism reduces vibration levels by 30%-40% and increases the life of the mechanism by 50%

ACA1778-VXL \$858.45 3/4" Vibrotherm Drive Impact Wrench • 1700 (ft.-lbs.) Loosening Torque



### \$148.45 ACA807-25

1/4" Stubby Ratchet

- Only 5.4" long to get into confined areas
- · Weighs only 1.1 lbs 35 ft-lbs of Torque
- 300 RPM for fast rundown





### ACA5250-A-T \$512.45 Super Duty Air Hammer

- 2,500 BPM 3" Piston Stroke Feather Trigger 1/4" NPT/BSP air inlet
- Includes Quick change chisel retainer
   Hardest hitting .401 Shank Air Hammer in the Market



### ACA6280 \$210.95

### .75hp Angle Die Grinder with Spindle Lock

- Spindle lock feature for easy accessory change
- Ericksonr style percision collet
- .75 non stall motor
- · Composite handle and grip for comfort

### ACA6255 \$170.95 Angle Die Grinder

- Superior steel grade internal bevel gears for longer life
- Patented Feather Throttle lever for added comfort and control
- Patented quiet technology (82 dBa)





.5 HP 1/4" Angle Die Grinder • 20.000 RPM

### ACA6250 \$164.45

- .3 HP Compact Composite Angle Die Grinder Patented quiet tuned exhaust (81.5 dBA)
- Superior steel grade internal bearings for longer life
- Variable speed trigger with safety lock-off for better speed control
- · Ergonomically designed composite overmold housing
- Tool will also accommodate 2" rol-loc sanding pad (Included)

### ACA6225 \$107.95 .5 HP 1/4" Die Grinder

- · Low weight composite overmold for comfort
- · High quality 3pc precision collet
- · Safety lock-off trigger for added safety

### \$172.95 ACA6520 3" Reversible Cut-Off Tool

- Cuts 3/8" rolled steel
- or 18 gauge steel sheet
- 18,000 RPM Free Speed

### \$452.45 ACA6275-A 4" Composite Inside Cut Off Tool

- · Reaches inside corners of as little as 30 degrees with 4" wheel
- Superior steel grade internal gears for longer life
   1.0 HP motor eliminates "stall" and increases reliability
- Patented Spindle Lock

### ACA6515 \$103.45 .5 HP 3" Cut-Off Tool

- 22.000 RPM Free speed
- Built-in silencing reduces noise level
- Safety lock-off trigger for added safety
- · Low weight composite design with aluminum guard

### ACA6390 \$284.45

- Compact Needle Scaler • 4.800 BPM
  - 1-1/4" Stroke
- · Low weight compact design Durable steel housing
- · Best for removal of rust, paint and scale on flat or irregular surfaces









 9,500 strokes per minute Complete with 18,24 & 32 teeth power saw blades

• Cuts up to 3/16" or 18 gauge steel sheet



Reciprocating Air Saw

- ACA6355-A • 5,000 SPM
- · Dual-Speed design for control
- Quick change blade design retainer for guick and easy blade changes
- · Accepts various brands of reciprocating saw blades
- Patented reciprocating crank mechanism motor
- Capable of cutting 1/4" thick mild steel and steel pipe up to 3"

### \$287.45 ACA6325 18" Belt Sander

- 18,000 RPM, 1/2" Width
  Self locking arm for fast belt changes
- Low Weight Composite Housing
- 2 Year warranty

### ACA6281 \$203.95 .75 HP Angle Disc Sander with Spindle Lock 18K RPM

- Spindle Lock Feature For
- Easy Accessory Change
   Speed Control Switch Located At The Bottom Of The Grip For Added Control
- Built-in 1/4 by 24 threaded spindle reduces head depth by 3/4'

### ACA6700-6-336 \$278.95 6" Non-Vac Orbital Palm Sander

- · Lubrication free air motor
- · Patented double sealed motor prevents dust contamination
- Patented "anti vibration" motor design reduces vibration level to 0.8m/sec2
- Advanced silencing technology reduces noise level to 75 d(B)A

### ACA6700-6-338 \$249.95 6" Composite 5mm Orbital **Palm Sander Central Vac**

- Lubrication free air motor
- Patented double sealed motor prevents dust contamination
- Patented "anti vibration" motor design reduces vibration level to 0.8m/sec2
- Advanced silencing technology reduces noise level to 75 d(B)A

### ACA6345 \$134.95 Pinstripe/Wheel Weight Adhesive Removal Tool

- 2.600 RPM
- · Built-in gear reduction for added power and added stall resistance

  • Spindle lock feature for easy
- accessory change

### ACA1070 \$248.45

- 1/2" Angle Impact Wrench 500 ft-lb maximum torque
- and 700 ft-lb loosening torque
- Reliable Jumbo hammer mechanism delivers maximum power while increasing reliability
- · Low weight aluminum alloy housing













### **CPT734H** \$324.95 1/2" Drive Impact Wrench

- 425 ft-lbs. of maximum torque
- DYNA-PACT oil bath clutch delivers smooth operation and extended durability
- · One hand push button forward/reverse power regulator

### **CPT7763** \$830.95 3/4" Drive Heavy Duty High Power Impact Wrench

- 1200 ft./lbs. of torque power to loosen the toughest fastener
- Twin Hammer Clutch

### CPT772H \$73 3/4" Drive Super Duty \$738.95 Air Impact Wrench

- · 4-position power settings in forward and ultimate power in reverse
- Working torque: 150-700 ft-lbs
- Maximum torque: 1000 ft-lbs

### \$1,024.95 CPT7782-6 " Drive Heavy Duty Impact Wrench with Extended Anvil

- 1,920 ft.lbs. of maximum torque in reverse
- Pinless closed reinforced rocking dog impact mechanism

  • Regulator with integrated
- forward/reverse with 3-position power settings in both directions





### \$807.45 **CPT714**

### **Heavy-Duty Air Hammer**

- Most controllable CP Hammer available
- · Ideal for complete body shop work Positive action trigger for precise
- control over speed range
- Versatile-handles widest range of applications



### \$362.45 **CPT7120 General Purpose Needle Scaler**

- 4,800 BPM
- Easily converts to chisel scaler
- Adjustable sleeve to fit protrusion of the needles to the task to be performed
- 19-1/8" steel needles with high resistance to wear



### \$231.45 **CPT7200S** Mini Random Orbital Sander Kit

 Kit includes mini random orbital sander, (1) 2" and 3" backing pads, (10) 2" 320, 400 and 600 grit sand paper, (10) 3" 320, 400 and 600 grit sand paper and spindle key packed in a heavy duty carrying case. Free speed: 15.000 rpm: average air consumption: 10.5 cfm; air inlet thread: 1/4" NPTF; minimum hose size: 3/8"; sound dBA: 86







### \$1,022.95 HUT4500

### **Random Orbit Action Air Sander**

- Researched and developed for ultra-fine finishing
- Custom handle option (handle not furnished with sander) guarantees proficient control at any angle
- Flex-cover gives comfortable grip, prevents stiff fingers
- Low profile, vibration-free motor insures full contact sanding
- Unique air efficiency system

### **HUT4560** \$1,022.95

### Sander Random Orbital Action 6in

- . A more aggressive version of the Model 4500 for those who want to do a superior job faster
- Newly designed Air-Efficient motor
- New positive air-control valve
- · 6" Pad standard

### **HUT603** \$550.45

### ProFinisher 603

- 3/16" offset (red air inlet) for the bodyman for shaping and feather-edging or headlight restoration
- Easy to replace drop-in motor assembly to reduce down time

  • 3" pad size

### HUT3570H \$816.45 6" Industrial Sander

- 3/16 Offset
- · Deliver high-quality surface preparation long after other sanders have quit



### \$1,131.95 **HUT3800** Model 800 Orbital Sander

- Most versatile orbital sander ever made
- Adapts to every surface preparation need
- · Heavy duty to feather finishing
- Powerful air-efficient motor with 5 point suspension guarantees
   44 square inches of uniform, full contact sanding
- · Low maintenance, high productivity
- RPM: 8,500 + Air consumption: 11.4 cfm
   90 PSI Noise level: 89 dBa
- Pad size: 2-3/4" x 16



### \$1.304.45 HUT2000

### Model 2000 Hustler Straightline Reciprocal Air Sander

- The only 2-Cylinder, common piston straightline
- with vertically-engaged, twin-drive gears

   Lack of "rolling gears" eliminates "humping and jumping" at the end of each reciprocal stroke
- · Two in-line cylinders, micro-honed to eliminate cylinder-wall drag, power an oversized high-alloy piston

**HUT2025** \$1.040.95 Mini-Straight Line Sander



### MLK290245 \$125.45

### **Needle Scaler**

 Additional unit to MUELLER Air Hammer for rust and paint removal



# **GEARWRENCH**

DR.



KDT84916N \$151.95 44-Piece 3/8" Drive 6 Point SAE/Metric Standard/Deep

- Made from Chrome Molybdenum Alloy Steel (CR-MO)
- High-Visibility laser etched markings for quick size identification

Set includes: Standard and Deep 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" 11/16", 3/4"; 8mm - 19mm, 21mm; Deep 2 Extensions Universal Joint

# **☞** GEARWRENCH



### 39 Piece 1/2" Drive 6 Point Standard & Deep Impact Socket Sets

- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Off-corner loading design reduces fastener rounding Black oxide finish to resist corrosion

\$321.45 **KDT84947N - SAE** 

Set includes: 3/8" to 1-1/2"

\$227.95 KDT84948N - Metric

Set includes: 9mm - 24mm, 26mm, 27mm & 30mm

### KDT84935N \$294.95 29 Piece 1/2" Drive 6 Point Metric Deep **Impact Socket Set**

- Set includes: 8mm to 17mm Size Deep Impact Sockets
- Includes Blow Mold Case



### \$204.95 KDT86071 10 Piece 1/2" Drive Impact Deep **Extract Socket Set**

- Bi-directional design for removing or tightening damaged fasteners
   Tapered entry enables socket to
- easily seat on a damaged fastener
- Dual sized sockets designed to work with both SAE and metric fasteners
- . Square drive with hex base for use with impact gun, ratchet, wrench, or pliers
- · Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and long lasting durability



### KDT84960 \$64.45 3 Piece 1/4", 3/8" & 1/2" Drive X-Core™ **Pinless Impact Universal Joint Set**

- Includes tray for storage and organization
   Meets or exceeds ASME specifications
   X-Core™ pinless joint design is 4x more durable than pinned products for increased strength









\$779.45 GRE1281 81 Piece 3/8" Drive

**Complete Impact Socket Set** 

Set includes: Standard and Deep Fractional Sizes: 5/16", 3/8", 7/16", 1/2 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" 15/16", 1"; Standard and Deep Metric Sizes: 7mm - 22mm; Standard Length Fractional Universal Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" 15/16", 1"; Standard Length Metric Universal Sizes: 10mm - 19mm, 3" Extension, Universal Joint & 1/4" Hex x 3/8" Square Adapter

### GRE1210UM \$253.95

10 Piece 3/8" Drive Universal Metric Set

• Set includes: Standard length 10mm - 19mm



GRE1210UMSD \$264.95 10 Piece 3/8" Drive Semi Deep Metric Universal Set

- Semi deep in length
- Set includes: 10mm 19mm



**GRE1226M** \$133.95 26 Piece 3/8"Drive Standard & Deep **Metric Master Socket Set** 

Set includes: 7mm thru 19mm



GRE1224RD 24 Piece 3/8" Drive **Standard & Deep Fractional Set** 

- 3/8" drive
- 5/16" to 1"
- · Standard and Deep
- Lifetime Warranty







/2" DR

- Made of high quality steel (chrome-molybdenum)
- Made to transfer the pressure from the thinnest part of the socket wall toward the thicker section, resulting in increased strength

GRE1319D \$328.45 19 Piece 1/2" Drive Deep Length **Fractional Master Set** 

• Set includes: 3/8" thru 1-1/2"

**GRE1326M** \$228.95 26 Piece 1/2" Drive

Standard Length Metric Master Set . Set contains the following sizes: 10mm thru 36 mm

GRE1326MD \$419.45

26 Piece 1/2" Drive Deep Length Metric Master Set

• Set contains sizes: 10 mm thru 36 mm





3/8" DR.



## PACKOUT

# SHOCKWAVE Impact Duty™ Socket PACKOUT Sets • Set comes in PACKOUT™ Organizer

- Stamped and ink filled diameter markings for wear resistance
- 6-Point design made with forged impact steel for durability in high torque applications backed by our Lifetime Guarantee

### \$148.45 MLW49-66-6801 3/8" Drive 19 Piece Metric Set

 Kit includes 19 Deep Metric Sockets. The following sizes are included: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm

### MLW49-66-6800 \$148.45 3/8" Drive 17 Piece SAE Set

 Kit includes 14 Deep SAE Sockets and 3 Intribudes 14 Deep SAE Sockets and 3 Impact Socket Accessories. The following sizes are included: 1/4", 9/32", 5/16", 11/32",3/8", 7/16" 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1/4" hex to 3/8" square Socket Adapter, 3" extension, 3/8" Universal Joint



### MLW49-66-6805 \$308.45 3/8" Drive 36 Piece SAE & Metric Set

Filt Sharp S Universal Joint, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm



# SHOCKWAVE

### SHOCKWAVE Impact Duty™ Socket Sets

- · Stamped and ink filled diameter markings for wear resistance
- 6-Point design made with forged impact steel for durability in high torque applications backed by our Lifetime Guarantee
- Lifetime Guarantee covers impact
- sockets and extensions only Open Stock Available

### MLW49-66-7006 \$78.45 12 Piece 3/8" Drive SAE 6 Point Deep

SHOCKWAVE Impact Duty™ Socket Set
• Set includes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

## MLW49-66-7009 \$171.45 43 PieceSHOCKWAVE Impact Duty 3/8" Drive SAE & Metric Deep 6 Point Socket Set

• Set includes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 8", 9", 10", 11", 12", 13", 14", 15", 16", 17", 18", 19", and (1) 3" Extension, (1) Universal Joint, and (1) 3/8" Adapter

\$70.95 MLW49-66-7008 14 Piece SHOCKWAVE Impact Duty™

## MLW49-66-7003 \$53.45 14 Piece 1/4" Drive SHOCKWAVE Impact Duty™ Metric Deep 6 Point Socket Set

- Feature the boldest, longest-lasting markings and extreme impact durability in high torque applicat
- Set includes: 4mm 15mm





## SHOCKWAVE

## PACKOUT

### \$388.45 MLW49-66-6806

1/2" Drive 31 Piece SAE & Metric Set

Note: Salar West Salar West Salar West Set Williams Scheet and 1 Impact Socket Accessory . The following sizes are included: ",3/8",7/16" 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16", 1-1/8", 1-1/4", 1-1/2", 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 3" Extension



### MLW49-66-6804 \$218.45 1/2" Drive 27 Piece SAE & Metric Set

 Kit includes 27 Standard Metric & SAE Sockets. The following sizes are included: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm, 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8"



### MLW49-66-6802 \$218.45 1/2" Drive 15 Piece SAE Set

 Kit includes 15 Deep SAE Sockets The following sizes are included: ",3/8", 7/16" 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16", 1-1/8". 1-1/4". 1-1/2"



### \$218.45 MLW49-66-6803 1/2" Drive 16 Piece Metric Set

 Kit includes 15 Deep Metric Sockets and 1 Impact Socket Accessory. The following sizes are included: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 3" Extension





### MLW49-66-7011 \$100.45 12 Piece SHOCKWAVE Impact Duty™ 1/2" Drive SAE Deep 6 Point Socket Set

- Set includes: 3/8" to 1-1/16"
  Stamped and ink filled diameter markings for wear resistance
- · Lifetime warranty does not cover abuse

## MLW49-66-7012 \$188.45 19 Piece SHOCKWAVE Impact Duty 1/2" Drive SAE Deep 6 Point Socket Set • Set includes: 3/8" to 1-1/2"

MLW49-66-7014 \$102.45 14 Piece SHOCKWAVE Impact Duty™ 1/2" Drive Metric Deep 6 Point Socket Set

• Set includes: 10mm - 27mm





MLW49-66-7015 \$250.45 29 Piece 1/2" Drive Metric 6 Point Deep Shockwave Impact Duty™ Socket Set

• Set includes: 8mm - 36mm









### \$510.45 SUN3580

### 80 Piece 3/8" Drive Master Impact Socket Set

 Includes: Standard and Deep 5/16" to 3/4" and 8mm to 19mm: Universal 3/8" to 3/4" and 10mm to 19mm; External Star E5 to E16; Star T20 to T55; 3", 5", 10" and 15" Extensions, 3/8" Dr. Impact Joint



### \$354.95 SUN3351

### 51 Piece 3/8" Drive Metric Impact Socket Set

- Includes 6 point shallow, deep, and universal impact sockets from 7mm - 22mm, 3" extension, and 3/8" drive universal joint
- 3/8" drive x 1/4" hex shank adapter included for use with cordless impact tools







### \$188.95 KTI37042 42-piece Fractional and Metric

Impact Socket Set 3/8" Drive

- Manufactured from heat-treated chrome-moly steel
- All sockets are 6-point, 3/8" drive.
- · Laser engraved for quick identification
- Set includes: 8 short fractional sockets sized from 5/16" to 3/4", 8 deep fractional sockets sized from 5/16" to 3/4", 12 short metric sockets sized from 8mm to 19mm, 12 deep metric sockets sized from 8mm to 19mm, universal joint and 3" extension.

### GRE1319 \$184.45 1/2" Drive 19 Piece Standard Length

**Fractional Master Set** 

- Made of high quality steel (chrome-molybdenum)
- Packaged in a molded storage case
- Set contains the following sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", and 1-1/2"




SUN2669 \$329.45











### SUN1068 \$475.95 68 Piece Mixed Drive **Master Impact Socket Set**

SUN2569, and SUN2637

 Set includes the some of the most popular sockets from some of our most popular sets including the SUN3580, SUN2568, SUN2569, and SUN3305





KTI38200

- · Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments
- Sockets are thin-wall to allow access in tight areas

\$91.45

- · Laser engraved for quick identification
- Sizes include: 10mm thru 21mm.

KTI33200 \$114.45 12 Piece 1/2" Drive SAE

Deep 6 Point Impact Socket Set Sizes include: 1/2" to 1-1/4

### KTI35027 \$45.45

- 1-1/2" x 13/16" Square 6PT Limited 1" Drive Impact Budd Wheel Socket
- · Manufactured from chrome-moly steel
- · Designed for outer cap nuts on Budd style truck wheels



### \$186.95 KTI38101 26 Piece 1/2" Drive Metric 6 Point Short Impact Socket Set

- · Heat-treated,
- chrome-moly steel Laser engraved
- for quick identification
- Set includes sizes from 10mm to 36mm



### KTI38202 \$268.45 26 Piece 1/2" Drive 6 Point Metric Deep Impact Socket Set

- · Heat-treated, chrome-moly steel
- · Laser engraved for quick identification
- Packaged in blow-molded case
- Set includes deep sockets sized from 10mm to 36mm









DR.



### \$649.45 **GRE9772**

### 1/4" Drive 72 Piece Standard and Deep Length **Surface Drive Impact Set**

- Now includes a 1/4" Hex to 1/4" Square Drive Adapter
- Packaged in a newly designed, low profile blow molded storage case
- Surface Drive design features a hex opening that allows for guick engagement of a fastener

Set includes Fractional sizes 3/16" to 9/16" and Metric sizes 4mm to 15mm in both Standard and Deep lengths. Universal sizes 1/4" to 9/16" and 5mm to 15mm. Also contains a 3" extension, Universal Joint, 1/4" F x 3/8" M Adapter, and a 1/4" Hex to 1/4" Square Drive Adapter.

### GRE9712UMD \$296.45 12 Piece 1/4" Drive

### **Deep Universal Metric Set**

- 1/4" drive deep length surface drive universal set
- 6 point deep universal sizes
- Set contains 6 point deep universal sizes 5mm to 15mm
- Molded storage case
- Lifetime warranty







### SUN1874 \$515.45 74 Piece 1/4" Drive Master SAE and Metric Impact Socket Set

- . Chrome Molybdenum alloy steel for long life
- Fully quaranteed

Includes: Metric Deep: 5.5mm - 15mm; Metric Universal: 5mm - 15mm; Metric Standard: 4mm - 15mm; SAE Deep: 3/16" - 9/16"; SAE Universal: 1/4" - 9/16"; SAE Standard: 3/16" - 9/16"; Star: T10 - T30; 1/4" Drive Universal Impact Joint; 1/4" Drive 1/4" Female x 3/8" Male Adapter; 1/4" Drive Extensions: 2", 4" and 6"



### \$101.45 TIT81483

# 17 Piece Impact Adapter Set

- Chrome-molybdenum coated in black phosphate for corrosion-resistance Includes:
- Universal Joint: 1/4", 3/8", 1/2'
- Wobble Extension Bars: 1/4" Dr. -2", 4 in, 6" 3/8" Dr. -3", 6 in, 10" 1/2" Dr. -3", 5 in, 10"
- · Adapters:
  - 1/4" F x 3/8" M 3/8" F x 1/4" M 3/8" F x 1/2" M 1/2" F x 3/8" M 1/2" F x 3/4" M

3/4" DR



# **SUNEX**®



3/4" DR.







### **GRE8029** \$1,224.95 29 Piece 3/4" Drive Fractional Master Set

- . Made of high quality alloy steel (chrome-molybdenum)
- All sockets are standard length and 6 point
- Packaged in a molded storage case

\*\*Fackaged in a Hollowing sizes: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/6", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16", 2", 2-1/16", 2-1/8", 2-3/16", 2-1/4", 2-5/16, 2-3/8", 2-7/16", and 2-1/2".



### \$692.45

## 3/4" Drive Standard Length Impact Set

- Set contains 6 point sizes 1" to 2
- Molded Storage Case



### GRE8029D CALL

### 29 Piece 3/4" Drive Standard Deep

- This set contains 29 3/4" drive 6-point deep length impact sockets
- · Made from high quality chromemolybdenum steel
- · Heat treated for strength and durability
- · Size markings are hard stamped into the sockets for easy identification
- Set comes in a molded storage case





### \$17.95 KTI34016

### 3/4" Female x 1/2" Male Impact Socket Adapter (EA)

- Adapter pairs up perfectly with standard ratchets
   Tool is marked with part number for easy identification
- Made from high strength chrome vanadium steel









CALL **GRE9016** 

16 Piece 1" Drive Fractional Impact Socket Set

- Made of high quality steel (chrome-molybdenum)
- Packaged in a metal case Lifetime warranty
- Set includes: 2-1/16" to 3"

0 0 L \$1.025.45 SUN5693 21 Piece 1" Drive 6 Point







MLW49-66-7840 \$286.45 SHOCKWAVE Impact Duty™ 1" Drive

7-Piece MM & SAE Wheel Service Socket PACKOUT™ Set

Set includes: 1-1/16" Thin Wall Extra Deep 6 Point Socket, 1-1/8" Thin Wall Extra Deep 6 Point Socket, 1-1/4" Thin Wall Extra Deep 6 Point Socket, 33mm Deep 6 Point Socket, 1-1/2" Deep 6 Point Socket, 13/16" 4 Point Socket, 1-3/16" 6 Point Socket.

LIFETIME

# **PAstro**



AST78215 \$93.45

15 Piece 1/2" Drive Nano Impact Sockets - Metric

- At 1.10" (28mm) long, sockets are 37% shorter than shallow impact sockets and 15% shorter than other stubby impact sockets.
- All sockets feature a 22mm (7/8") outside hex for increased access when used with a wrench
- Forged CR-MO with superior material thickness

\$178.45 AST78244 11 Piece 1/2" Drive Nano **Pinless Universal Impact Sockets** 



• Includes one aluminum socket holder and pinless universal impact sockets in the following sizes: 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm

### AST78204 \$44.45

4 Piece 1/2" Drive Thin Wall Lug Nut Socket Set

· Perfect fit for tight spaces and challenging wheel designs Thin wall impact rated sockets for damaged, swollen and

stuck lug nuts Set includes: 17.5mm, 19.5mm, 21.5mm, and 22.5mm



\$130.45 AST78214 14 Piece 1/2" Drive 17-30mm **Low Profile Nano Impact Socket Set** 





# **PAstro**

**AST78113** \$56.95

13 Piece 1/4" Drive Low Profile Nano Impact Sockets - Metric

- Less than 3/4" long (18.5mm), 20% shorter than shallow impact sockets
- All sockets feature a 11mm outside hex for increased access



AST78311 \$53.95

3/8" Drive 11 Piece "Half Size" Socket Set

- · Use 0.5mm under sockets for rounded and damaged bolts and nuts, use 0.5mm over for swollen or corroded bolts and cap covered nuts
- For hand tools and impact wrenches, use a hammer to fit 1/2 size under sockets where needed

Set includes: 9.5 - 19.5mm



AST78314 \$64.95

14 Piece 3/8" Drive Nano Impact Sockets - Metric

- At 0.88" (22.5mm) long 35% shorter than shallow impact sockets and 15% shorter than other stubby impact sockets
- All sockets feature a 17mm outside hex for increased access
- Forged CR-MO with superior material thickness



\$102.45 AST78319

19 Piece 3/8" Drive Low Profile Nano Impact Socket 6-24mm - No Skips At 0.88" (22.5mm) long, sockets are 35% shorter than shallow impact

- sockets and 15% shorter than other stubby impact sockets.
- All sockets feature a 17mm outside hex
- · Forged CR-MO with superior material thickness

### **Socket Extensions**

# **PAstro**

\$225.95 AST78354 10 Piece 3/8" Drive Metric 6 Point

**Pinless Universal Torque-Saver** Impact Extension Socket Set - Metric

- Includes: 10mm to 19mm and 9" long 3/8" pinless impact universal extension socket
- Designed with a heavy-duty TORQUE-SAVER that utilizes an overbuilt joint design and extension shaft size
- Lifetime warranty does not cover abuse





\$113.45 4 Piece 1/2" Drive Impact Extension Set

- · Radius corner design to extend the life of fasteners
- Steel ball retainer on male end
- Sizes included: 3", 5", 10" and 15"

4 Piece 3/8" Drive Impact Extension Set

### **Ingersoll Rand Impact Accessories**

### DRIVE XCHANGE SYSTEM™ Compatible with all DXS2 tools

Versatility meets power in the new Ingersoll Rand® patented\* Drive Xchange System™ lets you switch out anvils without clunky adapters that drain your tool's power.

Part #	Size	Style	
IRTA31H	3/8" Standard	Hog Ring	\$70.45
IRTA41H	1/2" Standard	Hog Ring	\$70.45
IRTAP41H	1/2" Standard	Pin Style	\$83.45
IRTA61H	3/4" Standard	Hog Ring	\$70.45
IRTEA42H	1/2" x 2"	Hog Ring	\$88.45
IRTEA44H	1/2" x 4"	Hog Ring	\$94.45
IRTEA46H	1/2" x 6"	Hog Ring	\$100.95
IRTEA48H	1/2" x 8"	Hog Ring	\$107.45
IRTEA410H	1/2" x 10"	Hog Ring	\$113.45
IRTEA66H	3/4" x 6"	Hog Ring	\$107.45













IRTDXSK2H14

IRTDXSK2H14L

**DXS2 Drive Hex Impact Socket Sets** 

\$223.45 IRTDXSK2H14 - SAE, 14-Piece IRTDXSK2H14L - Deep SAE, 14-Piece \$270.45 IRTDXSK2M15 - Metric, 15-Piece \$223.45 IRTDXSK2M15L - Deep Metric, 15-Piece \$270.45



IRTAK32H

IRTAK33H

\$79.45 \$102.45 \$91.45 \$125.45 \$79.45 \$125.45

\$238.45

**DXS2 Anvil Sets** 

Part #	Pieces	Sizes
IRTAK32H	2	3/8", 1/2"
IRTAK33H	3	3/8", 1/2", 3/4"
IRTAK42H	2	1/2" x 2", 3/4"
IRTAK43H	3	3/4", 1/2" x 2", 1/2" x 4"
IRTAK62H	2	1/2", 3/4"
IRTEAK62H	2	3/4", 3/4" x 6"
IRTEAK44H	4	1/2" x 4", 1/2 x 6", 1/2 x 8", 1/2 x 10"


### **Specialty Air Tool Accessories**





### LTILT855A \$405.45 **Texas Twister**

- Converts air hammer into a pneumatic slide hammer
   New Puller Connector 1/2"-20 to 5/8" and 1/2" 20 to 3/4" to connect Texas Twister to your 5/8" and 3/4" slide hammer bits and pullers



### **SAE/Metric Shockit Crows Foot Sets**

- · Air hammer powered
- Loosens hydraulic fittings on tractors, forklifts and heavy equipment
- Uses the force and hypersonic vibration of your air hammer eliminating thread galling
- Now includes non-turning offset 8mm radius tip LT1910P 11" Standard Shockit Punch

LTILT1915FM (20pc) \$524.95 LTILT1935FM (25pc) \$552.95



### MAY32090F 20 Piece Pneumatic Master Set

\$539.45

- Three replaceable tip hammer lengths
- Times replaceable up namine longular for pneumatic zip guns
   Features six soft tips, three metal tips (steel, brass and aluminum) and three plastic tips (soft or medium vinyl and longular). hard nylon)

### LTILT994 \$231.45 Shockit Socket 02 Sensor Removal Kit

• Kit includes: KCT1910P – Standard 11" Punch. LTILT994-1 – 22mm Short Socket, LTILT994-2 – 22mm Deep Socket and LTILT994-3 – 18mm Thread Chaser



- Loosens hydraulic fittings on tractors. forklifts and heavy equipment
- 30% more steel, 30% strong

**LTILT1900 (SAE) \$205.95**• 1/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/8", 1-3/16", 1-1/4", 1-5/16"

### LTILT1910 (Metric) \$205.95

• 14 - 22mm & 24mm

### LTILT1910PK \$273.95 **Shockit Punch Kit**

- 5.5", 11" & 22" Lifetime Warranty

### **LTILT1930** \$182.95 13 Piece Metric Shockit Crows Foot Set

· Loosens fittings on steering, brake, AC & fuel systems

• 6 - 17mm





### MLK810203

- Use with impact to save time
- 1 yr warranty on material and workmanship



### \$297.95

# VIMS2BK100K

52 Piece Shake 2 Break **Master Kit with Impact Bits** 

 Set includes:1/4" Air hammer3/8" Air hammer5/16" Bit holder air hammer Turn-assist handle.401 shank48 PC. 5/16" x 1" OAL TORX, TORX Plus, XZN, Hex metric, Hex SAE, Phillips and Flat Impact Bits Perfect for safely loosening rusted, overtightened or any kind of stubborn fasteners through vibration



## SUNEX® TOOLS

### \$34.95 SUNSXBG01K **Blow Gun Kit**

 Set includes: Large Diameter Venturi Tip, 4.75" Tube Tip with rubber end, 3.5" Tube Tip with rubber end, Adjustable Precision Tip and EVA Foam Organization Storage Tray

High volume blow gun with compact industrial design

# **Blow Guns**

**Specialty Air Tool Accessories** 



- Maximum inlet pressure of 150 pounds per square inch 15.9 standard cubic feet per
- minute at 100 pounds per square inch
   Fits 1/4" body T style couplers

### **MIL158** \$57.45 Blow Gun with 2' Extension

8 Piece Air Blow Gun Kit

 Air inlet of 1/4" NPT Max working pressure of 150 PSI

\$71.95

 Air gun body working air pressure 160PSI
 Air gun body maximum air pressure 220PSI Air consumption at 160PSI without tip 15.0 CFM Working temp range -4 degrees to 185 degrees

· Includes safety nozzle and rubber tip

## ELD VALUES

### **LEGAG1500FZKIT \$58.95** Flexzilla 10 Piece Blow Gun Kit

(1) Xtreme-Flo Safety Nozzle (1) Quiet-Flo Safety Nozzle (1) Quiet-Flo Safety Nozzle (2) 6 in. Extensions (3) Needle Tips (1 in., 2 in. & 3 in. (1) Rubber Tip (1) Tip Adapter





### LEGAG1211FZ \$80.45

### Flexzilla® ZillaGreen® X3 11 Piece Blow Gun Kit

 Includes: (1) Flexzilla™ X3™ Blow Gun (1) Xtreme-Flo Safety Nozzle (1) Rubber Tip (3) Needle Tips (2) 12" Extensions (1) Quiet-Flo Safety Nozzle (1) Tri-Thrust Safety Nozzle (1) Tip Adapter



COILHOSE

PNEUMATICS

### LEGAG1102FZ \$41.95

### Flexzilla X3 Blow Gun with Quiet-Flo Safety Nozzle

- Features an ergonomically superior gun body for maximum comfort and control
- · Variable flow trigger
- Exclusive modular accessories system

### COITYP-2500CS \$43.45 Typhoon High Flow Blow Gun, 1/4" NPT

- High Volume Tip provides 2.1 lbs of thrust
- Tough die cast zinc construction
- Maximum input pressure: 150 psi









CAL40500

# Trigger with Removable Tip

• New, improved valve design makes this blow gun more convenient, faster, and easier to use for all applications

Air Inlet Thread NPT: 1/4'

• Air Pressure: 90 - 120psi







### \$23.95 TIT19391 4 Piece Air Blow Gun Set

- Rubber tips
- Variable pressure control
- · OSHA compliant safety tip



### **NOTE ON ALL AIR COMPRESSORS**

FOR FREIGHT TERMS SEE BACK OF BOOK Ask your Sales Associate about attractive Lease Options.

### **Air Compressors**









Commercial grade
 Single or two stage
 Electric or gas motors
 Vertical or horizontal tanks

1-Year limited warranty



Part Number	НР	Stage	CFM	Motor Type	Tank	Config	
ATEMPAF6	5	Two	14.5	Electric	80	Vertical	CALL
ATEMPAF7	5	Two	14.5	Electric	80	Vertical	CALL
ATEMPAF8	5	Two	19	Electric	80	Vertical	CALL
ATEMPAF8P	5	Two	19	Electric	80	Vertical	CALL
ATEMPAF9	7.5	Two	22	Electric	80	Vertical	CALL
ATEMPAF9P	7.5	Two	24	Electric	80	Vertical	CALL
ATEMPAF13G	13	Two	19	Gas	30	Horizontal	CALL
ATEMPAF9P-120H	7.5	Two	24	Electric	120	Horizontal	CALL
ATEMPAF10-1PH	10	Two	35	Electric	120	Horizontal	CALL
ATEMPAF10-3PH	10	Two	35	Electric	120	Horizontal	CALL

# ELEX \$41003

### Flexzilla® Pro Stationary Air Compressors Single Phase, 2 Stage

Cool Flow Technology™

- Total enclosed fan cooled motor
- Belt tensioner
   Continuous run
   Magnetic starter
   Automatic tank drain
- External auto style oil filter





LEGFS10V080V1

Part Number	HP	Stage	CFM	Tank	Max PSI	Config	
LEGFXS10V080V1	10	2	39	80	175	Vertical	CALL
LEGFXS07V080V1	7.5	2	33	80	175	Vertical	CALL
LEGFS05V080I1	5	2	19	80	175	Vertical	CALL
LEGFS10V080V1	10	2	37	80	175	Vertical	CALL



### EMXES07V080V1 CALL 7.5 HP 2 Stage 1 Phase 80 Gallon Air Compressor

- Whisper 100 noise suppression system
- · Built in inner-cooler and after cooler
- Solid cast iron crankcase with oil sight glass
  Industrial-duty, 1750 RPM (not 3450 RPM)



### **Portable Air Tanks**

- Connects to fill from any standard compressed air source
- 1 yr warranty on material and workmanship

TIT19914 - 5 Gallon TIT19916 - 11 Gallon \$103.45 \$153.95









**Ingersoll Rand Air Compressors** 

14 Two

• For more than 80 years, Ingersoll Rand has been

tile world lead							
Part Number	HP	Stage	CFM	Motor Type	Tank	Config	
IRT49813009	5.5	Two	10.7	Gas Powered	(2) 8	Horizontal	CALL
IRT45465523	7.5	Two	24	230/1V	80	Vertical	CALL
IRT18004382	7.5				120		CALL

25 Gas Powered

30



IRT46821344

### **CALL** ABAAB-4256V Air Compressor, 2HP, 60 Gallon, 115

Volt, Single Stage, Single Phase

Includes starter 2 year warranty



Horizontal

**CALL** 



### NEW Air-N-Arc® 150

- 20 CFM Air Compressor
- 5000 Watt AC Generator
- 150 Amp DC Welder

### GDL050680 (19HP)

### **NEW Contractor Compressor Generators**

- 20 CFM Air Compressor
- 4200 Watt AC Generator
- 30 Gallon Air Tank

GDL050712 (14HP) GDL050687 (19HP)				GDL05068	1		
Part Number		HP	CFM	MotorType	Tank	Config	
GDL050712	3	14	20	Electric	30	Horizontal	CALL
GDL050680		19	20	Electric	12	Horizontal	CALL
GDL050687	3	19	20	Electric	30	Horizontal	CALL





 230 volt single phase • 16.1 acfm @ 100 psi





EVANAIR

### Couplers



### Safety Exhaust Couplers - 5 Packs

 Milton's 2-in-1 Universal Safety Exhaust couplers safely bleed excess air pressure and disengages fittings without dangerous blow-back from trapped pressure inside your air line or hose

MIL1756 \$202.45 3/8" Body, 1/4" FNPT


MIL1758 \$219.45 3/8" Body, 3/8" FNPT

MIL1757 \$202.45 3/8" Body, 1/4" MNPT

MIL1773 \$264.95 1/2" Body, 1/2" FNPT

MIL1774 \$264.95 1/2" Body, 1/2" MNPT

### MIL1757



Air flow of 99 standard cubic feet per minute

Maximum temperature of 250 degrees Fahrenheit

\$12.45 **MILS715** 

1/4" Female M-Style Pneumatic Coupler

• KWIK-CHANGE®: Interchangeable/compatible with most manufacturers. Compliant with military specification MIL-C-4109.



\$4.95 MILS727

1/4" NPT Male M-Style Plug - 2 Pack · Maximu inlet pressure of 300 pounds

per square inch · Maximum air flow of 40 standard

cubic feet per minute

### **Air Hoses and Reels**



MIL2780-50D \$526.45 1/2" x 50' I.D. Dual Arm Hose Reel

· Retractable Design: The hose automatically retracts into the reel for neat and organized storage

MIL 2770-50D \$760.95 3/8" x 50' Industrial Hose Reel

MIL2760-50D \$460.45 3/8" x 50' I.D. Dual Arm Hose Reel

MIL2760-25 \$259.95 3/8" x 25', 3/8 FNPT Inlet

### 50' Ultra Lightweight Rubber Hose

- Made out of strong rubber, built to withstand extreme environments, resisting abrasions and kinks
- Max burst pressure of 1,200 PSI and handle grip brass end air hose fittings

MILULR125012 - 1/2" w/ 1/2" NPT ends \$199.95

MILULR385014 - 3/8" w/ 1/4" NPT ends \$151.45

MILULR385038 - 3/8" w/ 3/8" NPT ends \$157.95





### 3/8" Rubber Air Hose

- Working pressure: 300 psi
- 1/4" NPT male fittings
- Solid brass end MNPT fittings

KTI72025 - 25 Feet \$109.95

KTI72035 - 35 Feet \$100.45

KTI72050 - 50 Feet \$130.45



### KTI71025 \$9.45 1/4" x 25' Heavy-Duty Nylon Recoil Air Hose

- Manufactured from heavy-duty nylon
- . Extend out to 25', but are as small as 2' when coiled up



CRD90016


\$20.95 **Insulated Trigger Water Nozzle** 

Removable threaded protector





- Oil Shield® Next-Gen Rubber Air Hoses RMA Class A oil resistant core tube and cover
- Flexibility in extreme conditions from -30°F to 180°F
- 4:1 Safety factor Max. working pressure: 300 PSI





# ELD FAILURY

### LEGL8611FZ \$406.95

- Flexzilla® Retractable Reel w/ 3/8" I.D. x 50' Hose Multi-position guide arm allows mounting on wall,
- tank or overhead
- · Weep holes designed to drain moisture are located on the edge of drum
- Durable heavy-duty steel construction

### LEGHFZ3850YW2 \$64.95

Flexzilla Air Hose, 3/8" x 50', 1/4" MNPT Fittings

- 300 PSI All weather flexability (-40° to 150°
- Two year warranty



# BluZird°

### BluBird® Air Hoses

- Flexibility in extreme conditions from -50°F to 190°F
- 10 year warranty

To your warranty			
Part #	Description	NPT	
BLBBB3825	3/8" x 25'	1/4"	\$26.95
BLBBB3850	3/8" x 50'	1/4"	\$57.95
BLBBB1250	1/2" x 50'	1/2" to 3/8"	\$68.95

### **BluBird Air Hose Reels**

- Smooth auto-rewind with locking 12 point ratchet gearing system which helps to lock at various lengths
- 2 year warranty

BLBBBR1250 (1/2" x 50") \$259.45 BLBBBR3850 (3/8" x 50") \$240.95 BLBBBR3875 (3/8" x 75") \$418.95

BLBBBRHD3850 \$241.95 BluBird® Heavy Duty 18 Gauge Steel 3/8" x 50' Air Hose Reel

- 3/8" inlet and 3/8" to 1/4" NPT Reducer Outlet
- 4-way roller guides 3' whip hose included
- Flexibility in extreme conditions from -50°F to 190°F



### BLBOSRHD3850 \$288.95 Oil Shield® 3/8"x 50' Air Hose Reel


- 3/8" inlet with 3/8" to 1/4" NPT Reducer outlet
- Flexibility in conditions from -30°F to 180°F
- 4-way roller guides
  4:1 Safety factor
- Covered by a 2 year warranty on reel with 3 year warranty on the included yellow Oil Shield® hose



### **Water Hoses**

## Flexzilla® Garden Hose,

- 3/4" 11 1/2 GHT Fittings Extreme all-weather flexibility
- Durable outer cover resists abrasion, UV and mold
- Won't kink under pressure



### Flexzilla® Pro Water Hose. 3/4" – 11 1/2 GHT Fittings

- Field Repairable Reusable anodized aircraft aluminum fittings.
- Extreme all-weather flexibility
- Lightweight, coils easily
- Won't kink under pressure

LEGHFZWP550 (5/8" x 50') \$99.95



Hose wrapped on a 250' spool



- Latching Mode Switch
- Hose and Lead-in Hose Included 10" Lead-in hose (3/4" x 11 1/2" GHT).





Legacy



# Blu3ird° RGLITE

### BluBird AG-Lite Rubber Hot & Cold Water Hoses

- Lightweight & Ultra Durable
  Cold Weather Flexibility down to -50F
- Handles Hot Water up to 212F

BLBBSAL3415 (3/4" x 15") \$32.45

\$172.95 BLBBSAL5875 (5/8" x 75') BLBBSAL34100 (3/4" x 100") \$285.95



# LINCOLN

### LIN83753

\$318.45

Lubrication Value Series Air and Water 50' x 3/8" **Retractable Hose Reel** 

- Provides 300 psi capacity with a maximum airflow of 25 cu. ft. per minute
- 5-position adjustable outlet arm and no pump required
  1/4 in. NPT fitting

### 50' Air/Water Premium Nitrile **Rubber Replacement Hoses**

- Excellent resistance to grease, oil, weather
- Lavs flat when pressurized
- NPT leak-free brass fittings (Male)

LIN72N3850 (3/8") \$62.45 LIN72N1250 (1/2") \$99.45



### Fluid Dispensing / Fluid Drainage / Waste

# LINCOLN

### LIN1264 \$472.45 12-Volt Lithium Ion PowerLuber Grease Gun - 2 Battery Kit

- Delivers up to 8,000 psi to easily bust through dirty or clogged grease fittings
- 5-year warranty on the tool: 2-year warranty on the Li-lon battery



- Stable 3-point stance keeps the tool upright and within reach
- 5 Year Warranty on Tool and 2 Year Warranty on Battery and Charger





# LINCOLN

### LINAC2440 \$537.45 120 Volt Corded Electric Grease Gun with Variable-Speed Trigger

- Two-speed transmission
- Includes comes with a 30 in. high-pressure hose with dual spring guards, coupler, six-foot power cord and a heavy-duty carrying case



- High-torque motor
- · Unique LED indicators identify loss-of-prime, empty cartridge or lube-point blockages

\$67.95 LIN1133 **Heavy Duty Pistol Grip Grease Gun** 18" whip hose




### Fluid Dispensing / Fluid Drainage / Waste

# LINCOLN

LIN1134 Extra Heavy Duty Pistol Grip Grease Gun with 6 inch Rigid Extension

- Develops up to 7,500 psi
  Includes combination filler Coupler/air bleeder
- Includes both an 18" whip hose and 6" rigid extension





- Rugged cast iron pump head
- 16 oz. bulk or 14.5 oz cartridge



LIN1147 2 Way Loading Lever Action Manual Grease Gun with 18" Whip Hose and Coupler • Exclusive "flip over" follower provides

a superior seal for cartridge applications



LIN5852 \$8.95

Hydraulic Coupler

Inlet 1 /8" NPT(f)

6000 PS



LIN5812 12" Extension for Manually or Air-Operated Grease Guns

Maximum working pressure: 4500 psi

## \$32.45

18" Extension for Manually or Air-Operated Grease Guns

• Maximum working pressure: 4500 psi

# LINCOLN

### CALI LIN279092 Lube Trolley Package (Oil)

- · Ability to dispense lubricant directly from 55-gallon (208 I) drums
- 1 yr warranty on material and workmanship

### LIN279091 **CALL Grease Lube Trolley Package**

 Complete package includes trolley, pump, 30-foot (9 m) reel assembly, control valve and swivel, air control with filter/regulator/gauge, connection hose and fittings





### \$21.95 HPK10801

6" Flexible Shaker Siphon

. Moves up to 3.5 gallons per minute

 Applications: water, gasoline, diesel fuel, kerosene, solvents and lubricants to the thickness of 20 grade oil



### **LIN905** \$1.099.45 Digital Preset Dispense Meter,

Petroleum, Synthetic Oils, Antifreeze

• A 5-digit liquid crystal display shows the exact amount of fluid dispensed (accurate to the second decimal point)

• The model 905 is powered by standard AA batteries and features a low battery indicator and low battery safety lock out

### **LIN982** \$649.45 Electronic Meter Flex Assembly

- Electronic Lube meter, flexible with Auto tip
- Automatic non-drip nozzle
- Narrow nozzle fits into small I. D. ATF fill tubes

### \$718.95

### Metered Control Handle for Oil and ATF

For oils, ATF and antifreeze

**Lever Action Fluid Pump** 

16-55 gallon drums

**Heavy Duty Grease Pump** for 25-50 lb. Drum

· Steel cover securely clamps to any 25-50 lb refinery container
 Follower plate assures positive

prime at lowest temperatures

Bucket shown is NOT included

Pumps non-corrosive automotive,

agricultural and industrial fluids Telescoping pick-up tube for

LIN1340

**LIN989** 

- 3-1/2" diameter Includes 10" hose
- 1/2" NPT (f) inlet/outlet • 1 year warranty on material and workmanship

\$96.45

**CALL** 



### KTIXD73900 \$61.95

2-in-1 Grease Gun

 Adjustable stroke for changing pressure build up from 4500 PSI in pistol mode to 7000 PSI in lever mode

Includes 6" Steel Extension, 18" flexible grease hose & coupler



### KTI73900 \$78.95

Air-powered, Pistol-Grip Grease Gun

- Air pressure ranges from 1,200 psi to 6,000 psi
- Uses 400cc bulk loading or standard 14 oz. cartridge
- Includes rigid and flexible extensions

### KT173930 Mini Pistol Grease Gun 3 oz

- 3 500 PSI
- Complete with 4" steel extension & coupler

# • 1-Year Warranty

\$32.95 KT173933 Heavy Duty Pistol Grip Grease Gun 14 oz

- Complete with 18" flexible hose extension & coupler
- 3-way loading: 14 oz cartridge, bulk and suction fill
- 1 year warranty on material & workmanship



### \$47.95 KTI73956

**Quick Locking Grease Coupler** 

Quick locking grease gun coupler with 1/8" NPT
Coupler body is heat-treated to withstand high pressures without deformation and is 1-1/2 times



# stronger than regular couplers

### \$62.95 KTI73907 7 Piece Quick Connect Grease Gun Accessory Kit

Contents: Recessed Lube Adaptor, Grease Injector Needle, Angle Lube Adaptor, Narrow Needle Nose Adaptor, Seal Off Dispenser, Right Angled Grease Coupler, Heavy Duty Hose with Spring Guard & Coupler





Grease Pump Assembly for 120 lb. Drum

- 40:1 ratio professional quality pump assembly for the automotive repair shop
- Includes 7' hose, control valve, and universal swivel
- 4 caster band-dolly 1 yr warranty





### Fluid Dispensing / Fluid Drainage / Waste



### \$51.45 KTIXD72201 **Battery Operated Transfer Pump**

- Designed for quick & convenient transfer of Gasoline, Diesel, DEF/Adblue, Water & water-based media
- Includes 3.3' long Corrugated delivery hose
- Uses 2 "D" Size batteries (not included)
- Do not use with With Acids, Acetone, Benzene etc

### \$603.45 KTI72215

## Rechargeable Electric Drum Pump, 19.2 Volt

- Telescopic pump tube for use with 55 gallon drums as well as 275-330 gal. IBC's
- Built-in 2" bung & an additional bung converter (2.5" x 5 buttress) for use with plastic drums & IBC's
- Delivers up to 28 lpm or up to 410 litre on a single battery charge



- Rotary Transfer Pump Plastic Glass filled, Polypropylene (PP) body with Ryton Rotor & Vanes and Viton seals
- For use with 15 55 gallon drums
  Delivers up to 1.30 gallons per 20 turns
- Includes drum bung for use with both metal and plastic drums





# KTI74921 \$57.45 **Band Dolly for 5 Gallon Pails** · Four removable phenolic wheels 25-50 lbs. capacity

- 1 Year Warranty

## KT174922 \$62.95 Band Dolly for 16 Gallon Pails

- Four removable phenolic wheels
- 120 lbs. capacity
- 1 Year Warranty



- Load capacity 1200 pounds
- 1 yr warranty on material and workmanship

### KTI72200 \$101.95 Hand Rotary Style **Barrel Pump**

- Fit 15, 30 and 55
- gallon drums
   2" bung adapter



### KT173993 \$102.45 **Lever Action Bucket Pump** 5 Gallon Pail

 Comes complete with 12" drum cover and 4' PVC hose with steel spout



### MILZE945 (20 GPM) \$1,034.45 12 Volt Fuel Pumps

- Aluminum die cast construction
- UL approved explosion proof motor with sintered powered gears
- 1 yr warranty on material and workmanship

# MILZE1030D (Yellow) \$146.95 AA Battery Powered Fuel Can Transfer Pump

- Delivers fuel at 2.4 Gallons Per Minute
- Included adapters allow the pump to mount on the majority of the fuel cans in North America
- Batteriés not included

## MILZE75100

- 1" Fuel Nozzle Swivel
- Provides 360° rotation for flexibility
- · Compatible with fuels containing alcohol
- 3/4" Dual plane swivel



### \$63.95 MILZE10120 Zinc Plated Pail Pump

- · A zinc-plated pail pump with steel and polyethylene parts for waxes, detergents and other non-corrosive liquids
- Designed For: 5 & 6 gallon pails

### CALL **MILZE1035** 1/2" Double Diaphragm Pump

- · Air Ratio: 1:1
- Fluid Inlet/Outlet: 1/2" NPT
- Max Flow: 14 GPM
- Air Inlet Port: 1/4" NPT

### \$157.45 **MILZE1543 Green Fuel Nozzle with Curved Spout**

- Dual mode operation: manual & automatic shut-off
- Heavy-duty die-cast aluminum body

### **MILZE9112** \$515.95

## Electric DEF Pump (12 Volt DC 9 GPM)

- 3/4" hose barb inlet/outlet (w 3/4" BSP threads)
- Diaphragm pump
- Max Amperage: 12V DC 10 Amps
  9 GPM (.45 HP motor)

### \$169.95 MILZE373 **Pistol Grip Lever Pump** for 15-55 Gallon Drum

- Dispenses 1-Pint per stroke
- 2" bung adapter w/locking nut
- Air Inlet Size: 1/4" NPT
- Fluid Inlet Size: 3/4" NPT
- . Fluid Outlet Size: 3.4" NPT with 1/2" NPT Adapter
  • Includes 1/4" FRL

## MILZE3574PKC CALL

60:1 Premium Grease Pump for 25-50 Lbs. Pails Package with Cart

- 60:1 ratio grease pump for short to medium distance applications. • 56.0 Ounces per minute (1600 Grams per minute) flow rate allows
- quick and efficient dispensing of grease.

### MILZE3574KC **CALL**

## 5:1 Grease Pump for 25-50 Lbs. Pails Package with Cart

\$42.45

- 45:1 ratio grease pump for short to medium distance applications.
- 49.3 Ounces per minute (1400 Grams per minute) flow rate allows for quick and efficient dispensing of grease

### **MILZE1000** 36 oz. Pressurized

- **Chemical Sprayer** Adjustable Nozzle
- Comfort Handle
- Contoured Trigger

### MILZE1000-BC \$66.45 36 oz. Pressurized Brake Cleaner Sprayer

- Adjustable Nozzle
- Comfort Handle
- Contoured Triager

## MILZE9115-IBC1 CALL Electric Pump Kit with Stainless Steel Auto Shut-Off Nozzle and Meter

. This lever action Medium-Duty grease gun was built with professionals in mind and can be used with 14 oz. cartridges or suction filling methods making this a versatile grease gun for a variety of applications.









MILZELD5

3,000 PSI Light-Duty Mini

**Pistol Action Grease Gun** 

Sturdy Construction: Designed

for daily maintenance work

\$39.95



### Fluid Dispensing / Fluid Drainage / Waste



### **Plastic Measure Flex** Spouts with Dust Cap

· For oil, fuel, antifreeze, water etc.

KTI74656 (6 Qt.) \$30.95 KTI74652 (8 Qt.) \$29.45





### 4.25 Gallon Capacity Drain Pans

- · Built-in ant-splash lip and baffles
- 1 year warranty

KTI74645 (Black / for Oil) KTI74647 (Green / for Antifreeze)

### KTI72250 \$32.45 Siphon Pump Multi-Use Liquids, Gas, and Oil

- Multi use, transfers most liquids
- Pumps air for inflatables
- Includes two 51" siphon hoses. 35" dipstick hose and adapter (for changing oil) and 17" air pressure hose







LIS24780

# LIS24780 \$74.45

- 18 Piece Spill Free™ Funnel . Includes new cap for Ford and additional straight extension
- Clear funnel allows a quick visual check of the coolant from across the shop

### LIS38750 \$23.95 15" Diameter No Splatter Pad

- 15" Diameter Round Pad fits in oil lift drain funnel or oil pan to prevent oil splatter
- · Pad can be trimmed for perfect fit

### LIS17922 \$101.45 4 30 Quart Multi-Drain Tub

- Dimensions 33" x 22" x 8"
- For draining radiators, crankcases, transmissions, differentials, etc. on cars and trucks

### LIS38780 \$46.95 22" Square No Splatter Pad

· Porous material allows fluid to quickly pass through into funnel or pan

### LIS19722 \$65.95 8 Quart Catch-All Drip Pan

- Durable polyethylene material
  Dimensions: 24" x 36" x 1-1/2"



### LIS50240 \$43.45 Magnetic Funnel Holder

- Holder collects residual fluids as they drain into the 12 oz. reservoir
- Lifetime warranty does not cover abuse



**8 Quart Translucent** Dispenser with Lid and Cap

LIS19732 \$34.95 (6 Quart)

LIS19702 \$43.45 (8 Quart)



## LIS11102 \$345.95

- 8 Gallon Oil Lift Drain
- Reinforced base will not warp with hot oil
- working range from 36-1/2" to 74'





FAFGP-102

### Form A Funnel

Unaffected by freezing or temperatures up to 425°

FAFLG-101 - Lawn & Garden \$25.95 FAFGP-102 - General Purpose \$46.45 FAFTT-103 - Truck and Tractor \$68.95



# OIC

## \$574.45

### OTCJ47912 **Fuel System Priming Pump**

 Pressurizing the fuel system after service is essential for proper fuel system operation and efficient starting



# ASSENMACHER SPECIALTY TOOLS

### ASS0FEU19 \$82.45 **Engine Oil Funnel**

- Attaches to the Valve Covers
- Applicable to: Audi [1993-2014]; BMW [1993+] (non-B motors); Dodge Sprinter [2006-2013]: VW [1998-2014]



### RHG42008 \$189.95

- 58 Quart Oil Drain Pan "Crude Control"
- Center Draw to collect fluid with cap • 1-1/2" spout fits standard opening



**Transfer Tanker with Electric Pump** 

- Pump moves 5 gallons of oil or antifreeze per minute through 8' hose (110V) into a 15 gallon reservoir
- 4" free wheeling casters and removable handle



# DOWJDI-LP5 CALL

25 Gallon Low Profile Oil Drain with Electric Pump Equipped with a 110v electric pump standard

- 6" industrial casters for easy handling
- Size 48"L x 25"W x 8"H
- 1 year warranty on material and workmanship



### \$943.45 LIN3669

17 Gallon Low Profile Truck Drain with Evacuation Pump

• Features a durable 120-volt electric pump installed below the front of the reservoir for used fluid evacuation through a 6' hose with a steel J-hook end



\$868.95 MILZELP17-EP 17 Gallon Poly Low-Profile Oil Drain with Electric Evacuation Pump

- Maneuverability with four 4" rotating wheels
  Electric pump kit for evacuation included





### Fluid Dispensing / Fluid Drainage / Waste

# **LINCOLN**

### LIN3508 \$230.45 **8 Gallon Used Fluid Drain**

- Durable, high-density
- polyethylene reservoir Drain adjusts from 36" to 65" (91 to 165 cm) in height



### \$437.95 LIN3601 18 Gallon Used Oil Receiver

- Tank includes a preset air regulator that allows the use of standard shop air up to 150 PSI
- 14" telescoping bowl with a height adjustment range of 45" to 72"



### LIN3614 CALL 20 Gallon Pressurized **Used Oil Steel Evacuation Drain**

- The pressurized self-evacuation feature of the 3614 requires only shop air and a tire chuck to easily discharge fluids safely and cleanly
- The 3614 includes a large-capacity (20 gallon/75 liter). heavy-gauge steel tank



wheels allow for easy mobility. The portable, tilt-to-roll design requires minimal floor space



### **CALL** LIN3626 26 Gallon Portable Plastic **Used Fluid Gravity Drain**

- Large 18" diameter offset bowl rotates to catch streaming oil and includes a removable metal filter screen
- The funnel height is adjustable from 50 to 75"





### **MILZEGEV**

### \$524.45 6 Gallon Professional Fluid Evacuator

- · Covers a Variety of Applications
- Integrated Level Gauge
- Simple Air Evacuation

### MILZE21CMB \$1,083.95 21 Gallon Professional Combination Oil Drain & Fluid Evacuator with Measuring Bowl

• 14.5" diameter with built in screen

### MILZE21DC \$745.95 21 Gallon Professional Oil Drain

14.5" diameter with built in screen

\$1,174.95 MILZE21TD 21 Gallon Professional

**Air Evacuated Transmission Drain** • 20.5" diameter with built in screen



## **JohnDow** Industries


### DOWJDI-6EV \$548.95 **6 Gallon Fluid Evacuator**

- · Includes five suction probes (metal & flexible plastic)
- · Adapters for BMW, Mercedes & VW are also included
- 6-gallon steel tank (evacs 70% of capacity)
- 7" wheels for easy handling
- 10' evacuation hose



# \$991.45





Self Evacuating Oil Drain Uses air pressure

25 Gallon

- to empty tank Removeable 6' Quick-Disconnect discharge hose
- . Molded tool tray on top of the tank
- 16" deep drawn offset funnel with expanded metal screen



## **CALL**

### DOWJDI-20EV-B 20 Gallon Fluid Evacuato with Transparent Bowl

- Heavy-duty steel construction for years of trouble-free service
- Eas-to-read-vacuum gauge



### **JohnDow** <sup>)</sup>Industries

### DOW20DCE-2 \$90.95 Replacement Evacuation **Hose with Spout**

 Fits: JDI-20DC-E, JDI-20EV, JDI27DC, JDI-20C0MBO, JDI-20C0MBO-B



"Creeps Deep" into Tight Crevices



\$505.45

30 Gallon

# KT174553HD **Metal Oil Drain** Wheel Mounted Adjustable from 47-1/4" - 70-1/2"

### KTI74550XD 9 Gallon Plastic Oil Drain

\$139.95

- Wheel Mounted
- Adjustable from - 69"



### KTI74552HD 18 Gallon Metal Oil Drain

- Wheel Mounted
- Adjustable from - 70"





## Trans Tech 4 Plus Dual ATF Fluid Exchanger System

 Dual service machine inline and dipstick capabilities

### MTT500-5100PD CALL **Coolant Clean 3 Coolant Fluid Exchange**

- Static or dynamic fluid exchange
- One switch, multi-function operation with "closed-loop" mode at end of service

### **CALL** MTT500-8100 Brake Vac II Brake Fluid Exchanger

- · Complete brake system flush in just 10 minutes
- Pressure and vacuum assist ensuring quick operation









### CALL

### R0B92500

### ATF - Transmission Fluid Exchange Machine

- 32-quart supply tank; 34-quart waste tank
- Unprecedented one-tenth quart flow metering for adding or subtracting fluid from the pan
- Complete set of cooler line adapters for most foreign and domestic vehicles
- "Low Fluid Alarm" and "Indicator Light" to alert operator
- . "Drain Waste" feature automatically pumps used fluid from the machine into a waste oil container



### \$204.45 MIT7300 Air Operated Fluid **Evacuator**

- · 2.3 gallon capacity
- . 5' of flexible hose
- · 2 rigid dipstick tubes
- Universal brake-bleeding adapter



 Removes most auto liquids and chemicals, including transmission fluid, coolant, brake fluid, gear oil and engine oil

8.8 Liter (2.3 gal) MANUAL Evacuator

Bi-functional (extract and dispense)

### MITMV7430 \$301.45 Mini Fluid Evacuator

- Operates on compressed air to create a powerful ventury vacuum for quickly evacuating small reservoirs
- · Integrated 1.9 qt. capacity reservoir

### \$619.95 MITMV7412 2.5 Gallon ATF Refill System

- · Uses air pressure to transfer fluids
- 2.5 gal (10 l) fluid reservoir
- MVA575 Flex hose with control valve and 12" (0.3 m) evacuation wand MVA5800A ATF Refill kit

### MITMV6400 \$345.45 Fluid Dispensing System

- Large 1.2-gallon (5-liter) fluid capacity
- Integrated manual pump adds air above the fluid level to prevent aeration

### MITMVA6852 \$99.45 1.5L Fluid Extractor / Dispenser with ATF Adapter Connector

 For extracting and dispensing fluids such as diesel fuel, motor oil, brake fluid, transmission fluid, rear differential fluid, and coolant in vehicle service applications

### MITMVA6851 \$54.45 **Fluid Extractor**

Includes 7 oz. (200 cc) capacity fluid extractor,

Extraction hose with cap, and Service Sheet



### 20L Fluid Evacuator/Dispenser

 4-gallon (20-liter) capacity reservoir. The lid is interchangeable with other reservoir sizes available for separate purchase

# Gear Oil Evacuator/Dispensers

- 10 liter reservoir for larger dispensing / longer refill intervals
- Easily replaceable tubing for repair or
- customization of unit to job requirements

  1 yr warranty on material and workmanship

### MITMV7454 - Compressed Air \$493.45

• Can be pressurized and disconnected from compressed air source for convenience

### MITMV7455 - Manual

· Hand pump supplies compressed air to power unit

### MITMVA577 \$255.95

# Gear Oil Replacement Bottle and Dispense Hose Compatible with "MV7100 and MV6400" lids10 liter

- reservoir for larger dispensing / longer refill intervals
- 1 yr warranty on material and workmanship





### **Spravers**

### **Spot Spray Non-Aerosol Sprayers**

- Non-Aerosol, Refillable Spot Sprayer 80-150 PSI operating pressure
- Not for use with paint products
- · Do not use with flammable propellants

TIT19419 (Red) TIT19422 (Black) TIT19423 (Orange) TIT19425 (Green)

Your Choice: \$76.95







- **Pressurized Sprayers**  Features metal construction, brass nozzle and corrosion resistant internal working parts
- Use with oil & solvent based materials

SUR1000 (Green) SUR1000-R (Red) Your Choice \$116.45



## INTERNATIONAL X \$262.45 KTIXD74983 Creeper Seat Under Seat Storage Padded creeper seat (14"x19-5/16"x18-7/8") with storage under the seat; two side drawers, storage(2) Drawer size: 6-3/4" (169mm) x 11 (278mm) x 2-1/2" (62mm) - one on each side of seat compartment and screwdriver bracket on front side and 1" spacing pegboard on the back side • (2) Drawer size: 6-3/4" (169mm) x 11" (278mm) x 2-1/2" (62mm) - one on each side of seat Ball-bearing slider drawers • Four 2-1/2" casters · Weight capacity: 300 lbs. 1 Year Warranty



### KTI74961 \$133.95 40" Metal Frame

Adjustable Creeper with Headrest Six (6) 2-inch oil-resistant rubber casters

- Steel frame epoxy-coated to prevent rusting
- Four (4) cross rails for support

### \$71.45 KTI74981 Mechanic's Seat

- Padded seat
- · Plastic tray for storage
- Four (4) 2-1/2" rubber casters

### KTI74936 \$96.45 36" Plastic Creeper

- · Padded headrest and body fitting design allow for optimal comfort
- · Built in carry handles for quick positioning and carrying
- Six 2" diameter swivel casters
- 300 pound weight capacity





# LIS92202 (Red) \$261.95 Lisle Jeepers Creeper Seat

 2" vinyl covered pad for comfort on even the longest jobs.

Stable 19" x 14.5" footprint to help prevent tipping while moving. 16-1/4" tall for use on many tasks around the vehicle



### Low Profile Plastic Creepers

- (2" longer & 3/4" taller)Low profile: 3/8" floor clearance

LIS92102 (Red) \$215.95 LIS97102 (Black) \$215.95 LIS94102 (Blue) \$215.95



# **☞** GEARWRENCH

### KDT86992 \$108.95 Adjustable Height

Swivel Shop Stool

Creepers

- Seat swivels 360° for extra mobility
  Comfortable foam cushion
- · Seat height adjustment lever easily moves seat up and down
- Powder coated frame for long lasting durability
- Weight capacity is 225 lbs





## \$329.45

### STC20350 The Pro Step

- Capacity: 500 lbs. Platform (32" x16")
- Height: 6-1/2"
- to 22-1/2'





### VIMBBS1G \$63.45 **Big Boy Collapsible Stool**

- 350lb capacity
- High vis green, light weight.
- Seat Diameter 8





WINE.

# SUNEX TO O L S

### SUN8514 \$275.45 Tractor Seat

- · Air cylinder adjusts height from 18" to 22"
- Five 3-1/2" casters





# LDS1011027 \$336.45

Camouflage - Heavy-Duty Creeper with Adjustable Headrest

- ShopSol Heavy Duty (500lb. Capacity)
  Automotive Creeper is designed for rugged shop and service center low working height applications
- Envelope welded 1" tubular frame to meet 500lb real load capacity to spread the weight through-out the frame
- 1.5" ground clearance

### Anti-Fatigue Mat Supreme 5' x 3'

- One-piece SmartTech™ Polyurethane (STP) Technology construction

  • ADA-compliant 20° beveled, trip-
- resistant edges that will never roll up
- · Puncture, rip and stain resistant
- Flame resistant up to 400°F · Made in the USA

LDS1010655 (Black) LDS1010656 (Gray)

\$585.95 \$585.95 LDS1010658 (Mosaic Steel) \$585.95



### LDS1010241 \$557.45

Sit Stand with Swivel Seat

• Ergonomic benefits allows you to sit for a few minutes to relieve the pressure on your knees and back from standing for long periods

 Polyurethane seat swivels 16" in either direction with a memory return back to the original position. Seat tilts forward 20 degrees

Meets and exceeds BIFMA testing standards

### LDS1010313 \$218.95 **Multi-Purrpose Stool**

• 16" - 24" pneumatic seat height range for low work applications in the show or office

Seating capacity 300 lbs

 Polyurethane seat is resists tears, punctures and moisture absorption



### LDS3010003 Multi Purpose Stool

• Seat diameter is 14 in wide

• Multiple seating heights from 19" to 27" reaches the majority of workplace applications



 ShopSol Detailing Stool - Adjustable Height 300 lb.seating capacity

• 8" - 20" seat height

8" wide seat





### LDS3010001 \$359.45 Creeper Seat with Backrest

450 lb capacity and includes 4 casters (2 locking)

 Low height mechanics stool includes a 3.5" thick vinvl covered seat designed for rugged environments

. Seat height: 18'

**Creepers Continued** 

# LDS3010005 \$279.95 500 lb. Capacity Heavy Duty Creeper

 Optional tool tray (SLDS3010008) that attaches to either side of the creeper and Hangar (LDS3010007)

Includes six industrial non marking

oil resistant casters

### LDS1010480 \$252.95 Interior Car Creeper

· Height adjustment mechanism with user friendly latch system to raise or lower bed for different vehicle heights

• 16.5" to 25.25" height adjustment for cars, SUV's and pickups

### LDS1011009 CALL Engine Creeper (LDS1010569) 2-pack Bundle

· User friendly latch system for height adjustment with steel pins. 48" to 64" height adjustment for cars, SUV's and pickups

Pivoting bed/legs for fold-away and storage Parts Storage bag to keep tools available while maintaining engine

Industrial pin casters (4 with locking casters)

Meets and exceeds ANSI/BIFMA testing







### **AMERICAN FORGE&FOUNDRY INC.**

### \$195.45 INT3909 Mechanic's Creeper - SUPER DUTY XL - High Density Polyethylene - 47" - 6 Wheel - 440 Lbs. Capacity

Caster Size (in.): 3"
Caster Bracket Material: Steel

### \$232.95 INT3922 **Professional Low Profile** 40" Creeper - 400 Pound Capacity (6) 3" Swivel Casters for easy

- maneuverability
- · Thick reinforced steel frame for durability and longevity

### INT3918 \$66.95 47" Foldable Mechanics Pad

· Great for Roadside and offroad repair where a rolling creeper is not an option



3 Drawer Rolling Toolbox Seat - 300 Pound Capacity

· Users can work more efficiently and store commonly used tools with the 3-drawer toolbox as well as having additional fold-up tool tray





### AMERICAN FORGE&FOUNDRY INC.

# INT3915 \$242.95 2 in 1 Professional 40" Folding Creeper

450 Pound Capacity

· 3" Swivel Casters for easy maneuverability

 Thick reinforced 40" steel frame for durability and longevity





. (6) 3" Swivel Casters for easy maneuverability

 Thick reinforced 40" low profile steel frame for durability and longevity



• (5) 3" Swivel Casters for easy maneuverability

. Thick reinforced steel frame for durability and longevity with steel tread plate for extra grip while standing



### **Creepers Continued**



\$92.45

Viking by AFF - Mechanic's Roller Stool with Adjustable Height - 300 Lbs. Capacity

- Caster Size (in.): 2.5
- Seat Cushion Dimensions (in.): 12" Diameter



## TRAXION engineered products

## TRX1-212 \$20 Original King Crawler \$201.95

Mechanic's Creeper

- Durable high gloss padded deck
   Creeper measures 40" in length
   Huge 5" Casters made of a Polyurethane plastic Tread for a best-in-class mobility



- 400 lb. capacity
- Size: Large
- Alloy steel frame with 5 smooth rolling casters
- · Color: Black



\$498.45 TRX3-100 Foldable

TopSide Creeper Adjustable from 48" to 64"

 Weight capacity is 400 lbs.

### TRX2-700R \$291.95 **ProGear Race Seat**

- . The large Gear Tray spins so you can easily access your tools and parts
- Huge 5" casters
- OSHA Compliant





### WHIHRS \$424.45 Creeper Seat/High Back

- Wide base for better stability
- 15" x 15" storage tray with magnetic strip to hold small parts and tools
  Heavy duty 1" steel tube frame
  3" oil resistant swivel rollers
  Large high back padded for comfort





- 40" metal frame creeper is an extra-wide 20"
- 1" steel tube frame
- · Powder coated to resist rusting

### \$340.45 WHIMTLV6PTB Whiteside Manufacturing ProTough Standard V-Drop Creeper

- 40" metal frame creeper with 3/4" steel tube frame
- V-drop in shoulder area for comfort



### TRX3-106 \$460.45 **Quality Economy Topside Creeper**

- 400 lb. capacity
- Adjustable height to fit your desired placement for your vehicle
- Padded deck allows for comfort
- · Four swivel casters: 2 with brakes to lock position

# TRX3-700 \$747.45

- **Foldable ProGear Topside Creeper** Safe and productive engine access for 3/4 ton, 1 ton and up trucks
- Max height of 75

- · Plush cushioned seat for superior comfort
- · Sturdy steel frame for reliable support
- Heavy-duty casters for easy movement
- · Ergonomic design to reduce strain while working

WHIMTLV6ARTRETRO \$346.95 Retro Funkadelic Creeper

WHISPP25ARTRETRO \$217.95 Retro Funkadelic Creeper Seat



### Welding



### Forney® Rebate Promotion To claim, visit www.forneyind.com







F0R271



OR309





Part #	Description	Input	Max Output	Rated Output Range	Duty Cycle	Includes		
F0R251	Easy Weld 20 P Plasma Cutter	120V 50/60Hz	20A	10A - 20A	35% @ 20A	13' Plasma Torch	\$50 REBATE	\$966.45
F0R271	271 Easy Weld 140 MP	120V 50/60Hz	140A	MIG: 30A - 120A Stick: 15A - 80A TIG: 10A - 110A	MIG: 60% @ 65A Stick: 60% @ 56A TIG: 60% @ 63A	10' MIG Torch	\$60 REBATE	\$1,018.95
F0R309	140 MIG Welder	120V 60Hz	140A	40A - 120A	60% @ 60A	10' MIG Torch	\$50 REBATE	\$1,210.45
F0R323	190 MP MIG Stick TIG Welder	120V 50/60Hz 240V 50/60Hz	200A	120V: MIG: 30A - 120A Stick: 10A - 80A TIG: 10A - 85A 240: MIG: 30A - 200A Stick: 10A - 190A TIG: 10A - 190A	120V: MIG: 60% @ 70A Stick: 60% @ 60A TIG: 60% @ 70A 240V: MIG: 60% @ 130A Stick: 60% @ 135A TIG: 60% @ 135A	10' MIG Torch	\$75 REBATE	CALL
FOR410	220 MP Multi-Process Welder	120V 50/60Hz 240V 50/60Hz	200A	120V: MIG: 30A - 120A Stick: 10A - 80A TIG: 10A - 110A 240V: MIG: 30A - 220A Stick: 10A - 200A TIG: 10A - 200A	120V: MIG: 60% @ 70A Stick: 60% @ 60A TIG: 60% @ 85A 240V: MIG: 60% @ 170A Stick: 60% @ 170A TIG: 60% @ 170A	12' PRO-Grip MIG Gun	\$100 REBATE	CALL
F0R420	220 AC/DC Welder	120V 50/60Hz 240V 50/60Hz	200A	120V: Stick: 10A - 80A TIG: 10A - 130A 240V: Stick: 10A - 170A TIG: 10A - 200A	120V: Stick: 60% @ 52A TIG: 60% @ 84A 240V: Stick: 60% @ 110A TIG: 60% @ 129A	7 Pin Foot Pedal & 17F TIG Torch 12.5'	\$330 REBATE	CALL
F0R445	45 P Plasma Cutter	120V 50/60Hz 240V 50/60Hz	45A	120V: 15A - 20A 240V: 15A -45A	120V: 60% @ 20A 240V: 60% @ 38A	45 P PRO Plasma Cutter	\$125 REBATE	CALL



### \$751.95 FOR1707

### Medium-Duty Torch kit (Victor Style)

- 250 Series Cutting, Welding & Heating
  Cuts 3/16" (up to 6") with proper tips
- Welds 1/4" (up to 3/8") with proper tips
- Includes: Oxygen Regulator, Acetylene Regulator, Torch Handle, Cutting Attachment, Goggles, Flint Lighter, T-Grade Hose, Cutting Tip #0, Welding Tips #0, #2, #4, Rosebud Tip #6, Check Valves & Tip Cleaner: X-Long

### \$722.95 F0R1710

### Medium/Heavy-Duty Basic Cutting, Welding and Heating Outfit

- Cuts up to 19.05mm (3/4") right out of the box
  Cuts up to 200mm (7.87") and welds up to 12.7mm (1/2") with proper tips
- 350-series regulators

### \$936.95 F0R1711

### **Commander Heavy-Duty Torch Kit**

- Cuts up to 19.05mm (3/4") and welds 12.7mm (1/2") right out of the box
- Cuts up to 200mm (7.87") with proper tips
- 450-series regulators

### FOR1705 \$401.45

### **Shop Flame Medium Duty Torch Kit**

- Includes: 250-series regulators. 100-series torch handle. 1350-series cutting attachment. 0-3-101 cutting tip. W-1-0 welding tip. 1/4" (6.35mm) x 12.5' (3.81m) twin welding hose with fittings. Built-in check valves and flashback arrestor
- Accessories included: 50mm (1.97") cup type shade #5 goggles, round single flint striker, 13-piece tip cleaner and plastic carry case

### \$819.45 F0R1753 **Tote-a-Torch Portable** Tote Kit (Victor Style)

- 150 Series Portable Cutting & Welding Torch Kit
- Cuts up to 6'
- Welds up to 3/8"



### \$233.95 FOR332 Portable Welding Cart

### • 11-1/2" wide x 27

- 1/2"tall
- Fits Forney 300 series welders and plasma cutters and all similar sized welders

FOR85801



\$32.45

\$33.95 F0R53414 Multi-Process Goatskin Welding Gloves (Extra-Large)

FOR53415 \$45.45 **Pro Multi-Purpose Goatskin Welding** Gloves (Large)

**Forney Pro Pigskin Welding Gloves** \$45.45 FOR53417 - Large FOR53418 - x-Large \$45.45

\$28.45 FOR55320 Welding Goggles, Lift Front, Shade Number 5, 2 in x 4-1/4 in

Meets ANSI Z87.1 safety standard

Provides 99.9% UV protection



### 1/4" R-Grade Oxy-**Acetylene Hose**

- Red hose for acetylene
- · Green hose for oxygen

FOR86145 - 25ft \$55.95 \$91.45 FOR86146 - 50ft



250 Series Regulator -2 in Side Mount

FOR87090 - Oxvgen FOR87091 - Acetylene \$203.45

\$203.45

### Weldina





Part #	Description	Input	
F0R38071	Solder, Electrical Repair, Rosin Core, 3/32 in, 8 Ounce	30% Tin / 70% Lead	\$24.45
F0R38072	Solder, Electrical Repair, Rosin Core, 1/16 in, 4 Ounce	40% Tin / 60% Lead	\$17.95
F0R38073	Solder, Electrical Repair, Rosin Core, 1/16 in, 4 Ounce	Grade: 60/40 Tin/Lead	\$21.45
F0R42300	E71T-GS Self, Steel Flux- Core Welding Wire, .030 in x 2 Pound	2 lbs. of .030" E71T- GS premium Self flux-core welding wire.	\$43.45

### ER70S-6, MIG Welding Wire, Mild Steel

- · Contains a high level of manganese and silicon for a superior weld, even on rusty, dirty steel
- Tensile strength: 70,000 PSI





**ESAB Rebel Series EMP 215ic** MIG/TIG/STICK Package

• ESAB® Rebel Welding Power Source, Tweco Fusion® 180 MIG Gun with 10 ft (3 m) Cable, Spare MIG Gun parts kit, including bonus Contact Tips, and Drive Rolls for .023" (0.6 mm), .030" (0.8 mm)

• Primary Voltage 120VAC, 208//230 VAC Dual Voltage

### **CALL** FPW1-4000-1 TD Cutmaster 40 with SL60 1Torch

- Up to 1/2" recommended pierce and cut capacity with maximum sever of 1"
- 40% Duty Cycle depending on application Automatic voltage input detection from 110-240V and will automatically set the max output, 27 amps for 110 and 40 amps for 200-240V

# FPW0384-0807 \$1,058.45 Journey and 450 540/510 Outfit

- SR 450 Series Regulators
- · One Cutting Attachment For All Fuel Gases (With Proper Tip)
- 5 Year Warranty









\$548.45

### FPW0384-0945 Victor Plasma Cutter G150-J-P **Tote without Tanks**

- · Ergonomic carrying handle, built-in storage case and a functional balanced design
- Includes an oxygen regulator (SPK-540R), a fuel regulator (SKR-540R), a 12.5 inch dual 'A" 3/16 inch hose (252-03P)
- Process is Oxy-Acetylene

### \$863.45

FPW0384-2692 G350AF/510LP 8MFN Propane Medalist 350 AF

- G350 Series Regulators
- One Cutting Attachment for All Fuel Gases (with proper tip and regulator)
- Heavy Duty Construction
- 5 Year Warranty

### \$739.45

### FPW0386-1397 TurboTorch Deluxe Portable Torch Kit

- Durable Tool BagSelf-lighting PL-3T TipErgonomic torch handle
- STK-R Regulator (CGA-600) and much more



### **LNXL4000** Welder Mark II

- Easy Portability
- Make factory type spot welds in the shop





# **CALL**

## LEWK2697-1

110V Gas Mig Welder 140 AMP

Smooth arc starts with minimal spatter Wide 30-140 amp welding output range



# CALL

LEWK1297 AC/DC 225/125™ Stick Welder

- AC welding output range: 40-225 amps • DC welding output range: 30-125 amps
- Front mounted AC/DC polarity switch





### \$942.95 HSW6213 130 AMP Mig Welder

- · Economical portable inverter MIG welder provides 130 amps of power
- Package includes inverter power supply, HSL15 torch 10', 200A earth clamp 10', gas regulator with hose, steel & flux-cored welding wire and operator manual

### **CALL** HSW6004 40 AMP Plasma Cutter

- · Features dual input voltage 115-230VAC, adjustable output 10-40 amps, air purge switch, adjustable air regulator/ dryer with gauge
- Package includes inverter power supply, HSP40 plasma torch 12', 200A earth clamp, 115-volt adapter plug, spare tips & electrodes and operator manual
- Input Power: 115-230VAC @ 20 Amps | Output Power: 40 Amps @ 35%



• 115V Power Supply

 Package includes power supply with extended torches

& ground cables, 4 & 6mm AL tips and 4 steel-tips, powered T-handle slide hammer, tab shooter tool, 2.2 & 2.6 studs, straight & twisted tabs and wire

### **CALL** HSW6422 Smart Multi-MIG Welder 200 Amp with 16 S-MIG Programs, AC/DC TIG and Stick (110-240VAC)

- Multi-MIG synergic MIG, AC/DC TIG & Stick
- Output power 200 amp at 35% duty-cycle
- LCD select 16 synergic MIG programs
  #15 MIG gun, #17 TIG torch & earth cable

### HSW6550 CALL Pulse MIG Welder 250 Amp CALL with 42 Synergic MIG Programs and 3-Torch Drives

- Multi-MIG pulse synergic 3-drive welder
- Output power 250 amp at 35% duty-cycle
- 3 MIG guns, #17 TIG torch & earth cable



- **Cart and Gas Cylinder** · Multifunction nitrogen gas plastic
- welder with hot melt iron Only nitrogen plastic welder with
- built-in compressor for portability Includes cart and Ni gas cylinder for simple exchange or refill
- Package includes seamer tool. aluminum tape, torch nozzles & tips and 6-types of filler rods







### **Welding Helmets**

# **JACKSON**°

- Exclusive 370 Speed Dial™ ratcheting headgear system provides unsurpassed comfort, convenience, and productivity
- Extended front provides maximum protection from sparks and slag
- Ultra-lightweight design is ergonomically balanced and ideal for all-day use

\$291.45 JCK47101 **Auto Darkening Nylon Welding** Helmet - Hellfire Graphics 3.94" x 3.64" Viewing Area - Shade

3/5-13 Variable ADF 1/1/1/1 - 370

\$331.45 JCK47103 **Auto Darkening Nylon Welding** Helmet - Freedom Graphics

3.94" x 2.36" Viewing Area - Shade 4/5-13 Variable ADF 1/1/1/1 - 370

\$253.45 JCK47105 **Auto Darkening Nylon Welding Helmet - Bead Demon Graphics** 3.94" x 2.36" Viewing Area - Shade

4/9-13 Variable with Grind ADF

JCK47102 \$141.95 **Auto Darkening Nylon Welding Helmet - Gray Matter Graphics** 

3.78" x 1.65" Viewing Area Shade 10 Fixed ADF 1/1/1/1

### \$169.45 JCK47100 SH10 Welding Helmet -6 Feet Under Graphics

 Fixed Shade 10 • 3/10 Shade range with switching speeds of 1/25,000 second. Powered by solar technology and two CR2450 replacement batteries

### \$214.95 JCK47104 **Auto Darkening Welding Helmet -**

- Reapers n' Roses Graphics 3.94" x 2.64" Viewing Area
- Shade 10 Fixed ADF 1/1/1/1
- 370 Speed Dial Headgear



\$350.45 JCK46200 **Black Rebel Series Auto Darkening** Welding Mask and Hood Kit

- 1.38" x 3.54" Viewing Area -Shade 3/5-12 ADF -
- Certification: CEICSA Z94.3IANSI Z87.1
- Optical Clarity: 1/1/1/2
- Shade Control: Digital/ Internal









### \$627.95

### FPW0700600860 A60 Sentinel Helmet

- ADF viewing area: 118 x 71 mm (4.65 x 2.80 in.) and intuitive internal ADF controls including sensitivity and delay
  • Shade Range: DIN 3/5-13.
- adjustable in 0.5 increments and ADF a shade lock setting
- . On-Board memory for up to 9 settings





### \$127.45 FOR55857 **Black Matte ADF Welding Helmet**

The Forney Series of auto-darkening welding helmets are ideal for the experienced do-it-yourselfer (DIY), light contractor, farmer and rancher

### FOR55938 \$213.95 Forney PRO Warhawk Auto-Darkening Filter (ADF) Welding Helmet

The Arc Optics technology, and 43% larger viewing area provides a crisp and clear view of your welds

### \$75.45 FOR55731 Forney Easy Weld Black Matte Auto-Darkening Filter (ADF) **Welding Helmet**

 These helmets are user friendly, comfortable, economical and cover a wide range of basic needs



Highly pliable



## SHOPIRON

# Wide Lens Solar Powered Welding Helmets

- Ultra high performance filters protects against UV & IR
- Large viewable area: 3.86" wide x 2.17" high

TIT41266 (Flaming Skull) TIT41265 (American Eagle)

\$165.95 \$165.95



### **Torches and Soldering**



## \$346.45 MASPH1100A-00-K 120V ProHeat Heat Gun Kit · 2 air speeds

(2) Attachments &





PTLSP-1K \$150.95 Self Igniting Soldering Iron and Heat Tool Kit

 25 - 125 Watts; To 2,372°F/1,300°C
 Includes: Soldering iron fitted with hot air and a deflector tip, knife tip, wire stand, cleaning sponge and tray, storage case and instructions



# portasol

### PTLPP-1K \$120.95

Cordless Self Igniting Soldering and Heat Tool Kit



• Kit includes: Soldering iron, 2.4 mm tip, hot and deflector tip, blow torch tip, knife tip, wire stand, cleaning sponge and tray, storage case and instructions

### PTLHP820 \$74.95 High Powered 820 Watt Gas Torch

- Compact, lightweight (7 oz.) high power with a massive 2798 BTU per hour burn rate
- One-year replacement warranty

### PTLGT220 \$68.95 **Medium Power Butane Torch**

- An adjustable output of 50-220 watts
- An adjustable flame length of up to 9cm



### **Induction Heating**

## IDIMDV-777 \$734.95

Mini-Ductor® Venom®

• Coil Twist Lock: coils now lock down with one simple turn (no more thumb screws) and Venom works with all Mini-Ductor coils

• LED Usage Indicator: a Red LED will light under fault conditions and Green LED lights while the trigger is active and the tool is heating properly

### IDIMDV-787 \$796.45 Mini-Ductor® Venom® HP

- Highest Powered Mini-Ductor available • All Mini-Ductor accessories are
- compatible with the Venom HP
- 2 vear warrantv



- The Mini-Ductor Coil Kit includes 8 different coils. 7 different sizes for most jobs mechanics run into
- Operates on 120 volts/1000 watts of power



• Includes :One Mini-Pad attachment (9.5" x 3.5" x 0.5"), One head (3.75"W x 3.5"W x 0.5"H) (5.7 oz.)



 Comes with 41" Bearing Buddy Coil, 96: Bearing Buddy Coil, 6"x12" Heat Resistant Insulator

# IDIMD99-644 \$79.95 Mini-Ductor® Thin Wall Coil Pack

• Comes with 3/4" Thin Wall, 13/16" Thin Wall, 7/8" Thin Wall, and 1" Thin Wall















\$52.45 \$77.95 \$93.45

\$25.95 \$28.95 \$37.45

## IDIMD99-675 \$230.45

### Mini-Ductor® Long Coil Kit

Includes (2) 1" Preformed Coil, (2) 7/8" Preformed Coil, (1) 3/4" Preformed Coil, (1) 1-3/4" Preformed Coil, (1) 1-1/2" Preformed Coil, (1) 1-1/4" Preformed Coil

### **IDIMD-700** \$611.95 Mini-Ductor® II Magnetic Induction Heater Kit

- Grenade grip for a greasy hand technician
- Work illuminating L.E.D. for increased vision of product application
- Operates on 120 volts/1000 watts of power

IDIMD-750 \$772.95 Mini-Ductor® II Portable Induction Heater Tool

### IDIMDV-790 \$892.45 Mini-Ductor® Venom® with Coil Kit

- · Coil twist lock
- · Includes coil kit
- · LED usage indicator
- Fault override delay
- 2 year warranty



• Includes: (2) MD99-601 (7/8" Inside Diameter), (2) MD99-611 (3/4" I.D.), (1) MD99-605 (7/8" I.D. X 9"L), (1) MD99-610 (1" I.D.), (1) MD99-621 (7/8" I.D. Long Coil), (1) MD99-622 (1" I.D. Long Coil) in a storage tube

# **Tow & Tie Down Straps**

### **Heavy Duty Nylon Tow Straps (Loop Ends)**

 Recommended working load should not exceed one-third of the maximum rated load

Part #	Description	Capacity
KTI73810	2" X 20' Strap	15,000 lbs.
KTI73811	3" X 20' Strap	22,500 lbs.
KTI73812	3" X 30' Strap	30,000 lbs.
KTI73813	4" X 30' Strap	40,000 lbs.
KTI73814	6" X 30' Strap	60,000 lbs.



### **Heavy Duty Nylon Tow Straps with Hooks**

• Recommended working load should not exceed one-third of the maximum rated load

Part #	Description	Capacity
KTI73801	1-7/8" X 10' Strap	7,000 lbs.
KTI73802	1-3/4" X 15' Strap	10,000 lbs.
KTI73803	1-3/4" X 25' Strap	10,000 lbs.



### **Multipurpose Tie Down Straps**

· Recommended working load should not exceed one-third of the maximum rated load

Part #	Description	Capacity	a
KTI73861	1" x 13' Ratchet Strap	900 lbs.	\$12.45
KTI73862	1" x 15' Ratchet Strap	900 lbs.	\$8.95
KTI73864	1" x 6' Strap	400 lbs.	\$19.95
KTI73870	(4pk) 1" x 15' Ratchet Straps	900 lbs.	\$42.45
KTI73871	1" X 6' Strap	1,200 lbs.	\$15.95
KTI73873	1" x 12' Cam Buckle Strap	700 lbs.	\$12.95







KTI73873

### **Bungees / Chain Pullers**





Part #	Description	Qty	
KTI73830	3/8" x 18" General Purpose Bungee	10	\$31.45
KTI73831	3/8" x 24" General Purpose Bungee	10	\$20.45
KTI73832	3/8" x 30" General Purpose Bungee	10	\$22.45





AMG602-10 \$342.95 1/4 Ton Chain Puller

AMG605 \$343.45 3/4 Ton Chain Puller

AMG18500 \$73.45 1 Ton Cable Puller

### **Engine Cranes and Engine Stands**





- · Cutting edge, patent pending design self-centers load to prevent tipping on inclined surfaces
- PVC-coated support legs don't scratch vehicle surfaces



CALL

Includes 16-7/8" lifting chain

space folded 27" x 38"

OTC1819

### CALL OTC1814 6,000 lb. Capacity Heavy Duty Crane

- Telescoping boom adjusts to three different lengths for three different weight capacities

  Boom swivels for vertical and lateral positioning

  Equipped with electric/hydraulic pump (115V)
- with remote motor control
- · Legs extend to straddle the biggest tires
- · Usable reach is almost 92'







Repair Stand, 2000 Lb. Capacity

Handles a wide variety of engines, transmissions, torque converters, and rear axles from trucks, tractors, and construction machinery



### OTC1750A CALL 6,000 lb Capacity Revolver® **Diesel Engine Stand**

- 96 to 1 ratio worm and gear set rotates components a full 360°; handle locks in any position • Integral 12-ton jack raises the work
- to prove the swing radius needed for clearance. Two front wheels and two rear casters provide mobility
- Universal adapter assembly permits use with a wide variety of mounting plates



### AMG3400-1 \$160.45 600 lb Hand Truck

- 10" ball bearing wheels
- Vertical or horizontal loading
- · Easy storage, standing up or hung from handle
- Solid tubular construction
- 5 year warranty





- Holds both oxygen and acetylene tanks
- Up to 122 cubic feet oxygen and 169 cubic feet acetylene
- Includes a tray for tools
- Link chains sécure tanks



# AMERICAN CORCE & COUNDRY



### SUNEX TOOLS



**Shop Presses** 

Part Number	Ton Capacity	Style Feature	Ram Stroke	Overall Dimension	Price
KTI63611A	12	Double Speed Fast Pump	6.9"	25-1/8"W x 65-1/8"	\$1,039.95
KTIXD63619	20	XD Manual Hydraulic	6.9"	29"W x 70.25"H	\$1,336.45
INT850ASD	20	Super Duty Hydraulic	7.50"	35"W x 64"H	CALL
SUN5720AH	20	Air / Hydraulic	6"	34.5"W x 67.75"H	CALL
KTIHD63630	30	HD Manual Hydraulic	6"	28.25"W x 75"H	CALL
SUN5740AH	40	Air / Hydraulic	6"	32"W x 76.25"H	CALL
INT854ASD	50	Super Duty Air / Hydraulic	7.75"	54"W x 75"H	CALL
OTC1872	55	Electric / Hydraulic	13"	51"W x 75"H	CALL
OTC1847	55	Air / Hydraulic	13"	57"W × 78"H	CALL
INT856ASD	75	Super Duty Air / Hydraulic	9.75"	57"W x 77"H	CALL



### OTC1881 CALL

### **OTC 25 Ton Floor Press Accessories Kit**

 Set includes: 1124 bearing pulling attachment, 34510 ram pushing adapter, 34511 ram pushing adapter, 34807 V-pushing adapter, 1891 11-1/2" long V-blocks, 28229 ram forcing cap and 38953 threaded adapter



SUNEX®



SUNSPS100 CALL Sunex® 100 Ton Shop Press Shield

Custom built for Sunex® presses



### **Rams / Drill Presses**



## KTIXD63703 \$492.95

## 4 Ton Portable Ram Kit

- 7,250 PSI hand pump and 10.5" long ram with 4.75" stroke
  Basic attachments, .5 ton spreader ram,
- Basic attachments, .5 ton spreader ram, and five extension tubes included
- Covered by a 2 year warranty





### INT58100 \$656.95 10 Ton Body Repair Kit

- Chrome plated pump core and piston rod for increased durability and life
- Double braided hydraulic hose for increased durability and resistance to cracks and abrasions







### SUN5000A \$1,180.45 16 Speed Drill Press with 3/4 HP Motor

- Heavy duty 3/4 HP motor with 5/8" drill capacity
- Table rotates 360 degrees and pivots from 0 degrees to 45 degrees on each side





### **Shop Grinders**

# FORGE& FOUNDRY

INT31510 \$277.45 Bench Grinder - 6" Wheel -1/2" Arbor - 3/4" Wheel Width

• 2.8 Amp 60 Hz, 120 Volt

• Includes: Bench Light, Magnifying Safety Glasses (1 Pair), Standard Safety Glasses (1Pair)



### **Tubing Bender / Bead Rollers / Cutters**



### HECWFBR6 \$364.45 18" Bead Roller Kit

- 18" Throat depth18" gauge capacity mild steel1/2" steel construction
- Includes 6 sets of dies 1/4", 3/8" and 1/2" bead roll, 1/16", 1/8" and 1/4" step dies



### \$612.45 **HECWFB2**

- Manual Pipe and Tube Bender . Bends up to 2" diameter tubing
- Includes degree ring and handle
- Ratcheting style handle



### \$652.45 **HECWFS-5**

ATEHTSBC420

**Throatless Hand Shear - Multi Purpose Cutter** 

- Multi purpose sheet metal/ plastic cutter
   5" blade length
- Cuts up to 14 gauge mild steel, 18 gauge stainless steel
- Geared reduction handle makes cutting easy



### **Sandblast Cabinets**



### **Atlas Sandblast Cabinets**

- Foot operated control valve
- Includes replacement peel off lenses & nozzles
- Blasting media not included
- 1 year limited warranty



Part Number	Style Feature	Work Space	Price
ATEHTSBC420	Standard	47" x 24" x 22"	CALL
ATEHTSBC990	Large with Vacuum	46" x 34" x 33-1/2"	CALL
ATEHTPSBC990	Large Pressurized	46" x 34" x 33-1/2"	CALL
ATEHTSBC1200	XL with Vacuum	46" x 51" x 33-1/2"	CALL





### **Vises**

Supplier	Part Number	Base	Style	Jaw Opening	Jaw Width	
K-Tool	KTI64105	Swivel	Bench	0-5-1/4"	5"	\$313.45
K-Tool	KTI64106	Swivel	Bench	0-6"	6"	\$236.95
K-Tool	KTI64108	Swivel	Bench	0-9"	8"	\$306.45
Ken-Tool	KEN63004	360 Degree Swivel	Industrial	0-5"	4"	\$428.95
Ken-Tool	KEN63005	360 Degree Swivel	Industrial	0-6"	5"	\$473.95
Ken-Tool	KEN64650	360 Degree Swivel	Reversible	0-9-1/2"	6-1/2"	\$727.95
Wilton	WIL11104	180 Degree Swivel	Bench	0-3"	4"	\$158.95
Wilton	WIL745	360 Degree Swivel	Mechanic's	0-5-1/4"	5"	\$595.95
Wilton	WIL11128BH	180 Degree Swivel Includes FREE Hammer	Utility	0-5-1/2"	6-1/2"	\$396.45
Wilton	WIL28811DB	180 Degree Swivel Includes FREE Hammer	Professional	0-5"	5-1/2"	\$738.95
Wilton	WILWS6	Swivel	Shop	0-6"	6"	\$545.95
Wilton	WIL748A	360 Degree Swivel	Mechanic's	0-8"	8"	\$1,220.45
Wilton	WIL28813	360 Degree Swivel	Mechanic's	0-8-1/2"	8"	CALL
Wilton	WIL28814	360 Degree Swivel	Mechanic's	0-12"	10"	CALL

