

CAJUN BROWN

MSDS Number: 101

Revision Date: 12/07/2022

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Cajun Kleen Products, LLC
608 Grantham Ave
West Monroe, LA 71292

Contact: Cajun Kleen Products
Phone: 318-323-4244
Fax: 318-323-4299
Email: sales.service@cajunkleen.com
Web: www.cajunkleen.com

Product Name: CAJUN BROWN
Revision Date: 12/07/2022
Version: 3
MSDS Number: 101 -1
Product Code: CBR
Product Use: Industrial Cleaning Product

Emergency Contact: CHEMTEL 1-800-255-3924

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; Inhalation; Skin;

Inhalation: Minimal respiratory tract irritation may occur with exposure to a large amount of material.

Skin Contact: May cause burning. May cause irritation.

Eye Contact: May cause irritation.

Ingestion: Ingestion is not an applicable route of entry for intended use.

HMIS III: H2/F0/PH1

HMIS III		
HEALTH	<input type="checkbox"/>	2
FLAMMABILITY		0
PHYSICAL HAZARDS		1
PERSONAL PROTECTION B Safety Glasses, Gloves		

3 COMPOSITION/INFORMATION ON INGREDIENTS

CAJUN BROWN

MSDS Number: 101-1

Revision Date: 12/07/2022

Page 2 of 5

Ingredients:

Cas #	Percentage	Chemical Name
1310-73-2	0-3%	Caustic soda, etc., see Sodium hydroxide, etc.
111-76-2	0-3%	2-Butoxyethanol

4 FIRST AID MEASURES

Inhalation:	If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.
Skin Contact:	Promptly flush skin with water until all chemical is removed. Remove contaminated clothing and wash before reuse.
Eye Contact:	Wash with soap and water. Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Seek medical attention if problem persist
Ingestion:	Do not induce vomiting. Drink large quantities of water. Seek medical attention, if problem persist.

5 FIRE FIGHTING MEASURES

Flash Point:	N/A
Dry powder, foam, carbon dioxide. Use any standard agent - choose the one most appropriate for type of surrounding fire.	

6 ACCIDENTAL RELEASE MEASURES

Avoid contact with eyes.

Pick up excess with inert absorbant material and place into separate waste container.
Use personal protection recommended in section 8.

Waste Disposal Method

Dispose of in accordance with local, state and federal regulations.

7 HANDLING AND STORAGE

Handling Precautions:	Avoid breathing vapors or mist. Avoid contact with eyes, skin, or clothing. Keep material out of reach of children. Launder contaminated clothing. Use approved containers only.
Storage Requirements:	Wash thoroughly after handling. Keep away from heat, sparks, and flames. Store in cool/dry area.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equip:	HMIS PP, B Safety Glasses, Gloves
-----------------------------------	-------------------------------------

CAJUN BROWN

MSDS Number: 101-1

Revision Date: 12/07/2022

Page 3 of 5

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Dark Brown
Physical State:	Liquid
Odor:	Ammonia-like
Solubility:	Fully miscible
Spec Grav./Density:	1.1 g/cm
Viscosity:	Dynamic: Not Determined Kinematic: Not Determined
Heat Value:	Not determined
Boiling Point:	104 Deg C
Freezing/Melting Pt.:	Undetermined
Flammability:	Not applicable
Flash Point:	Not applicable
Partition Coefficient:	Not determined
Vapor Density:	Not determined
pH:	12.3
VOC:	Not determined
Evap. Rate:	Not determined
Auto-Ignition Temp:	Product is not selfigniting
Decomp Temp:	No decomposition if used according to specifications

10 STABILITY AND REACTIVITY

Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Avoid Extreme Heat
Materials to Avoid:	Do not mix with Bleach

11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Oral (LD 50): 2000 mg/kg (rat)

Inhalation (LC 50):

Skin irritation: Caustic effect on skin and mucous membranes

Eye irritation: Strong caustic effect

Sensitation: None known

Corrosive-Swallowing will lead to a strong caustic effect on mouth and throat and to the danger or perforation of esophagus and stomach

12 ECOLOGICAL INFORMATION

Readily biodegradable.

CAJUN BROWN

MSDS Number: 101-1

Revision Date: 12/07/2022

Page 4 of 5

Do not allow to reach sewage system, Follow area guidelines

13 DISPOSAL CONSIDERATIONS

Recommendation: consultation with the disposal agency and the relevant authorities; cleansing agent is water. Dispose of in accordance with local regulations.

14 TRANSPORT INFORMATION

DOT Class: Corrosive (8) #8

UN #: UN 1719, Class: 8, II, Proper Shipping Name: Caustic alkali liquid, n.o.s.

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Caustic soda, etc., see Sodium hydroxide, etc. (1310732 <3%) CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR

*Caustic soda, etc., see Sodium hydroxide, etc. (1310732 <3%) CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR

*2-Butoxyethanol (111762 <3%) HAP, MASS, OSHAWAC, PA, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS

 CERCLA = Superfund clean up substance
 CSWHS = Clean Water Act Hazardous substances
 MASS = MA Massachusetts Hazardous Substances List
 OSHAWAC = OSHA Workplace Air Contaminants
 PA = PA Right-To-Know List of Hazardous Substances
 TSCA = Toxic Substances Control Act
 TXAIR = TX Air Contaminants with Health Effects Screening Level

HAP = Hazardous Air Pollutants

EHS302 = Extremely Hazardous Substance
 EPCRAWPC = EPCRA Water Priority Chemicals
 NJEHS = NJ Extraordinarily Hazardous Substances
 NJHS = NJ Right-to-Know Hazardous Substances
 NRC = Nationally Recognized Carcinogens
 OSHAHTS = OSHA Hazardous and Toxic Substances
 OSHAPSM = OSHA Chemicals Requiring process safety management
 PROP65 = CA Prop 65
 SARA313 = SARA 313 Title III Toxic Chemicals
 TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
 TXHWL = TX Hazardous Waste List

16 OTHER INFORMATION

CAJUN BROWN**MSDS Number: 101-1****Revision Date: 12/07/22****Page 5 of 5****Author: JNM**

This information is given in good faith and based on our current knowledge of the product. No warranty of accuracy is made. Purchasers should make their own test to determine the suitability of such products for their particular purpose.