

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Jan 2021

Print date: 6 Jan 2021

Version: 2



HYDROPOX EPG FAST B-Komponente

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

HYDROPOX EPG FAST B-Komponente

UFI:

EVJN-29YM-91NU-Y12J

1.2. Relevant identified uses of the substance or mixture and uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

TPH Bausysteme GmbH

Nordportbogen 8
22848 Norderstedt
Germany

Telephone: +49 40 52 90 66 78-0

Telefax: +49 40 52 90 66 78-78

E-mail: info@tph-bausysteme.com

Website: www.tph-bausysteme.com

E-mail (competent person): sdb-info@tph-bausysteme.com

1.4. Emergency telephone number

24h: GIZ-Nord +49 551 / 19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) (<i>Acute Tox. 4</i>)	H302: Harmful if swallowed.	
Acute toxicity (dermal) (<i>Acute Tox. 4</i>)	H312: Harmful in contact with skin.	
Skin corrosion/irritation (<i>Skin Corr. 1B</i>)	H314: Causes severe skin burns and eye damage.	
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	

Additional information:

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Jan 2021

Print date: 6 Jan 2021

Version: 2



HYDROPOX EPG FAST B-Komponente

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05
Corrosion



GHS07
Exclamation mark

Signal word: Danger

Hazard components for labelling:

3-aminomethyl-3,5,5-trimethylcyclohexylamine; benzyldimethylamine; benzyl alcohol; 2,4,6-tris(dimethylaminomethyl)phenol

hazard statements for health hazards	
H302 + H312	Harmful if swallowed or in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.

Hazard statements for environmental hazards	
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information	
EUH208	Contains 3-aminomethyl-3,5,5-trimethylcyclohexylamine. May produce an allergic reaction.

Precautionary statements Prevention	
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements Response	
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor/- if you feel unwell.

2.3. Other hazards

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Jan 2021

Print date: 6 Jan 2021

Version: 2



HYDROPOX EPG FAST B-Komponente

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 100-51-6 EC No.: 202-859-9 REACH No.: 01-2119492630-38-XXXX	benzyl alcohol Acute Tox. 4 Warning H302-H332	25 - 50 weight-%
CAS No.: 2855-13-2 EC No.: 220-666-8 REACH No.: 01-2119514687-32-XXXX	3-aminomethyl-3,5,5-trimethylcyclohexylamine Acute Tox. 4, Aquatic Chronic 3, Skin Corr. 1B, Skin Sens. 1 Danger H302-H312-H314-H317-H412	25 - 50 weight-%
CAS No.: 90-72-2 EC No.: 202-013-9 REACH No.: 01-2119560597-27-XXXX	2,4,6-tris(dimethylaminomethyl)phenol Acute Tox. 4, Eye Irrit. 2, Skin Irrit. 2 Warning H302-H315-H319	< 25 weight-%
CAS No.: 103-83-3 EC No.: 203-149-1 REACH No.: 01-2119529232-48-XXXX	benzyl dimethylamine Acute Tox. 4, Aquatic Chronic 3, Flam. Liq. 3, Skin Corr. 1B Danger H226-H302-H312-H314-H332-H412	2.5 - < 5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get medical advice/attention. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth. Let water be drunk in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider. Avoid contact with skin, eyes and clothes.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Allergic reactions

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Jan 2021

Print date: 6 Jan 2021

Version: 2



HYDROPOX EPG FAST B-Komponente

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Extinguishing powder Carbon dioxide (CO₂) Water spray jet

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water (with cleaning agent)

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Jan 2021

Print date: 6 Jan 2021

Version: 2



HYDROPOX EPG FAST B-Komponente

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
CZ	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	① 8.88 ppm (40 mg/m ³) ② 17.76 ppm (80 mg/m ³)
PL	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	① 240 mg/m ³
LT	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	① 5 mg/m ³ ⑤ (tikėtinas įsisavinimas per odą)
HTP (FI)	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	① 10 ppm (45 mg/m ³)
BG	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	① 5 mg/m ³
LV	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	① 5 mg/m ³
TRGS 900 (DE)	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	① 5 ppm (22 mg/m ³) ② 10 ppm (44 mg/m ³) ⑤ (Aerosol und Dampf, kann über die Haut aufgenommen werden)
CH	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	① 5 ppm (22 mg/m ³) ⑤ (kann über die Haut aufgenommen werden)
SI	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	① 5 ppm (22 mg/m ³) ② 10 ppm (44 mg/m ³) ⑤ (računati je treba z možnostjo prodiranja skozi kožo)
JP	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	③ 25 mg/m ³
RU	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	③ 5 mg/m ³
BG	benzyl dimethylamine CAS No.: 103-83-3 EC No.: 203-149-1	① 5 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Jan 2021

Print date: 6 Jan 2021

Version: 2



HYDROPOX EPG FAST B-Komponente

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
RO	benzyltrimethylamine CAS No.: 103-83-3 EC No.: 203-149-1	① 0.9 ppm (5 mg/m ³) ② 1.8 ppm (10 mg/m ³)
LV	benzyltrimethylamine CAS No.: 103-83-3 EC No.: 203-149-1	① 5 mg/m ³
RU	benzyltrimethylamine CAS No.: 103-83-3 EC No.: 203-149-1	③ 5 mg/m ³
TRGS 900 (DE)	Hydrocarbons, TRGS 900	① 0 mg/m ³ ⑤ Mass fraction (wt %): 0

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection DIN EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min
In the case of wanting to use the gloves again, clean them before taking off and air them well.
Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Filtering device with filter or ventilator filtering device of type: A

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: light yellow

Odour: Amines

Safety relevant basis data

parameter		at °C	Method	Remark
pH	10	20 °C		20 g/l
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	> 200 °C			
Decomposition temperature	not determined			
Flash point	101 °C			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Jan 2021

Print date: 6 Jan 2021

Version: 2



HYDROPOX EPG FAST B-Komponente

parameter		at °C	Method	Remark
Upper/lower flammability or explosive limits	1.2 - 13 Vol-%			
Vapour pressure	not determined			
Vapour density	not determined			
Density	≈ 1 g/cm ³	23 °C	EN ISO 2811-1	
Bulk density	not determined			
Water solubility	partially miscible			
Partition coefficient: n-octanol/water	not determined			
Dynamic viscosity	≈ 35 mPa*s	23 °C	DIN EN ISO 2555	
Kinematic viscosity	not determined			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Acids

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance name	Toxicological information
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	LD₅₀ oral: 1,620 mg/kg (Rat) LD₅₀ dermal: 2,000 mg/kg (Rabbit)
3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS No.: 2855-13-2 EC No.: 220-666-8	LD₅₀ oral: 1,030 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)
benzyl dimethylamine CAS No.: 103-83-3 EC No.: 203-149-1	LD₅₀ oral: 579 mg/kg (Rat) LD₅₀ dermal: 1,477 mg/kg (Rabbit)

Acute oral toxicity:

Harmful if swallowed.

Acute dermal toxicity:

Harmful in contact with skin.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Jan 2021

Print date: 6 Jan 2021

Version: 2



HYDROPOX EPG FAST B-Komponente

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

May cause an allergic skin reaction. Contains 3-aminomethyl-3,5,5-trimethylcyclohexylamine.
May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

SECTION 12: Ecological information

12.1. Toxicity

Substance name	Toxicological information
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	LC₅₀ : 460 mg/l 4 d (Pimephales promelas (fathead min now)) EC₅₀ : 230 mg/l 2 d (Daphnia magna (Big water flea)) EC₅₀ : 770 mg/l 3 d (Algae/water plant)
3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS No.: 2855-13-2 EC No.: 220-666-8	LC₅₀ : 110 mg/l 4 d (Leuciscus idus (golden orfe)) EC₅₀ : 23 mg/l 2 d (Daphnia magna (Big water flea))
benzyl dimethylamine CAS No.: 103-83-3 EC No.: 203-149-1	LC₅₀ : 37.8 mg/l 4 d (fish) ErC₅₀ : 1.34 mg/l 3 d (Desmodesmus subspicatus)

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Substance name	Biodegradation	Remark
2,4,6-tris(dimethylaminomethyl)phenol CAS No.: 90-72-2 EC No.: 202-013-9	Yes, slowly	

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Jan 2021

Print date: 6 Jan 2021

Version: 2



HYDROPOX EPG FAST B-Komponente

12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	—
3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS No.: 2855-13-2 EC No.: 220-666-8	—
2,4,6-tris(dimethylaminomethyl)phenol CAS No.: 90-72-2 EC No.: 202-013-9	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
benzyl dimethylamine CAS No.: 103-83-3 EC No.: 203-149-1	—

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

08 01 11 * Waste paint and varnish containing organic solvents or other dangerous substances

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN-No.			
UN 2735	UN 2735	UN 2735	UN 2735
14.2. UN proper shipping name			
POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, benzyl dimethylamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, benzyl dimethylamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, benzyl dimethylamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, benzyl dimethylamine)
14.3. Transport hazard class(es)			
 8	 8	 8	 8

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Jan 2021

Print date: 6 Jan 2021

Version: 2



HYDROPOX EPG FAST B-Komponente

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
No	No	No	No
14.6. Special precautions for user			
Special provisions: 274 Limited quantity (LQ): 5 L Excepted Quantities (EQ): E1 Hazard identification number (Kemler No.): 80 Classification code: C7 tunnel restriction code: (E) Remark:	Special provisions: 274 Limited quantity (LQ): 5 L Excepted Quantities (EQ): E1 Classification code: C7 Remark:	Special provisions: 223 274 Limited quantity (LQ): 5 L Excepted Quantities (EQ): E1 EmS-No.: F-A, S-B Remark:	Special provisions: A3 Limited quantity (LQ): Y841 Excepted Quantities (EQ): E1 Remark:

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

No data available

15.1.2. National regulations

 **[DE] National regulations**

Water hazard class

WGK:

2 - deutlich wassergefährdend

15.2. Chemical Safety Assessment

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Jan 2021

Print date: 6 Jan 2021

Version: 2



HYDROPOX EPG FAST B-Komponente

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) (<i>Acute Tox. 4</i>)	H302: Harmful if swallowed.	
Acute toxicity (dermal) (<i>Acute Tox. 4</i>)	H312: Harmful in contact with skin.	
Skin corrosion/irritation (<i>Skin Corr. 1B</i>)	H314: Causes severe skin burns and eye damage.	
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

No data available