



Address: 3600 South Gessner Rd STE 110
Houston, TX 77063
CLIA – 45D1061571
Lab Director - Albert Chen M.D.
Phone: 281-378-2116
Fax: 281-466-2483

PLEASE SUBMIT THE FOLLOWING WITH REQUISITION FORM

- Letter of Medical Necessity (Signed by Physician)
- Informed Consent Form (Signed by Pt & Physician)
- SOAP & Progress Note (Signed by Physician)
- Summary of Active Medications
- Scanned Insurance Card Copy

DIABETES-OBESITY GENETIC TESTING REQUISITION FORM

PATIENT INFORMATION

Patient First Name		Patient Last Name		Biological Sex <input type="checkbox"/> F <input type="checkbox"/> M
Date of Birth (MM/DD/YYYY)	Phone Number	Email Address	Social Security Number	
Address		City	State	Zip

Ethnicity: African American Asian Caucasian Hispanic Jewish(Ashkenazi) Portuguese Other

PATIENT INSURANCE INFORMATION

SPECIMEN INFORMATION

<input type="checkbox"/> Insurance <input type="checkbox"/> Self-Pay <input type="checkbox"/> Client Bill		Date Sample Collected (mm/dd/yy) (required)	
Name of the insurance	Secondary Insurance, If any	Medical Record#	
Insurance Policy/ID number	Name of the insured	<input type="checkbox"/> Buccal Swab	
Insurance Group number	Date of Birth of Insured	<input type="checkbox"/> Other (specify source)	

ORDERING PHYSICIAN/SENDING FACILITY (Each Listed person will receive a copy of the report)

Facility Name (Facility Code):	Address:	City:	
State/Country :	Zip:	Phone:	
Ordering Licensed Provider Name (Last, First)(Code)	NPI#	Phone	Fax/Email

STATEMENT OF MEDICAL NECESSITY

By submission of this test requisition and accompanying sample(s), I: (i) authorize and direct to perform the testing indicated; (ii) certify that the person listed as the ordering provider is authorized by law to order the test(s) requested; (iii) certify that any custom panel and/or ordered test(s) requested on this test requisition form are reasonable and medically necessary for the diagnosis and/or treatment of a disease, illness, impairment, symptom, syndrome or disorder; (iv) the test results will determine my patient's medical management and treatment decisions of this patient's condition on this date of service; (v) have obtained this patient's and relatives', when applicable, written informed consent to undergo any genetic testing requested; and (vi) that the full and appropriate diagnosis code(s) are indicated to the highest level of specificity.

Signature of Provider (required)

Date:

INDICATIONS FOR TESTING (CHECK ALL THAT APPLY)

Diagnostic Family history Positive or normal control Other.....

Will Patient management be changed depending on the test results? Yes No

CLINICAL HISTORY

Attach any available detailed medical records and clinical notes

Clinical Presentation

Please indicate any clinical presentations and/or Endings that may be relevant to genetic testing:

There are many presentations which may not seem like a direct association for disease. Please list the most suspected presentations and attach detailed medical records and/or pedigree.

FAMILY HISTORY Please give age at diagnosis and current treatment (Diet/OHA/Ins)

DIABETIC GRANDPARENT(S)?:	FATHER'S FATHER:	FATHER'S MOTHER:
	MOTHER'S FATHER:	MOTHER'S MOTHER:
DIABETIC PARENT(S)?:	FATHER:	MOTHER:
DIABETIC SIBLING(S)?:	NUMBER AND AGE AT DIAGNOSIS:	
DIABETIC CHILDREN?:	NUMBER AND AGE AT DIAGNOSIS:	
OTHER DIABETIC RELATIVES (N.B. A FAMILY TREE SHOWING AGE AT DIAGNOSIS AND CURRENT TREATMENT OF AFFECTED FAMILY MEMBERS WOULD BE VERY HELPFUL):		
FAMILY HISTORY OF RENAL DISEASE (CYSTS, PROTEINURIA, RENAL FAILURE, RENAL DYSPLASIA, RENAL AGENESIS) Y/N PLEASE GIVE DETAILS:		
FAMILY HISTORY OF DEAFNESS Y/N PLEASE GIVE DETAILS:		
IF SAMPLES FROM OTHER FAMILY MEMBERS HAVE BEEN SENT PREVIOUSLY PLEASE GIVE DETAILS:		

PATIENT VISIT HISTORY	Date of the Previous Patient Visit	Date of the Last Genetic Testing, if any
-----------------------	------------------------------------	------------------------------------------

Targeted Single Gene Testing Panel (Select the genes below) or Comprehensive Diabetes NGS Testing Panel (Test All Genes)

<input type="checkbox"/> ABCC8	<input type="checkbox"/> GATA6	<input type="checkbox"/> HNF1A	<input type="checkbox"/> KCNJ11	<input type="checkbox"/> PDX1	<input type="checkbox"/> SLC2A2
<input type="checkbox"/> BLK	<input type="checkbox"/> GCK	<input type="checkbox"/> HNF1B	<input type="checkbox"/> KLF11	<input type="checkbox"/> PPARG	<input type="checkbox"/> TCF7L2
<input type="checkbox"/> CAPN10	<input type="checkbox"/> GLIS3	<input type="checkbox"/> HNF4A	<input type="checkbox"/> NEUROD1	<input type="checkbox"/> PTF1A	<input type="checkbox"/> UCP2
<input type="checkbox"/> EIF2AK3	<input type="checkbox"/> GLUD1	<input type="checkbox"/> INS	<input type="checkbox"/> NEUROG3	<input type="checkbox"/> RFX6	<input type="checkbox"/> WFS1
<input type="checkbox"/> FOXP3	<input type="checkbox"/> HADH	<input type="checkbox"/> INSR	<input type="checkbox"/> PAX4	<input type="checkbox"/> SLC16A1	<input type="checkbox"/> ZFP57

Code Used to report type 1 diabetes:

<ul style="list-style-type: none"> <input type="checkbox"/> E10.1X With the presence of diabetic ketoacidosis <input type="checkbox"/> E10.10 With diabetic ketoacidosis without coma <input type="checkbox"/> E10.11 With diabetic ketoacidosis with coma <input type="checkbox"/> E10.2X With renal disease <input type="checkbox"/> E10.21 With diabetic nephropathy <input type="checkbox"/> E10.22 With diabetic chronic kidney disease <input type="checkbox"/> E10.29 With other diabetic kidney <input type="checkbox"/> E10.3X With eye disease <input type="checkbox"/> E10.311 With ophthalmic complications without macular edema <input type="checkbox"/> E10.319 With ophthalmic complications with macular edema <input type="checkbox"/> E10.321 With mild nonproliferative diabetic retinopathy with macular edema <input type="checkbox"/> E10.329 With mild nonproliferative diabetic retinopathy without macular edema <input type="checkbox"/> E10.331 With macular edema <input type="checkbox"/> E10.339 Without macular edema <input type="checkbox"/> E10.341 With severe nonproliferative diabetic retinopathy with macular edema <input type="checkbox"/> E10.349 With severe nonproliferative diabetic retinopathy without macular edema <input type="checkbox"/> E10.351 With proliferative diabetic retinopathy with macular edema <input type="checkbox"/> E10.359 With proliferative diabetic retinopathy without macular edema <input type="checkbox"/> E10.36 With diabetic cataract <input type="checkbox"/> E10.39 With other diabetic ophthalmic complication <input type="checkbox"/> E10.4X With nerve disease <input type="checkbox"/> E10.40 With diabetic neuropathy, unspecified <input type="checkbox"/> E10.41 With diabetic mononeuropathy <input type="checkbox"/> E10.42 With diabetic polyneuropathy 	<ul style="list-style-type: none"> <input type="checkbox"/> E10.43 With diabetic autonomic (poly)neuropathy <input type="checkbox"/> E10.44 With diabetic amyotrophy <input type="checkbox"/> E10.49 With other diabetic neurological complication <input type="checkbox"/> E10.5X With peripheral vascular disease <input type="checkbox"/> E10.51 With diabetic peripheral angiopathy without gangrene <input type="checkbox"/> E10.52 With diabetic peripheral angiopathy with gangrene <input type="checkbox"/> E10.59 With other circulatory complications <input type="checkbox"/> E10.6X With diabetes-related musculoskeletal, oral, or skin complications; hypoglycemia; or hyperglycemia <input type="checkbox"/> E10.61 With diabetic arthropathy <input type="checkbox"/> E10.610 With diabetic neuropathic arthropathy <input type="checkbox"/> E10.618 With other diabetic arthropathy <input type="checkbox"/> E10.620 With diabetic dermatitis <input type="checkbox"/> E10.621 With foot ulcer <input type="checkbox"/> E10.622 With other skin ulcer <input type="checkbox"/> E10.628 With other skin complications <input type="checkbox"/> E10.630 With periodontal disease <input type="checkbox"/> E10.638 With other oral complications <input type="checkbox"/> E10.641 With hypoglycemia with coma <input type="checkbox"/> E10.649 With hypoglycemia without coma or with hypoglycemia unawareness <input type="checkbox"/> E10.65 With hyperglycemia <input type="checkbox"/> E10.69 With other specified complication <input type="checkbox"/> E10.8 With complications, unspecified <input type="checkbox"/> E10.9 Without complications
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Code Used to report type 2 diabetes:

<ul style="list-style-type: none"> <input type="checkbox"/> E11.0X With hyperosmolarity <input type="checkbox"/> E11.00 Without nonketotic hyperglycemic hyperosmolar coma <input type="checkbox"/> E11.01 With nonketotic hyperglycemic hyperosmolar coma <input type="checkbox"/> E11.2X With kidney complications <input type="checkbox"/> E11.21 With diabetic nephropathy <input type="checkbox"/> E11.22 With diabetic chronic kidney disease <input type="checkbox"/> E11.29 With other diabetic kidney complications <input type="checkbox"/> E11.3X With eye complications <input type="checkbox"/> E11.31 With diabetic retinopathy, unspecified 	<ul style="list-style-type: none"> <input type="checkbox"/> E11.45 With autonomic neuropathy (e.g., gastroparesis) <input type="checkbox"/> E11.49 With other diabetic neurological complications <input type="checkbox"/> E11.5X With peripheral vascular disease <input type="checkbox"/> E11.51 With diabetic peripheral angiopathy without gangrene <input type="checkbox"/> E11.52 With diabetic peripheral angiopathy with gangrene <input type="checkbox"/> E11.59 With other circulatory complications <input type="checkbox"/> E11.6X With diabetes-related musculoskeletal, oral, or skin complications; hypoglycemia; or hyperglycemia <input type="checkbox"/> E11.61 With diabetic arthropathy
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<ul style="list-style-type: none"> <input type="checkbox"/> E11.311 With diabetic retinopathy with macular edema <input type="checkbox"/> E11.319 With diabetic retinopathy without macular edema <input type="checkbox"/> E11.32 With mild nonproliferative diabetic retinopathy` <input type="checkbox"/> E11.321 With mild nonproliferative diabetic retinopathy with macular edema <input type="checkbox"/> E11.329 With mild nonproliferative diabetic retinopathy without macular edema <input type="checkbox"/> E11.33 With moderate nonproliferative diabetic retinopathy <input type="checkbox"/> E11.331 With moderate nonproliferative diabetic retinopathy with macular edema <input type="checkbox"/> E11.339 With moderate nonproliferative diabetic retinopathy without macular edema <input type="checkbox"/> E11.34 With severe nonproliferative diabetic retinopathy <input type="checkbox"/> E11.341 With severe nonproliferative diabetic retinopathy with macular edema <input type="checkbox"/> E11.349 With severe nonproliferative diabetic retinopathy without macular edema <input type="checkbox"/> E11.36 With diabetic cataract <input type="checkbox"/> E11.39 With other diabetic ophthalmic complication <input type="checkbox"/> E11.4X With nerve complications <input type="checkbox"/> E11.40 With diabetic neuropathy, unspecified <input type="checkbox"/> E11.41 With mononeuropathy <input type="checkbox"/> E11.42 With diabetic polyneuropathy 	<ul style="list-style-type: none"> <input type="checkbox"/> E11.610 With diabetic neuropathic arthropathy <input type="checkbox"/> E11.618 With other diabetic arthropathy <input type="checkbox"/> E11.62 With skin complications <input type="checkbox"/> E11.620 With diabetic dermatitis <input type="checkbox"/> E11.621 With foot ulcer <input type="checkbox"/> E11.622 With other skin ulcer <input type="checkbox"/> E11.628 With other skin complications <input type="checkbox"/> E11.63 With oral complications <input type="checkbox"/> E11.630 With periodontal disease <input type="checkbox"/> E11.638 With other oral complications <input type="checkbox"/> E11.64 With hypoglycemia <input type="checkbox"/> E11.641 With hypoglycemia with coma <input type="checkbox"/> Ell.649 Without hypoglycemia without coma <input type="checkbox"/> E11.65 With hyperglycemia <input type="checkbox"/> E11.69 With other complications <input type="checkbox"/> E11.8X With other non-specified complication <input type="checkbox"/> E11.9X Well controlled without hyperglycemia, hypoglycemia, or complications
<ul style="list-style-type: none"> <input type="checkbox"/> Dermatology <input type="checkbox"/> S81.801 Open wound, unspecified, right lower leg <input type="checkbox"/> L97.X–L98.X Site of ulceration <input type="checkbox"/> L97.411 Non-pressure chronic ulcer of right heel and mid-foot limited to breakdown of skin <input type="checkbox"/> L97.5 Non-pressure chronic ulcer of other part of the foot <input type="checkbox"/> L97.533 Non-pressure chronic ulcer of other part of left foot with necrosis of muscle Nephrology <input type="checkbox"/> N18.1 Chronic kidney disease (CKD) stage I <input type="checkbox"/> N18.2 CKD stage II <input type="checkbox"/> N18.3 CKD stage III <input type="checkbox"/> N18.4 CKD stage IV <input type="checkbox"/> N18.5 CKD stage V 	<ul style="list-style-type: none"> <input type="checkbox"/> N18.6 End-stage renal disease <input type="checkbox"/> R80.9 Microalbuminuria <input type="checkbox"/> Z99.2 Dependence on renal dialysis <input type="checkbox"/> E10.42 Presence of AV shunt for dialysis Hypoglycemia <input type="checkbox"/> E10.649 Type 1 diabetes with hypoglycemia without coma <input type="checkbox"/> E11.649 Type 2 diabetes with hypoglycemia without coma <input type="checkbox"/> E08.64 Diabetes due to underlying condition with hypoglycemia <input type="checkbox"/> E09.64 Drug- or chemical-induced diabetes with hypoglycemia <input type="checkbox"/> E16.0 Drug-induced hypoglycemia without coma <input type="checkbox"/> E16.1 Other hypoglycemia <input type="checkbox"/> E16.2 Hypoglycemia, unspecified <input type="checkbox"/> EXX.641 Fill in with code for type of diabetes with hypoglycemia and coma
<ul style="list-style-type: none"> <input type="checkbox"/> F17.210 Nicotine dependence, cigarettes, uncomplicated <input type="checkbox"/> K31.84 Gastroparesis <input type="checkbox"/> I10 Essential hypertension <input type="checkbox"/> Hyperlipidemia: <input type="checkbox"/> E78.0 Pure hypercholesterolemia <input type="checkbox"/> E78.1 Pure hypertriglyceridemia <input type="checkbox"/> E78.2 Mixed hyperlipidemia <input type="checkbox"/> E78.5 Hyperlipidemia, unspecified <input type="checkbox"/> Hypothyroidism: <input type="checkbox"/> E06.3 Due to Hashimoto's disease <input type="checkbox"/> E89.0 Postoperative or postablative <input type="checkbox"/> E03.9 Acquired <input type="checkbox"/> Z13.29 Thyroid disorder screen <input type="checkbox"/> R94.6 Abnormal thyroid blood test or screen <input type="checkbox"/> E66.0 Obesity due to excess calories <input type="checkbox"/> E66.01 Morbid severe obesity due to excess calories <input type="checkbox"/> E66.9 Obesity, unspecified 	<ul style="list-style-type: none"> <input type="checkbox"/> Also utilize a Z68 code with obesity for BMI: <input type="checkbox"/> Z68.30 BMI 30.0–30.9 kg/m2 <input type="checkbox"/> Z68.31 BMI 31.0–31.9 kg/m2 <input type="checkbox"/> Z68.32 BMI 32.0–32.9 kg/m2 <input type="checkbox"/> Z68.33 BMI 33.0–33.9 kg/m2 <input type="checkbox"/> Z68.34 BMI 34.0–34.9 kg/m2 <input type="checkbox"/> Z68.35 BMI 35.0–35.9 kg/m2 <input type="checkbox"/> Z68.36 BMI 36.0–36.9 kg/m2 <input type="checkbox"/> Z68.37 BMI 37.0–37.9 kg/m2 <input type="checkbox"/> Z68.38 BMI 38.0–38.9 kg/m2 <input type="checkbox"/> Z68.39 BMI 39.0–39.9 kg/m2 <input type="checkbox"/> Z68.41 BMI 40.0–44.9 kg/m2 <input type="checkbox"/> Z68.42 BMI 45.0–49.9 kg/m2 <input type="checkbox"/> Z68.43 BMI 50.0–59.9 kg/m2 <input type="checkbox"/> Z68.44 BMI 60.0–69.9 kg/m2 <input type="checkbox"/> Z68.45 BMI >70.0 kg/m2 <input type="checkbox"/> G47.33 Obstructive sleep apnea <input type="checkbox"/> E28.2 Polycystic ovarian syndrome

Additional ICD10 codes:

.....

INFORMED CONSENT

For the purposes of this consent, “I”, “my”, and “your” will refer to me or to my child, including my unborn child, if my child is the person for whom the healthcare provider has ordered testing.

PURPOSE OF THIS TEST

The purpose of this test is (a) to see if I may have a genetic variant or chromosome rearrangement causing a genetic disorder; or (b) to evaluate the chance that I will develop or pass on a genetic disorder in the future. If I already know the specific gene variant(s) or chromosome rearrangement that causes the genetic disorder in my family, I agree to inform the laboratory of this information.

WHAT TYPE OF TEST RESULTS CAN I EXPECT FROM GENETIC TESTING?

1. Positive: A change in your DNA was found, which is very likely the cause of your features/symptoms. This is the most straightforward test result, which can be used as the basis to test other family members to determine their chances of having either the disease or a child with the disease.
2. Negative: No variants were found to explain your symptoms. This does not mean that you do not have a genetic condition. It is still possible that there is a genetic variant not found by the test that was ordered. Your healthcare provider or genetic counselor may discuss more testing either now or in the future.
3. Variant of Uncertain Significance (VUS): A change in a gene was found. However, we are not sure whether this variant is the cause of your symptoms/features. More information is needed. We may suggest testing other family members to help figure out the meaning of the test result.

4. Unexpected Results: In rare instances, this test may reveal an important genetic change that is not directly related to the reason for ordering this test. For example, this test may find you are at risk for another genetic condition I am not aware of or it may indicate differences in the number or rearrangement of sex chromosomes. We may disclose this information to the ordering healthcare provider if it likely affects medical care. Because medical and scientific knowledge is constantly changing, new information that becomes available may supplement the information **Elite Clinical Laboratory** used to interpret my results.

Healthcare providers can contact **Elite Clinical Laboratory** at any time to discuss the classification of an identified variant.

WHAT IS TRIO/DUO-BASED GENETIC TESTING?

For some genetic tests, including samples from the biological parents and/or other biological relatives along with the patient's sample can help with the interpretation of the test results. These tests are often referred to as "trio tests" since they typically include samples from the patient and both parents. Samples from relatives should be submitted with the patient's sample. Clinical information must be provided for the patient and any relative who submits a sample.

I understand that **Elite Clinical Laboratory** will use the relative sample(s) when needed for the interpretation of my test results and that my test report may include clinical and genetic information about a relative when it is relevant to the interpretation of the test results. I further understand that relatives will not receive an independent analysis of data nor a separate report.

RISKS AND LIMITATIONS OF GENETIC TESTING

1. In some cases, testing may not identify a genetic variant even though one exists. This may be due to limitations in current medical knowledge or testing technology.

2. Accurate interpretation of test results may require knowing the true biological relationships in a family. I understand that if I fail to accurately state the biological relationships in my family, it could lead to incorrect interpretation of the test results, incorrect diagnoses, and/or inconclusive test results. If genetic testing reveals that the true biological relationships in a family are not as I reported them, including non-paternity (the reported father is not the biological father) and consanguinity (the parents are related by blood), I agree to have these findings reported to the healthcare provider who ordered the test.

3. Although genetic testing is highly accurate, inaccurate results may occur. These reasons include, but are not limited to mislabeled samples, inaccurate reporting of clinical/medical information, rare technical errors, or other reasons.

4. I understand that this test may not detect all of the long-term medical risks that I might experience. The result of this test does not guarantee my health and that additional diagnostic tests may still need to be done.

5. I agree to provide an additional sample if the initial sample is not adequate.

PATIENT CONFIDENTIALITY AND GENETIC COUNSELING

It is recommended that I receive genetic counseling before and after having this genetic test. I can find a genetic counselor in my area at www.nsgc.org. Further testing or additional consultations with a healthcare provider may be necessary.

To maintain confidentiality, test results will only be released to the referring healthcare provider, the ordering laboratory, to me, to other healthcare providers involved in my care, diagnosis and treatment, or to others with my consent or as permitted or required by law. Federal laws prohibit unauthorized disclosure of this information. More information can be found at: www.genome.gov/10002077

INTERNATIONAL SAMPLES

If I reside outside the United States, I attest that by providing a sample for testing, I am not knowingly violating any export ban or other legal restriction in the country of my residence.

SAMPLE RETENTION

After testing is complete, my sample may be de-identified and be used for test development and improvement, internal validation, quality assurance, and training purposes. **Elite Clinical Laboratory** will not return DNA samples to you or to referring healthcare providers, unless specific prior arrangements have been made. I understand that samples from residents of New York State will not be included in the de-identified research studies described in this authorization and will not retain them for more than 60 days after test completion, unless specifically authorized by my selection. The authorization is optional, and testing will be unaffected if I do not check the box for the New York authorization language. **Elite Clinical Laboratory** will not perform any tests on the biological sample other than those specifically authorized.

DATABASE PARTICIPATION

De-identified health history and genetic information can help healthcare providers and scientists understand how genes affect human health. Sharing this de-identified information helps healthcare providers to provide better care for their patients and researchers to make new discoveries. **Elite Clinical Laboratory** shares this type of information with healthcare providers, scientists, and healthcare databases. **Elite Clinical Laboratory** will not share any personally identifying information and will replace the identifying information with a unique code not derived from any personally identifying information. Even with a unique code, there is a risk that I could be identified based on the genetic and health information that is shared. **Elite Clinical Laboratory** believes that this is unlikely, though the risk is greater if I have already shared my genetic or health information with public resources, such as genealogy websites.

INFORMED CONSENT

EXOME/GENOME SEQUENCING SECONDARY FINDINGS

Applicable Only for Full Exome Sequencing and Genome Sequencing Tests. • Does not pertain to Xpanded® or Slice tests

As many different genes and conditions are analyzed in an exome or genome sequencing test, these tests may reveal some findings not directly related to the reason for ordering the test. Such findings are called "incidental" or "secondary" and can provide information that was not anticipated.

Secondary findings are variants, identified by an exome or genome sequencing test, in genes that are unrelated to the individual's reported clinical features.

The American College of Medical Genetics and Genomics (ACMG) has recommended that secondary findings identified in a specific subset of medically actionable genes associated with various inherited disorders be reported for all probands undergoing exome or genome sequencing. Please refer to the latest version of the ACMG recommendations for reporting of secondary findings in clinical exome and genome sequencing for complete details of the genes and associated genetic disorders. Reportable secondary findings will be confirmed by an alternate test method when needed.

WHAT WILL BE REPORTED FOR THE PATIENT? - All pathogenic and likely pathogenic variants associated with specific genotypes identified in the genes (for which a minimum of 10X coverage was achieved by exome sequencing or a minimum of 15X coverage was achieved by genome sequencing), as recommended by the ACMG.

WHAT WILL BE REPORTED FOR RELATIVES? - The presence or absence of any secondary finding(s) reported for the proband will be provided for all relatives analyzed by an exome or genome sequencing test.

LIMITATIONS - Pathogenic and/or likely pathogenic variants may be present in a portion of the gene not covered by this test and therefore are not reported. The absence of reportable secondary findings for any particular gene does not mean there are no pathogenic and/or likely pathogenic variants in that gene. Pathogenic variants and/or likely pathogenic variants that may be present in a relative, but are not present in the proband, will not be identified, or reported. Only changes at the sequence level will be reported in the secondary findings report. Larger deletions/duplications, abnormal methylation, triplet repeat or other expansion variants, or other variants not routinely identified by clinical exome and genome sequencing will not be reported.

FINANCIAL AGREEMENT AND GUARANTEE - For insurance billing, I understand and authorize **Elite Clinical Laboratory** to bill my health insurance plan on my behalf, to release any information required for billing, and to be my designated representative for purposes of appealing any denial of benefits. I irrevocably assign to and direct that payment be made directly to I understand that my out-of-pocket costs may be different than the estimated amount indicated to me by **Elite Clinical Laboratory** as part of a benefit investigation. I agree to be financially responsible for any and all amounts as indicated on the explanation of benefits issued by my health insurance plan. If my insurance provider sends a payment directly to me for services performed by **Elite Clinical Laboratory** on my behalf, I agree to endorse the insurance check and forward it to **Elite Clinical Laboratory** within 30 days of receipt as payment towards **Elite Clinical Laboratory** claim for services rendered.

MEDICARE

A completed Advance Beneficiary Notice (ABN) is required for Medicare patients.

DIGITAL PATIENT LETTER CONSENT

• Applicable Only for Commercial Insurance

• Estimate is provided by your health insurance company and therefore NO estimate will be sent for any orders placed with federal or state-funded insurance plans (e.g. Medicare, Medicaid, Tricare, etc.), institutional bill, or patient bill (self-pay).

To provide you with the estimated out-of-pocket expenses related to your test, **Elite Clinical Laboratory** will send you an email and/or text with the link to access your personalized Digital Patient Letter.

In order to send this information, we need your consent and agreement to the following items:

1. can use your email address or mobile phone number solely for the purpose of **Elite Clinical Laboratory** sending your estimated financial obligation. Text message data rates may apply. is not responsible for undelivered messages due to incorrect or illegible contact information.
2. will send you an email and/or text message containing a link to view your personalized Patient Letter that includes the test out-of-pocket estimate. The link is time-sensitive and will only be available for 72 hours from the time the message is sent. In order to view the estimate, you must click the link in the message.
3. If you take no action, **Elite Clinical Laboratory** will assume that you agree to move ahead with testing and will bill your health insurance. You can approve testing with insurance, switch to self-pay, or cancel the test via the link within the given 72-hour window. In turn, **Elite Clinical Laboratory** if receives your sample(s) and the billing method hasn't been changed, or the test hasn't been cancelled, we will move ahead with testing as ordered, and you will be responsible for any out-of-pocket costs for the completion of the test(s).

STOP Patient Signature

I hereby assign all rights and benefits under my health plan and all rights and obligations that I and my dependents have under my health plan to **Elite Clinical Laboratory** its assigned affiliates and authorized representatives for laboratory services furnished to me by **Elite Clinical Laboratory** I irrevocably designate, authorize and appoint **Elite Clinical Laboratory** or its assigned affiliates and their authorized representatives as my true and lawful attorney-in-fact for the purpose of submitting my claims, obtain a copy of my health plan document, Summary Plan Description, disclosure, appeal, litigation or other remedies in accordance with the benefits and rights under my health plan and in accordance with federal or state laws. If my health plan fails to abide by my authorization and makes payment directly to me, I agree to endorse the insurance check and forward it to **Elite Clinical Laboratory** immediately upon receipt. I hereby authorize **Elite Clinical Laboratory** its assigned affiliates and authorized representatives to contact me or my health Plan/administrator for billing or payment purposes by phone, text message, or email with the contact information that I have provided to **Elite Clinical Laboratory**, in compliance with federal and state laws. **Elite Clinical Laboratory**, its assigned affiliates and their authorized representatives may release to my health plan administrator, my employer, and my authorized representative my personal health information for the purpose of procuring payment of **Elite Clinical Laboratory** and for all the laboratory services. I understand the acceptance of insurance does not relieve me from any responsibility concerning payment for laboratory services and that I am financially responsible for all charges whether or not they are covered by my insurance.

Signature of Patient or Patient Representative / Relationship to Patient

Date:

STOP ORDERING PHYSICIAN SIGN HERE Physician must only order tests that are medically necessary for the diagnosis or treatment of a patient

I attest that this test is medically necessary for the diagnosis or detection of a disease or disorder and that the results will be used in medical management and care decisions for the patient. Furthermore, all information on this Requisition Form is true to the best of my knowledge. I agree to provide the Care Plan notes and Letter of Intent for this order if the insurance requests the lab to gather the medical necessity for any reason

Ordering Physician Signature

Date: