REEL CREATIONS™, INC. SAFETY DATA SHEET

REELTM BLOOD - Original Formula,

Lung Blood & Aged Blood

REEL CREATIONS™, INC. - Manufacturer

7831 Alabama Ave., #21

Canoga Park, CA. 91304

EMERGENCY TELEPHONE NO:

PH: (818) 346-7335

Revised: 05/01/'15

24 HR. Contact -CHEMTREC

U.S. (800)424-9300

INTERNATIONAL (703) 527-3887

SECTION I - INGREDIENT/IDENTITY INFORMATION

These products are a composition of Glucose, De-ionized Water, Corn Starch, Citrus Cloud, Sodium Laurel Sulfate, & Glydent

SECTION II - HAZARD(S) IDENTIFICATION

Classification of the substance or mixture:

Not classified for physical or health hazards under GHS.

Hazard Statements:

Non Hazardous

Precautionary Statements:

Non-toxic, however, not to be eaten due to sweet taste. Keep out of reach of children.

Possible Skin Irritation - minor, reversible.

Probable Eye Irritation

Caution! - Not to be used in any open orifices of the body.

Other Non-GHS Classification:

WHMIS NFPA/HMIS



NFPA SCALE (0-4)



HMIS RATINGS (0-4)



05/01/15

SECTION II - HAZARD(S) IDENTIFICATION (Cont.)

Precautionary Statements (Cont.)

Prevention:

Wash face, hands and any exposed skin thoroughly after using.

Inhalation:

If necessary (not likely) remove victim to fresh air.

Skin Contact:

Wash with soap and water if irritation occurs (not likely).

Eve Contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If deemed necessary, call a physician immediately.

Ingestion:

REELTM BLOOD is non-toxic but not to be ingested. Use in mouth is O.K. for visual and/or photographic effects, however, it is imperative that you spit out the product after use and rinse the mouth with water.

Inhalation:

Use adequate ventilation to keep any possible airborne concentrations below exposure limits.

Fire:

N?A

Storage:

Store in cool (between 59° and 80° F) dry place and keep air tight. Every run of REEL™ BLOOD is has a Microbiological Certificate of Analysis. Once the user breaks the air tight seal, it is their responsibility to keep the product cosmetically pure.

Recirculation for visual effects:

If the product exposed to the human body in any way, it must be disposed of after use, it is imperative that a new pure batch of product is to be used for any retakes.

Disposal:

Dispose of contents/containers to an approved waste disposal plant.

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

| CAS 7732-18-5 | water, Purified | <25% |
|----------------|----------------------------------|-------|
| CAS 151-21-3 | Sodium dodecyl sulphate | 0.1 |
| no-CAS No. | DMDM Hydantoin (mixture) | 0.1 |
| CAS 55406-53-6 | 3-lodo-2-propynyl butylcarbamate | 0.001 |
| CAS 107-88-0 | Butane-1,3-diol | 0.001 |

May contain Cosmetic Grade FD&C Red #40, FD&C Yellow #5, FD&C Blue #1, FD&C Green #3, FD&C Yellow #6, Black Iron Oxide, Brown Iron Oxide & Titanium Oxide for color effects.

05/01/15

SECTION IV - FIRST AID MEASURES

General Advice: If symptoms persist, call a physician.

Eye Contact: Rinse Immediately with plenty of water, also under the eyelids, for at least 15 minutes. May cause eye

burns. If necessary, call a physician.

Skin Contact: Wash with soap and water if irritation occurs (not likely). Call a physician if irritation persists.

If Swallowed: REEL™ BLOOD is non-toxic and not to be ingested. If ingested, clean mouth with water and drink plenty

of water. Do not induce vomiting without medical advice. Use in mouth is O.K. for visual and/or photographic effects, however, it is imperative that you spit out the product after use and rinse the mouth with water.

Inhalation: Remove to fresh air.

SECTION V - FIREFIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Agents: Use water, dry chemical, chemical foam, carbon dioxide or alcohol-resistant foam.

Special Hazards during Firefighting;

Heating or fire can release toxic gas. Possible Carbon monoxide (CO), Carbon dioxide (CO2) and/or Sulphur oxides, Sodium oxides.

Advice for Firefighters:

Wear protective eyesore, gloves and clothing. Refer to Section 8. Avoid contact with skin, eyes and clothing.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Because REELTM BLOOD is used in such small quantities, risk assessments are at a minimal. Inhalation problems should be at minimum risk.

Environmental Precautions:

If necessary use trained response staff or contractor. Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

Methods and material for containment and clean up:

Clean up spills immediately prior to drying. Use water to thin product for easier mop absorption or sweeping. Absorb with suitable absorbent material such as sand or earth then containerize for disposal.

Recommended Storage Temperatures:

59°F - 80°F (15°C - 27°C)

SECTION VII - HANDLING & STORAGE

Precautions for safe handling:

Wash hands before breaks and immediately after handling the product. Follow good hygiene and cosmetic procedures when handling chemical materials. Refer to Section 8. Do not eat, drink or use personal products when handling chemical substances. Conditions for safe storage, including any incompatibilities:

Keep containers tightly closed, to maintain product quality, do not store in heat or direct sunlight. Store at room temperatures in the original containers (59°F - 80°F)

05/01/15

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Respiratory Protection:

No special respiratory protection equipment is recommended under normal conditions of anticipated use with adequate ventilation.

Skin Protection:

Skin protection appropriate to the conditions of use.

Eve Protection:

Safety glasses with side guard should be worn to prevent injury from flying particles and/or other eye contact with this product.

Hand Protection:

If you find it necessary, surgical gloves are recommended for large usage.

SECTION IX - PHYSICAL & CHEMICAL PROPERTIES

Appearance (physical state, color): Syrupy, color of blood. Explosion limit lower: Non Explosive Explosion limit upper: Non Explosive

Odor: Sweet odor Vapor Pressure: Not Available
Odor Threshold: Not Available Vapor Density: Not Available

pH-Value: 5.9 Relative Density: 1.54

Solubilities: Soluble in Water Melting/Freezing Point: Not Available Partition coefficient: Not Available **Boiling Point:** Not Available Not Applicable >200°F Auto/Self-ignition: Flash Point (closed cup) Not Available **Decomposition Temperature:** Not Available **Evaporation Rate:** Not Available Viscosity - Kinematic, Dynamic: Flammability (solid, gaseous): Not Applicable

SECTION X - STABILITY AND REACTIVITY

Reactivity: None under normal processing.
Chemical Stability: Stable under normal conditions.

Possible Hazardous Reactions:

Conditions to Avoid: Excessive heat. Dust generation. Incompatible Materials. Refer to Section 5.

Incompatible Materials to Avoid: Strong Oxidizers.

Hazardous Decomposition Products: Carbon Oxides, Irritating and highly toxic gasses or fumes.

SECTION XI - TOXICOLOGICAL INFORMATION

Acute Toxicity:

Oral: 25,800 mg/kg. LD50 Oral - rat

No additional Information **Chronic Toxicity:** No additional Information **Corrosion Irritation:** No additional Information Sensitization: **Single Target Organ(STOT):** No additional Information No additional Information **Numerical Measures:** Non-Carcinogenic Carcinogenicity: No additional Information Mutagenicity: No additional Information Reproductive Toxicity:

05/01/15

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity Persistence and degradability:

Because there is a minute amount of toxicity to aquatic organisms, do not allow material to contaminate ground water system. Do not empty into drains. Contains a substance that can be harmful to aquatic organisms.

Bioaccumulative Potential:

No additional Information.

Mobility in soil:

Will likely be mobil in the environment due to its water solubility.

DISPOSAL XIII - DISPOSAL CONSIDERATIONS

Waste disposal recommendations:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste.

Chemical waste generators bus also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Rinse out with water and dispose of empty containers as unused product.

SECTION XIV- TRANSPORT INFORMATION

UN-Number:

Not Dangerous Goods.

UN proper shipping name:

Not Dangerous Goods

Transport hazard class(es):

Packing group: Not Dangerous Goods

Environmental Hazards - Marine Pollutant: Marine Pollutant in major quantities - more than 1% by volume.

Transport in bulk: Not Applicable Special precautions for user: None

SECTION XV - REGULATORY INFORMATION

United States (USA)

SARA Section 311/312 (Specific Toxic Chemical Listings0:

None of the ingredients is listed.

SARA Section 313 (Specific toxic chemical listings):

The ingredients listed:

Glydent - 0.1% of Formula -

Sodium Laurel Sulfate - 0.1% of Formula

RCRA (hazardous waste code):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All of the ingredients is listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act0:

The ingredients listed:

Glydent - 0.1% of Formula

Sodium Laurel Sulfate - 0.1% of Formula

05/01/15

SECTION XV - REGULATORY INFORMATION (Cont.)

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Canada:

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%:

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 1%):

All ingredients are listed.

SECTION XVI - OTHER INFORMATION

CONTACT: MSDS COORDINATOR REEL CREATIONS™, INC.

During Business Hours, Pacific Time (818) 346-7335

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH HAZARD CRITERIA OF THE CONTROLLED PRODUCTS REGULATIONS AND THIS SDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CONTROLLED PRODUCTS REGULATIONS. THE RESPONSIBILITY TO PROVIDE A SAFE WORKPLACE REMAINS WITH THE USER. THE USER SHOULD CONSIDER THE HEALTH HAZARDS AND SAFETY INFORMATION CONTAINED HEREIN AS A GUIDE AND SHOULD TAKE THOSE PRECAUTIONS REQUIRED IN AN INDIVIDUAL OPERATION TO INSTRUCT EMPLOYEES AND DEVELOP COSMETIC WORK PRACTICE PROCEDURES FOR THE SAFE WORK ENVIRONMENT. THE INFORMATION PRESENTED ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION BASED ON KNOWLEDGE OF THE PRODUCT CONCERNED. REEL CREATIONS™, INC. EXPRESSLY DISCLAIMS ALL EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR INFORMATION HEREIN. IN NO WAY SHALL REEL CREATIONS™, INC. BE LIABLE FOR ANY CLAIMS, LOSSES, AND/OR DAMAGES OF ANY THIRD PARTY AND/OR FOR LOST PROFITS AND/OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL AND/OR EXEMPLARY DAMAGES EVEN IF REEL CREATIONS™, INC. HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

05/01/15

SECTION XVI - OTHER INFORMATION (CONT.)

REEL™ (Product name) IS A COSMETIC AND ALL COSMETIC PRACTICES SHALL BE ADHERED TO. ALL INFORMATION APPEARING HEREIN IS BASED UPON DATA OBTAINED FROM THE MANUFACTURER AND/OR RECOGNIZED TECHNICAL SOURCES. WHILE THE INFORMATION IS BELIEVED TO ACCURATE, REEL CREATIONS™, INC. MAKES NO REPRESENTATIONS AS TO ITS ACCURACY OR SUFFICIENCY. CONDITIONS OF USE ARE BEYOND REEL CREATIONS™, INC. CONTROL AND THEREFORE USERS MUST DETERMINE WHETHER THE PRODUCT IS SUITABLE FOR THEIR PARTICULAR PURPOSES AND THEY ASSUME ALL RISK OF THEIR USE, HANDLING AND DISPOSAL OF THE PRODUCT, AND/OR FROM THE PUBLICATIONS OR USE OF, AND/OR RELIANCE UPON INFORMATION CONTAINED HEREIN. THIS INFORMATION RELATES ONLY TO THE PRODUCT DESIGNATED HEREIN, AND DOES NOT RELATE TO ITS USE IN COMBINATION WITH ANY OTHER MATERIAL AND/OR IN ANY OTHER PROCESS IN WHICH USER ASSUMES ALL RESPONSIBILITY.

*****END OF MSDS*****