

Everyday Safety

Tailgate Talks

Blood and Bodily Fluids Safety

BLOODBORNE PATHOGENS AND OTHER BODILY FLUID EXPOSURE OVERVIEW

Blood, or other bodily fluids may contain infectious organisms that can cause diseases such as Hepatitis B, C, and HIV. If blood or other bodily fluids come in contact with the eyes, mouth, skin, mucous membranes or through a needle stick, immediate action is required. Washing exposed area thoroughly, reporting the incident to your supervisor and seeking medical attention are all required actions.

- Always assume blood is infectious
- Avoid contact with potentially infectious material
- Follow all infection control protocols
- Wear your personal protective equipment—always
- Follow good hygiene—frequently wash hands
- If you must handle a sharp object then use equipment such as forceps
- Report any exposures immediately to your supervisor
- Decontaminate surfaces and materials that have been used to handle, store or temporarily come in contact with blood or PIMs. Apply disinfectants (e.g. chlorine bleach solution, Lysol and other EPA-recommended disinfectants) on tools and surfaces. Observe proper precautions when discarding regulated wastes, contaminated sharp objects and containers.



Hanover Testing Labs



Action Item:

According to 29CFR 1910.1030 or OSHA's Bloodborne Pathogens Standard, employers should develop an exposure control plan to eliminate or minimize occupational exposure to potentially infectious body fluids.

Related Topics:

Resources and References:

CDC Blood safety webpage URL:

<https://www.cdc.gov/bloodsafety/index.html>

OSHA Bloodborne Pathogens and Needlestick Prevention webpage URL

<https://www.osha.gov/SLTC/bloodbornepathogens/recognition.html>

OSHA 29CFR 1910.1030 Reference Guide

https://www.osha.gov/SLTC/bloodbornepathogens/bloodborne_quickref.html

