



## TERMITICIDE

- For sale to, use and storage only by individuals/firms licensed or registered by the state to apply termiticide and/or general pest control products.
- Ready-to-Use product for the control of subterranean and drywood termites

### ACTIVE INGREDIENT:

Fipronil: 5-amino-1-(2,6-dichloro-4-(trifluoromethyl) phenyl)-4-((1R,S)-(trifluoromethyl)sulfinyl)-1-H-pyrazole-3-carbonitrile ..... 0.5%

### OTHER INGREDIENTS:

..... 99.5%

1 lb of Termidor Dry California contains 0.08 oz of Fipronil.

TOTAL: 100.0%

EPA Reg. No. 499-546

KEEP OUT OF REACH OF CHILDREN

CAUTION • PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

FOR MEDICAL AND TRANSPORTATION EMERGENCIES ONLY  
CALL 24 HOURS A DAY 1-800-832-HELP (4357)

### FIRST AID

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 min. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15 - 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-832-HELP (4357) for emergency medical treatment information.

**NOTE TO PHYSICIAN:** There is no specific antidote. All treatment should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred. In severe cases of overexposure by oral ingestion, lethargy, muscle tremors, and in extreme cases, possibly convulsions may occur.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish, and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Care must be taken to prevent any and all drift, spillage of the product or runoff. Do not contaminate water by cleaning equipment or disposal of wastes or when disposing of equipment washwaters or rinsate.

### DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT.

#### USE RESTRICTIONS

During and after any application, the applicator is required to check for spills. Any and all spills resulting in the deposition of product in locations other than those prescribed on this label must be cleaned up immediately and prior to leaving the application site. Do not allow people or pets to contact contaminated areas or to reoccupy contaminated areas of the structure until the cleanup is completed.

**NOTE:** This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information.

### APPLICATION INSTRUCTIONS

Termidor Dry California may be used alone to kill subterranean or drywood termites or as a supplement to a post-construction treatment of Termidor® 80 WG termiticide/insecticide or Termidor® SC termiticide/insecticide to provide protection from subterranean termites. This product will kill workers and/or winged reproductive forms of the listed termite species present at the time of application and will provide residual control of termites contacting the treated surfaces only as described in the Directions for Use. This product is intended only as a spot treatment. Application of this product will not provide structural protection nor substitute for mechanical alteration, or soil or foundation treatment with registered termiticide products. This product is not to be used as sole protection against termites, as it is not intended for elimination of termite infestations nor for protection against future infestations.

**Application Device:** This Ready-to-Use product is contained in a nonrefillable package and is for use with a specially designed applicator. Approximately 3 bulb compressions of the applicator delivers 0.1 g of product.

**Application Sites:** Apply into voids and galleries, shelter tubes, termite nests or other inaccessible areas of buildings, utility poles, fencing, decking materials, railroad trestles, beams and other structural or landscape timbers where termite damage is observed or termite activity is present or suspected. If necessary, gain access to gallery or void by creating an opening into it. Openings should be approximately every 24" or into each void. Multiple injection points for each void, carton or gallery may be required. Do not apply more than 5 g [product] (25.0 mg Fipronil a.i.) per 1,000 ft<sup>2</sup> of total internal surface area of the void, carton, or gallery.

**Drywood Termites:** Apply 0.1 - 1 g/injection point.

**Subterranean Termites:** For termite galleries and shelter tubes apply 0.1 - 1 g/injection point. For applications into carton and nests apply 0.3 - 3 g/injection point. For applications into voids apply 0.2 - 2 g/injection point.

**Reapplication Interval:** This product may be applied to previously treated sites if termite activity is found 30 days after previous application.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store unused product in original container only, out of reach of children and animals.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Nonrefillable Container. Do not reuse or refill this container. After completely emptying container, offer for recycling, if available.

### CONDITIONS OF SALE AND WARRANTY

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling which are beyond the control of Whitmire Micro-Gen Research Laboratories, Inc. ("WMG"). To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. WMG warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, WMG MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, WMG AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. WMG and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of WMG.

**NOTICE TO BUYER:** Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside the United States.

Packaged for:  
Whitmire Micro-Gen Research Laboratories, Inc.®  
by BASF Corporation  
3568 Tree Court Industrial Boulevard  
St. Louis MO 63122-6682

© 2010 Whitmire Micro-Gen Research Laboratories, Inc.®  
All rights reserved.  
Termidor® is a registered trademark of BASF.

Product of France.