



The American College of  
Obstetricians and Gynecologists



FREQUENTLY ASKED QUESTIONS  
FAQ121  
GYNECOLOGIC PROBLEMS

## Polycystic Ovary Syndrome

- **What are common signs and symptoms of polycystic ovary syndrome (PCOS)?**
- **What causes PCOS?**
- **What is insulin resistance?**
- **What can high levels of androgens lead to?**
- **What can irregular menstrual periods lead to?**
- **What are the health risks for women with PCOS?**
- **Are treatments available for women with PCOS?**
- **How can combination birth control pills be used to treat women with PCOS?**
- **What effect can weight loss have on women with PCOS?**
- **How can insulin-sensitizing drugs help treat women with PCOS?**
- **What can be done to increase the chances of pregnancy for women with PCOS?**
- **Glossary**

### **What are common signs and symptoms of polycystic ovary syndrome (PCOS)?**

Common PCOS signs and symptoms include the following:

- Irregular menstrual periods—Menstrual bleeding may be absent, heavy, or unpredictable.
- **Infertility**—PCOS is one of the most common causes of female infertility.
- Obesity—Up to 80% of women with PCOS are obese.
- Excess hair growth on the face, chest, abdomen, or upper thighs—This condition, called **hirsutism**, affects more than 70% of women with PCOS.
- Severe acne or acne that occurs after adolescence and does not respond to usual treatments
- Oily skin
- Patches of thickened, velvety, darkened skin called **acanthosis nigricans**
- Multiple small **cysts** on the **ovaries**

### **What causes PCOS?**

Although the cause of PCOS is not known, it appears that PCOS may be related to many different factors working together. These factors include **insulin** resistance, increased levels of **androgens**, and an irregular menstrual cycle.

### **What is insulin resistance?**

Insulin resistance is a condition in which the body's **cells** do not respond to the effects of insulin. When the body does not respond to insulin, the level of **glucose** in the blood increases. Higher than normal blood glucose levels may eventually lead to **diabetes mellitus**. Insulin resistance also may cause more insulin to be produced as the body tries to move glucose into cells. High insulin levels may cause the appetite to increase and lead to imbalances in other **hormones**. Insulin resistance also is associated with acanthosis nigricans.

### What can high levels of androgens lead to?

When higher than normal levels of androgens are produced, the ovaries may be prevented from releasing an egg each month (a process called **ovulation**). High androgen levels also cause the unwanted hair growth and acne seen in many women with PCOS.

### What can irregular menstrual periods lead to?

Irregular menstrual periods can lead to infertility and, in some women, the development of numerous small cysts on the ovaries.

### What are the health risks for women with PCOS?

PCOS affects all areas of the body, not just the reproductive system. It increases a woman's risk of serious conditions that may have lifelong consequences.

Insulin resistance increases the risk of type 2 diabetes mellitus and **cardiovascular disease**. Another condition that is associated with PCOS is **metabolic syndrome**. This syndrome contributes to both diabetes and heart disease.

Women with PCOS tend to have a condition called **endometrial hyperplasia**, in which the lining of the uterus (the **endometrium**) becomes too thick. This condition increases the risk of endometrial cancer.

### Are treatments available for women with PCOS?

A variety of treatments are available to address the problems of PCOS. Treatment is tailored to each woman according to symptoms, other health problems, and whether she wants to become pregnant.

### How can combination birth control pills be used to treat women with PCOS?

Combination birth control pills can be used for long-term treatment in women with PCOS who do not wish to become pregnant. Combination pills contain both **estrogen** and **progestin**. Birth control pills regulate the menstrual cycle and reduce hirsutism and acne by decreasing androgen levels. They also decrease the risk of endometrial cancer.

### What effect can weight loss have on women with PCOS?

For overweight women, weight loss alone often regulates the menstrual cycle. Even a small weight loss of 10–15 pounds can be helpful in making menstrual periods more regular. Weight loss also has been found to improve **cholesterol** and insulin levels and relieve symptoms such as excess hair growth and acne.

### How can insulin-sensitizing drugs help treat women with PCOS?

Insulin-sensitizing drugs used to treat diabetes frequently are used in the treatment of PCOS. These drugs help the body respond to insulin. In women with PCOS, they can help decrease androgen levels and improve ovulation. Restoring ovulation helps make menstrual periods regular and more predictable.

### What can be done to increase the chances of pregnancy for women with PCOS?

Successful ovulation is the first step toward pregnancy. For overweight women, weight loss often accomplishes this goal. Medications also may be used to cause ovulation. Surgery on the ovaries has been used when other treatments do not work. However, the long-term effects of these procedures are not clear.

### Glossary

**Acanthosis Nigricans:** Patches of thickened, velvety, darkened skin that is sometimes associated with insulin resistance.

**Androgens:** Steroid hormones produced by the adrenal glands or by the ovaries that promote male characteristics, such as a beard and deepening voice.

**Cardiovascular Disease:** Disease of the heart and blood vessels.

**Cells:** The smallest units of a structure in the body; the building blocks for all parts of the body.

**Cholesterol:** A natural substance that serves as a building block for cells and hormones and helps to carry fat through the blood vessels for use or storage in other parts of the body.

**Cysts:** Sacs or pouches filled with fluid or other material.

**Diabetes Mellitus:** A condition in which the levels of sugar in the blood are too high.

**Endometrial Hyperplasia:** A condition in which the lining of the uterus grows too thick; if left untreated for a long time, it may lead to cancer.

**Endometrium:** The lining of the uterus.

**Estrogen:** A female hormone produced in the ovaries.

**Glucose:** A sugar that is present in the blood and is the body's main source of fuel.

**Hirsutism:** Excessive hair on the face, abdomen, and chest.

**Hormones:** Substances produced by the body to control the functions of various organs.

**Infertility:** A condition in which a couple has been unable to get pregnant after 12 months without the use of any form of birth control.

**Insulin:** A hormone that lowers the levels of glucose (sugar) in the blood.

**Metabolic Syndrome:** Combination of factors that contribute to both diabetes and heart disease.

**Ovaries:** Two glands, located on either side of the uterus, that contain the eggs released at ovulation and that produce hormones.

**Ovulation:** The release of an egg from one of the ovaries.

**Progestin:** A synthetic form of progesterone that is similar to the hormone produced naturally by the body.

**If you have further questions, contact your obstetrician–gynecologist.**

**FAQ121:** Designed as an aid to patients, this document sets forth current information and opinions related to women's health. The information does not dictate an exclusive course of treatment or procedure to be followed and should not be construed as excluding other acceptable methods of practice. Variations, taking into account the needs of the individual patient, resources, and limitations unique to institution or type of practice, may be appropriate.

Copyright August 2011 by the American College of Obstetricians and Gynecologists. No part of this publication may be reproduced, stored in a retrieval system, posted on the Internet, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher.