TOWN OF PARADISE VALLEY HILLSIDE DEVELOPMENT APPLICATION

STAFF CONTACT INFORMATION

Juan Gonzalez Jr., Associate Engineer 480-348-3528 jgonzalez@paradisevalleyaz.gov

Jose Mendez, Hillside Planner 480-348-3519 jmendez@paradisevalleyaz.gov

Cherise Fullbright, Lead Management Specialist 480-348-3539 cfullbright@paradisevalleyaz.gov



TABLE OF CONTENTS

GENERAL APPLICATION INFORMATION	2
HILLSIDE DEVELOPMENT PROCESS STEPS	3
HILLSIDE DEVELOPMENT PROCESS FLOW CHART	5
HILLSIDE DEVELOPMENT APPLICATION FORM	6
STATEMENT OF ACCURACY	8
SUMMARY OF REQUIRED DOCUMENTS	9
REQUIRED NOTES, EXHIBITS, AND CALCULATIONS	10
IMPORTANT INFORMATION	20
HILLSIDE SAFETY IMPROVEMENT PLAN REQUIREMENTS	20
HILLSIDE SUGGESTED PLANTING LIST	20
NOTICING REQUIREMENTS	22
REQUIRED WORKSHEET FORM	27



Town of Paradise Valley 6401 E Lincoln Drive Paradise Valley, AZ 85253 hillside@paradisevalleyaz.gov

GENERAL APPLICATION INFORMATION

Development on property designated hillside within the Town limits of Paradise Valley has additional or different requirements than property not designated hillside. One such additional requirement is the Hillside Building Committee approval process before the building permit process. The property owner and/or person developing on hillside property should be familiar with the applicable regulations. If there are questions, then contact the person listed under Staff Contact Information above. Key hillside regulations to be familiar with are Article X, Article XXII, Article XXIV, Hillside Development Regulations, the Hillside Safety Improvement Measures and Process Manual, and the Town Zoning Ordinance and the Storm Drainage Design Manual.

The purpose of the **Pre-Application Review** is for the applicant to submit and present the proposed development to Town staff to discuss the level of review and provide the applicant with preliminary feedback prior to formally submitting one of the applications described below. This helps to expedite the process by assisting applicants to understand what Town procedures will apply and broadly identify how the proposal meets or lacks requirements pursuant to the Hillside Development Regulations and the Hillside Safety Improvement Measures and Process Manual.

A **Demolition-Only Review** is to ensure that disturbed areas are marked, and all demolition activity occurs within the marked area. The purpose of this review is to reduce storm water impact to downstream properties with the review and approval of a grading and drainage plan; submittal of a Storm Water Pollution Prevention Plan (SWPPP) that is inspected periodically and maintained in working order; and providing a financial assurance prior to the issuance of the demolition permit to be refunded when the lot is developed or if the site is restored back to native conditions.

The Administrative Hillside Chair Review (Chair Review) process is for the Hillside Building Committee Chair to review the submittal for compliance with the goals, purposes, and specific criteria of the Town of Paradise Valley Hillside Development Regulations. The Chair can review accessory structures and additions provided the proposed improvements do not: (i) exceed or increase the building height of the main residence; (ii) increase the existing building Footprint by more than 100 square feet; (iii) create more than 100 square feet of additional Disturbed Area; (iv) increase the length of walls by more than 15 lineal feet; (v) propose a significant addition of exterior lighting; or (vi) create a significant adverse visual impact. The Hillside Building Committee Chair will approve, approve with stipulations, forward the request to the Hillside Building Committee, or deny the submittal.

The purpose of the **Concept Plan Review Meeting (Concept Review)** is for the applicant and Town staff to discuss, review, and give guidance to the applicant regarding the proposed development, location of the building pad and accessory structures, and any other items of discussion. The owner or his representative should be prepared to demonstrate how this application relates to site conditions, significant natural features, preservation of existing vegetation, grading concepts, and adaptation to the natural hillside topography. A **Formal Hillside Building Committee Review Meeting (Formal Review) or Combined Review Hillside Building Committee Review Meeting (Combined Review)** is for the Hillside Building Committee to review the submittal for compliance with the goals, purposes, and specific criteria of the Town of Paradise Valley Hillside Development Regulations. The Hillside Building Committee will approve, approve with stipulations, continue, or deny the submittal.




After approval by the Hillside Building Committee, the applicant will provide the required financial assurances to the Town Attorney's Office prior to obtaining a building permit (per Section 2205.II.B of the Hillside Ordinance and the Hillside Safety Improvement and Process Manual). The Construction Staging Plan must also be submitted to the Town prior to issuance of a building permit.

The plans for any development in the Hillside Development Area must be approved by the Town and appropriate permits issued before any clearing and grubbing, grading, bulldozing, blasting, or movement of earth is commenced. If development does not commence within twelve months after securing such approval from the Hillside Building Committee, no construction shall occur until plans have been resubmitted and re-approved or if appropriate, based upon circumstances outside the control of the applicant, a one-time six-month extension may be granted by the Town Manager or Designee.


HILLSIDE DEVELOPMENT PROCESS STEPS

- 1. Review and ensure that the design is in conformance with current requirements (i.e., Hillside Development Regulations (Zoning Ordinance Article XXII) and Hillside Safety Manual (Town Code Chapter 5). Contact staff (See Page 2) with questions and/or to schedule a preliminary meeting to discuss the proposed project prior to filing the Pre-Application.
- 2. Complete the Hillside Development Pre-Application
 - a. Pursuant to Section 2205.I of the Town Zoning Ordinance, the applicant for all applications for development or building and construction within the Hillside Development Areas (Figure 1 of Article XXII, Hillside Development Regulations, of the Town Zoning Ordinance or those areas with a slope of 10-percent or greater pursuant to Section 2202 of Article XXII, Hillside Development Regulations) are required to submit a pre-application prior to making application to the Hillside Building Committee.
 - b. The pre-application is the first official means for both the applicant and Town staff to understand the scope of work, the appropriate Hillside Building Committee application(s) process (i.e., Demolition-Only Review, Chair Review, Concept Review, Formal or Combined Review), other application(s) process (e.g. variance), and necessary plans and documents. Also, it provides an opportunity to identify where the proposed scope is and is not meeting the Hillside Development Regulations and the Hillside Safety Improvement Measures and Process Manual Code.
 - c. At a minimum, the applicant shall submit a narrative describing the scope of work along with a site plan. Other plans and documents may be submitted and contact hillside@paradisevalleyaz.gov to make an appointment for the pre-application review and submittal.
 - d. During the pre-application review, staff will notify the applicant of any necessary corrections or additional information needed prior to submitting the Hillside Development Application, which may result in a meeting(s) with staff.



- 3. Complete the Hillside Development Application
 - a. After the Hillside Development Pre-Application review is complete, the applicant can submit the Hillside Development Application. This will include <u>PDF</u> copies of the stamped plans and documents for initial submittal and review. The applicant may schedule a meeting with staff to discuss any review comments. The Hillside Development Application fees are as follows:
 - \$6,600 Hillside Building Committee Review Fee (Concept & Formal Review).
 - \$1,825 Hillside Building Committee Review Fee for Solar Panels on Existing Residence.
 - \$1,550 Administrative Chair Review Fee.
 - \$875 Hillside Building Committee Re-Approval.
 - \$4,200 Combined Hillside Committee Review (includes Removal of Hillside Designation Process).
 - \$0 Hillside Demolition-Only Review (Staff-only)
 - b. Staff will review the submittal material. If all comments have been corrected and the application deemed complete, the application will be placed on the next available Hillside Building Committee agenda. Please refer to the Hillside Code Process Flow Chart and Hillside Timeline Chart below for an overview of the hillside review process. However, a meeting will not be scheduled with the Hillside Building Committee until the corrected plans are returned to and deemed complete by the Town.
 - c. The applicant shall complete the required notification and posting provisions. Notification to the property owners within 1,500 feet of the perimeter of the property generally occurs three weeks prior to the Hillside Building Committee meeting.
 - d. Please refer to the Town's Hillside Safety Improvement and Process Manual (see Section 5-10-4 of the Town Code) for safety insurance requirements, Safety Improvement Plan requirements and Construction Staging Plan requirements.

HILLSIDE DEVELOPMENT PROCESS FLOW CHART





Town of Paradise Valley 6401 E Lincoln Drive Paradise Valley, AZ 85253 hillside@paradisevalleyaz.gov

TOWN






HILLSIDE APPLICATION

Hillside Application Community Development Department 6401 E Lincoln Drive Paradise Valley, AZ 85253

(480) 348-3692

PARADISE VALLEY

DATE: **SUBDIVISION** NAME: **PROPERTY ADDRESS:** ASSESSOR'S **PARCEL NUMBER: LEGAL: DESCRIPTION SCOPE OF WORK:**



ARCHITECT:			
	PRINT NAME	PHONE NUMBER	
	ADDRESS		
ENGINEER:			
	PRINT NAME	PHONE NUMBER	
	ADDRESS		
OWNER:			
	PRINT NAME	PHONE NUMBER	
	ADDRESS		
OWNER OR AUTHORIZED AGENT SIGNATURE		DATE	

STATEMENT OF ACCURACY

BUILDING INFORMATION¹

USE	AREA (SF) OR LENGTH (FT)
LIVABLE AREA (EXISTING)	
LIVABLE AREA (NEW)	
LIVABLE AREA (REMODEL)	
PERCENT NEW + REMODEL	

THE FOLLOWING CONDTIONS MAY APPLY TO REMODELS OR ADDITIONS OF 50% OR GREATER: 1) ZONING ORDINANCE, ARTICLE XXIII – SECTION 2307 REQUIRES THAT NON-CONFORMING STRUCTURES BE BROUGHT INTO COMPLIANCE IF THEY DO NOT MEET CURRENT HEIGHT, SETBACK, FINISH, AND ANY OTHER APPLICABLE ORDINANCE REQUIREMENTS. 2) ZONING ORDINANCE, ARTICLE XXIV – SECTION 2415 REQUIRES THAT NON-CONFORMING WALLS BE BROUGHT BE INTO COMPLIANCE IF THEY DO NOT MEET CURRENT HEIGHT AND/OR SETBACK REQUIREMENTS. 3) TOWN CODE, CHAPTER 13 REQUIRES FIRE SPRINKLER SYSTEMS.

VALUATION CALCULATION²

USE	UNIT - AREA (SF), LENGTH (FT), OR COUNT	VALUATION PER (UNIT)	VALUATION TOTAL
LIVABLE AREA (NEW)		\$225.00	
LIVABLE AREA (REMODEL)		\$112.50	
GARAGE		\$50.00	
STORAGE		\$50.00	
PATIOS/RAMADAS/PORHCES		\$35.00	
FENCES		\$30.00	
POOL		1% OF COST	
BBQ		\$4,200.00 (EA)	
FIREPLACE		\$5,250.00 (EA)	
WATER FOUNTAIN		\$1,000.00 (EA)	
WATER FEATURE		\$2,500.00 (EA)	
SUM	-	-	

²TOWN CODE, CHAPTER 5 REQUIRED IMPROVEMENTS MAY INCLUDE RIGHT-OF-WAY DEDICATION AND STREET IMPROVEMENTS, DRAINAGE IMPROVEMENTS, SEWER IMPROVEMENTS, FIRE HYDRANT INSTALLATION, AND ELECTRICAL UNDERGROUNDING FOR BUILDING PERMIT VALUATIONS OF \$500,000 OR GREATER CALCULATED OVER A 730 DAY PERIOD. YOU MAY USE THE TOWN MASTER FEE SCHEDULE TO DETERMINE THE MINIMUM CONSTRUCTION VALUATION: https://www.paradisevalleyaz.gov/DocumentCenter/View/104/Master-Fee-Schedule

CERTIFICATION

• I hereby certify that the above information and the information in this application is with all Federal, State, County and Town laws relating to construction and demolition.	strue and accurate. I further certify that I will comply
• I understand that any changes made during or after the hillside development procaccuracy. Additional requirements may be required for a modified scope of work.	cess may require a modification to the statement of
• The issuance of an approval shall not be considered as an adoption by the inspector of contained in the plans and specifications, if thereafter it can be shown that any portion or dinances and laws of the Town of Paradise Valley, Arizona. It is agreed that this work of Paradise Valley, Arizona, Maricopa County, and the State of Arizona.	ion of the work is in conflict with any portion of the
	☐ Authorization Letter for Agent if Value >
OWNER OR AUTHORIZED AGENT SIGNATURE	\$25,000

SUMMARY OF SUBMITTAL DOCUMENTS

CONCEPT REVIEW:

- 1. COVER SHEET WITH VICINITY MAP
- SITE PLAN
- 3. HISTORIC/NATURAL GRADE EXHIBIT
- 4. GRADING AND DRAINAGE PLAN (WITH PRELIMINARY DISTURBANCE/CUT/FILL)
- 5. ARCHITECTURAL RENDERINGS (INCLUDING 3-D MASSINGS)
- 6. AERIAL PHOTO WITH IMPROVEMENTS AND TOPOGRAPHIC MAP

FORMAL/COMBINED REVIEW:

- 1. COVER SHEET WITH VICINITY MAP
- 2. PHOTOGRAPHS OF PROPERTY
- 3. ARCHITECTURAL RENDERINGS
- 4. 3-D MODEL
- 5. AERIAL PHOTO WITH IMPROVEMENTS AND TOPOGRAPHIC MAP
- 6. LEGAL SURVEY
- 7. HISTORIC/NATURAL GRADE EXHIBIT
- 8. GRADING & DRAINAGE PLAN (WITH PRELIMINARY DISTURBANCE/CUT/FILL)
- 9. SITE PLAN
- 10. CROSS SECTIONS
- 11. BUILDING LIGHTING PLAN
- 12. LANDSCAPE AND LANDSCAPE LIGHTING PLAN(S)
- 13. MATERIAL SAMPLE BOARD

SOLAR COMBINED REVIEW:


- 1. COVER SHEET
- 2. SITE PLAN
- 3. CROSS SECTIONS
- 4. AERIAL PHOTO WITH IMPROVEMENTS
- 5. SITE PHOTOS
- 6. DETAILS

DEMOLITION-ONLY REVIEW:

- 1. LEGAL SURVEY
- 2. HISTORIC/NATURAL GRADE EXHIBIT
- 3. GRADING & DRAINAGE PLAN (FOR DEMO DISTURBANCE)
- 4. STORM WATER POLLUTION PREVENTION PLAN
- 5. GRADING PERMIT APPLICATION
- 6. DEMOLITION PERMIT APPLICATION

SAFETY IMPROVEMENT PLAN (FOR FORMAL/COMBINED REVIEWS):

1. SEE HILLSIDE "SAFETY IMPROVEMENT MEASURES AND PROCESS MANUAL" (MUST BE REVIEWED AND APPROVED PRIOR TO FORMAL OR COMBINED HILLSIDE BUILDING COMMITTEE REVIEW)



REQUIRED NOTES, EXHIBITS, AND CALCULATIONS

THE FOLLOWING MUST BE COMPLETED FULLY AND SUBMITTED WITH ALL OTHER REQUIRED DOCUMENTS OR THIS MAY LEAD TO REVEIW DELAYS. LABEL "N/A" IF ITEM IS NOT APPLICABLE TO SCOPE OF WORK.

THE FOLLOWING NOTES ARE REQUIRED ON ALL ARCHITECTURAL AND CIVIL COVER SHEETS:

AREA OF LOT	ACRES	TOTAL AREA OF LOT PER SURVEY RESULTS
AREA OF LOT	SF	TOTAL AREA OF LOT PER SURVEY RESULTS
FOOTPRINT	SF	
FLOOR AREA RATIO	%	AREA UNDER ROOF/AREA OF LOT
BUILDING PAD SLOPE	%	THE PERCENT OF SLOPE MEASURED AT RIGHT ANGLES TO THE
VERTICAL HEIGHT OF SLOPE	SF	NATURAL CONTOURS ALONG A LINE PASSING THROUGH THE CENTER OF THE PROPOSED BUILDING AND TERMINATING AT THE
HORIZONTAL LENGTH OF SLOPE	SF	ENDS OF THE DISTURBED AREA LIMITS OF THE BUILDING SITE.
ALLOWABLE DISTURBED AREA	%	PER TABLE 1, SECTION 2207-III-J
ALLOWABLE DISTORBED AREA	SF	TENTABLE 1, SECTION 2207-III-3
EXISTING DISTURBED AREA	%	IF ANY
EXISTING DISTORBED AREA	SF	II ANI
(+)GROSS DISTURBED AREA	%	PROPOSED GROSS DISTURBANCE OF SITE
(+)GROSS DISTORDED AREA	SF	THOTOSED GROSS DISTORDANCE OF SITE
(-)LIVABLE AREA FOOTPRINT	SF	SUBTRACT LIVABLE AREA FOOTPRINT
(-)GARAGE FOOTPRINT	SF	SUBTRACT ATTACHED GARAGE FOOTPRINT
(-)DRIVEWAY CREDIT	SF	SUBTRACT DRIVEWAY CREDIT IF APPLICABLE
(-)RETENTION BASIN CREDIT	SF	SUBTRACT 50% OF BASIN AREA IF APPLICABLE
(-)FULLY RESTORED AREAS	SF	SUBTRACT AREAS RESTORED TO BOTH NATURAL GRADES AND VEGETATION
(=)NET DISTURBED AREA	%	
(-)NET DISTORDED AREA	SF SF	

THE FOLLOWING NOTES ARE REQUIRED ON ALL CIVIL COVER SHEETS:

PERCENT OF LOT STEEPER THAN NATURAL GRADE	%	5% MAX IS ALLOWED			
VOLUME OF CUT	CY	CALCULATATE TOTAL CUT AND FILL REQRUIED TO RESTORE THE			
VOLUME OF FILL	CY	SITE BACK TO THE ORIGINAL NATURAL GRADES AFTER CONSTRUCTION			
GROSS VOLUME OF CUT + FILL	CY				
GRADING PERMIT FEE	\$	FOR <= 10,000 CY OF CUT + FILL: \$142 FIRST 100 CY + \$95 EACH ADDITIONAL 100 CY FOR > 10,000 CY OF CUT + FILL: \$9,547 FIRST 10,000 CY + \$95 EACH ADDITIONAL 1,000 CY			
HILLSIDE ASSURANCE	\$	35 X GRADING PERMIT FEE			

THE FOLLOWING TABLE IS REQUIRED ON ALL CIVIL SITE PLANS:

# OF RETAININNG WALLS				
RETAINING WALL ID #	LENGTH		HEIGHT	
(EX) WALL ID "EX"	100		8]
		FT		FT
		T'] []
MAXIMUM CONTINOUS WALL		FT	MAXIMUM CONTINOL RETAINING WALLS SH.	
LENGTH OF SINGLE WALL		' '	LINEAR FEET PER SECT	
MAXIMUM LENGTH OF			MAXIMUM LENGTH O WALLS MEASURED FR	-
VISIBLE RETAING WALLS				TY SHALL NOT EXCEED
MEASURED FROM ANY POINT		FT	300 L.F. PER SECTION	-
AROUND THE PROPERTY			THE POINT/LOCATION RETAINING WALLS ON	
			RETAINING WALLS ON	THE SHE PLAIN.

10 ENTRIES FOR A WALL ARE PROVIDED ABOVE. IF NECESSARY, ADD MORE ON PLANS. COMPLETE ABOVE SHEET TO THE EXTENT POSSIBLE.

THE FOLLOWING TABLE AND NOTES ARE REQUIRED ON ALL ARCHITECTURAL AND CIVIL SITE PLANS:

AREA OF DRIVEWAY	SF		AREA OF DRIVWEAY NOT INCLUDING AUTO COURT OR PARKING AREAS	
MAXIMUM DRIVEWAY SLOPE	%		30% MAXIMUM IS ALLOWED	
MINIMUM DRIVWAY WIDTH	F	Т	MINIMUM 12 FT WIDTH IS REQURIED	
LENGTH OF MAXIMUM DRIVEWAY CUT OVER 8 FT	FT DRIVEWAY CUT OVER 8 FEET LESS THAN 100 FEET IN LENGTH		DRIVEWAY CUT OVER 8 FEET LESS THAN 100 FEET IN LENGTH	
MATERIAL			INDIDCATE IF EXPOSED AGG. CONCRETE, PAVER, ASPHALT, ETC.	
COLOR			INDICATE COLOR OF MATERIAL	
LRV			INDICATE LIGHT REFLECTACNE VALUE OF MATERIAL	
MAX DISTANCE FROM NG	IN PROVIDE MAXIMUM DISTANCE FROM NATRUAL OF THE DRIVEWAY		PROVIDE MAXIMUM DISTANCE FROM NATRUAL GRADE ALONG ENTIRE LENGTH OF THE DRIVEWAY	
CDEDIT		6	CREDIT ONLY APPLIES IF ENTIRE LENGTH OF DRIVEWAY IS WITHIN	
CREDIT	SI	SF ALLOWABLE HEIGHT FROM NATURAL GRADE		

THE FOLLOWING TABLE IS REQUIRED ON ALL ARCHITECTURAL ELEVATION AND SECTION SHEETS:

MAXIMUM BUILDNG HEIGHT FROM NATURAL GRADE	FT	MAXIMUM 24' HEIGHT LIMIT PARALLEL TO THE NATURAL GRADE
MAXIMUM BUILDING HEIGHT FROM ADJACENT GRADE	FT	VERTICAL PLANE IS LIMITED TO 24' FROM ADJACENT GRADE WHEN THE NATURAL GRADE IS NOT RESTORED BACK
MAXIMUM BUILDING HEIGHT	FT	MAXIMUM HEIGHT MEASURED FROM THE LOWEST FINISHED FLOOR TO THE HIGHEST POINT (ROOF, CHIMNEY, ETC.)
MAXIMUM OVERALL HEIGHT	FT	MAXIMUM HEIGHT FROM THE LOWEST STRUCTURE (RETAINING WALL, POOL, ETC.) TO THE HIGHEST (ROOF, CHIMNEY, ETC.)

ACCESSORY STRUCTURES ARE LIMITED TO 16' FROM NATURAL GRADE IN HEIGHT VS 24' FOR MAIN RESIDENCE.

THE FOLLOWING TABLE IS REQUIRED ON ALL BUILDING LIGHTING SHEETS:

TYPE OF LIGHT FIXTURE	SYMBOL	QUANTITY	FINISH	LUMENS	TEMPERATURE
(EX) WALL SCONCE		5	BRONZE	735	2700K

6 ENTRIES FOR A FIXTURES ARE PROVIDED ABOVE. ADD MORE, IF NECESSARY, ON PLANS. COMPLETE ABOVE SHEET TO THE EXTENT POSSIBLE. MAXIMUM OUTPUT FOR BUILDING MOUNTED LIGHTS IS 750 LUMENS. MAXIMUM COLOR TEMPERTAURE IS 3000K.


THE FOLLOWING TABLE IS REQUIRED ON ALL LANDSCAPE PLAN SHEETS:

COMMON PLANT NAME (SCIENTIFIC NAME)	SYMBOL	QUANTITY	TYPE
(EX) FOOTHILL PALO VERDE (Parkinsonia microphylla)	•	7	TREE

THE FOLLOWING TABLE IS REQUIRED ON ALL LANDSCAPE LIGHTING SHEETS:

TYPE OF LIGHT FIXTURE	SYMBOL	QUANTITY	FINISH	LUMENS	TEMPERATURE
(EX) UP LIGHT	▼	12	BLACK	145	3000K

6 ENTRIES FOR A FIXTURES ARE PROVIDED ABOVE. IF NECESSARY, ADD MORE ON PLANS. COMPLETE ABOVE SHEET TO THE EXTENT POSSIBLE. 1 UP LIGHT IS ALLOWED FOR EVERY 1000 SQUARE FEET OF <u>ALLOWABLE</u> DISTURBANCE IS ALLOWED PER LOT. MAXIMUM OUTPUT FOR DOWN LIGHTS IS 250 LUMENS AND 150 LUMENS FOR UP LIGHTS. MAXIMUM COLOR TEMPERTAURE IS 3000K.



THE FOLLOWING NOTES ARE REQUIRED ON ALL CIVIL COVER SHEETS:


- NO CERTIFICATE OF OCCUPANCY SHALL BE ISSUED UNTIL ALL HILLSIDE STIPULATIONS AND ALL TOWN CODE REQUIREMENTS ARE COMPLIED INCLUDING, BUT NOT LIMITED TO LANDSCAPING, GROUND RESTORATION, FIRE FLOW, FIRE SAFETY AND ALL ONSITE AND OFFSITE IMPROVEMENTS.
- 2. ALL OUTDOOR LIGHTING SHALL BE IN CONFORMANCE WITH ARTICLE XXII OF THE TOWN ZONING ORDINANCE.
- 3. ALL EXCESS FILL MATERIAL SHALL BE REMOVED FROM THE SITE WITH NO NEW SPILL SLOPES.
- 4. THE USE OF HYDRAULIC RAM HAMMERS, OR OTHER HEAVY EQUIPMENT USED TO CUT THROUGH ROCK, INCLUDING MACHINERY WITH AUDIBLE BACK UP WARNING DEVICES SHALL BE LIMITED TO USE BETWEEN THE HOURS OF 7:00AM OR SUNRISE, WHICHEVER IS LATER, AND 6:00PM OR SUNSET, WHICHEVER IS EARLIER, MONDAY THROUGH FRIDAY, WITH LIMITED WORK ON SATURDAY AND NO WORK ON SUNDAY OR LEGAL HOLIDAYS. RAM HAMMERS AND OTHER HEAVY EQUIPMENT CANNOT BE USED ON SATURDAYS WITHOUT A WAIVER FROM THE TOWN MANAGER.
- 5. CONSTRUCTION STAKING AND /OR FENCING SHALL BE PLACED AROUND THE CONSTRUCTION SITE SO AS TO PROTECT THE UNDISTURBED NATURAL AREA. THE FOLLOWING NOTE TO BE ADDED TO GRADING AND DRAINAGE AND ANY CIVIL PLANS: "CONSTRUCTION/DISTURBANCE STAKING TO REMAIN IN PLACE FOR THE DURATION OF THE PROJECT. ANY DAMAGE OR REMOVAL WILL REQUIRE RESTAKING."
- 6. ALL RETAINING WALLS SHALL NOT EXTEND MORE THAN 6 INCHES ABOVE THE MATERIAL THEY RETAIN (WITH EXCEPTION OF DRIVEWAY RETAINING WALLS IN ACCORDANCE WITH 2207.VI.6).

THE FOLLOWING NOTES ARE REQUIRED ON ALL ARCHITECTURAL COVER SHEETS:


- ALL EXTERIOR MATERIAL PALETTE SHALL BE IN ACCORDANCE WITH SECTION 2207.II.D.
- 2. ALL EXTERIOR LIGHTING SHALL COMPLY WITH SECTION 2208

THE FOLLOWING NOTES ARE REQUIRED ON ALL DEMOLITION GRADING PLAN COVER SHEETS:


- ALL EXCESS FILL MATERIAL SHALL BE REMOVED FROM THE SITE WITH NO NEW SPILL SLOPES.
- 2. THE USE OF HYDRAULIC RAM HAMMERS, OR OTHER HEAVY EQUIPMENT USED TO CUT THROUGH ROCK, INCLUDING MACHINERY WITH AUDIBLE BACK UP WARNING DEVICES SHALL BE LIMITED TO USE BETWEEN THE HOURS OF 7:00AM OR SUNRISE, WHICHEVER IS LATER, AND 6:00PM OR SUNSET, WHICHEVER IS EARLIER, MONDAY THROUGH FRIDAY, WITH LIMITED WORK ON SATURDAY AND NO WORK ON SUNDAY OR LEGAL HOLIDAYS. RAM HAMMERS AND OTHER HEAVY EQUIPMENT CANNOT BE USED ON SATURDAYS WITHOUT A WAIVER FROM THE TOWN MANAGER.
- 3. CONSTRUCTION STAKING AND /OR FENCING SHALL BE PLACED AROUND THE CONSTRUCTION SITE SO AS TO PROTECT THE UNDISTURBED NATURAL AREA.




SUBMITTAL REQUIREMENT			R	ICABL EVIEV - REC	V TYP QUIREI	E	
		CHAIR	CONCEPT	FORMAL	COMBINED	SOLAR	DEMO
TITLE REPORT. (IF DEDICATION IS REQUIRED)		*	√	✓	√		
WRITTEN NARRATIVE DESCRIBING THE SCOPE OF WORK.		√	√	√	√	√	
VICINITY MAP SHOWING LOCATION AND ADDRESS OF PROPERTY.		✓	✓	✓	✓	✓	✓
SITE PLAN WITH TOPOGRAPHY (MAXIMUM 1-FOOT INTERVALS), BUILDING FOOTPRINT, TOTAL FLOOR AREA, DRIVEWAY, POOL AND WATER FEATURES, ACCESSORY BUILDING LOCATIONS, PROPOSED DISTURBED AREA CALCULATIONS, AND PROPOSED DRAINAGE. (Section 2206-II-B)		*	√	√			
MASS MODEL OR A 3-DIMENSIONAL RENDERING OR COMPUTER-GENERATED MODEL. IF A MASS MODEL IS USED THE APPLICANT MUST FURNISH PICTURES OF THE MODEL AND INCLUDE THEM IN THE SUBMITTAL WITH THE SEVEN SETS. (A STUDY MODEL WILL BE REQUIRED AT THE FORMAL HILLSIDE COMMITTEE). (Section 2206-II-C)		*	√	√	*		
AERIAL PHOTO-LESS THAN 1-YEAR OLD WITH TOPOGRAPHY, LOT LINES, BUILDING FOOTPRINT, DRIVEWAY, ANY NATURAL FEATURES, AS WELL AS ADJACENT LOTS AND STRUCTURES WITHIN 100 FEET OF PERIMETER OF SUBJECT PROPERTY ON 24"X 36" SHEET. (Section 2206-II-D)		*	√	√	√	√	✓
FIRE MARSHAL SITE PLAN REVIEW.		*	✓	✓	*		
NOTIFICATION LETTERS MAILED 3 WEEKS PRIOR TO THE HILLSIDE MEETING. (APPLICATION AND NOTICE MUST BE REVIEWED AND DEEMED COMPLETE BY TOWN STAFF PRIOR TO MAILING). SEE SAMPLE NOTIFICATION BELOW. (Section 2206-II-A)			✓	√	✓	✓	
PROVIDE HISTORICAL GRADE EXHIBIT OF PROPERTY, UNLESS THE PROPERTY IS AN UNDISTURBED STATE. EXHIBIT SHALL BE SEALED BY A PROFESSION ENGINEER.		*	✓	✓	*		✓
COMPLETE HILLSIDE SAFETY IMPROVEMENT PLAN REQUIREMENTS PRIOR TO SCHEUDLING A REVIEW MEETING.				√	*		
DETAILED SITE PLAN (SEE SECTION 2206-III-C OF HILLSIDE CODE).		*	✓	√	✓	✓	✓
LEGAL SURVEY WITH SURVEYOR'S SEAL (IF APPLICABLE)		*	√	√	*	*	✓




SUBMITTAL REQUIREMENT		APPLICABLE ITEMS BY REVIEW TYPE ✓ - REQUIRED * - BASED ON SCOPE OF WO COMPANY C						
		CHAIR	CONCEPT	FORMAL	COMBINED	SOLAR	DEMO	
PHOTOGRAPHS OF THE SITE ON PLAN SHEET WITH KEY MAP (2206-III-D).				√	√	✓		
GRADING AND DRAINAGE PLAN WITH WRITTEN NARRITIVE DESCRIBING DRAINAGE FLOWS (2206-III-E):			✓	✓	√		√	
LANDSCAPE PLAN (2206-III-F).		*	✓	✓	✓		✓	
THREE (3) CROSS-SECTIONS, ELEVATIONS, BUILDING HEIGHTS FULLY DIMENSIONED (2206.III.G):			~	~	✓			
CROSS SECTIONS OF AT LEAST THREE LOCATIONS BISECTING THE PROPOSED RESIDENCE AND/OR ACCESSORY STRUCTURE PERPENDICULAR TO THE CONTOURS AND SHOWING HEIGHT LIMIT ABOVE NATURAL GRADE (PER SECTION 2207-II)			✓	✓	√			
EXTERIOR BUILDING ELEVATIONS FULLY DIMENSIONED (DO NOT USE ELEVATIONS)			✓	~	✓			
IDENTIFY MAXIMUM BUILDING HEIGHT AND ACCESSORY BUILDING HEIGHT MEASURED FROM NATURAL GRADE (2207-II-A-1 AND 2207-II-A-2)			√	✓	√			
IDENTIFY OVERALL BUILDING HEIGHT (2207-II-A-3)			✓	✓	✓			
LIGHTING PLAN (2206-III-H).		*		✓	√			
ACCURATE OBLIQUE VIEW ARCHITECTURAL RENDERING (2206-III-J).			✓	✓	✓			
EXTERIOR MATERIAL SAMPLES (2206-III-K).		✓		✓	✓			
HOUSE CORNER MARKERS STAKED 2 WEEKS PRIOR TO MEETING (2206-III-L).				✓	✓			
DISTURBED AREA CALCULATIONS. (SEE BELOW).			✓	✓	✓	✓	✓	




SUBMITTAL REQUIREMENT			MS BY E D OF WC				
		CHAIR	CONCEPT	FORMAL	COMBINED	SOLAR	DEMO
HILLSIDE ASSURANCE CALCULATIONS. (SEE BELOW).				✓	✓		✓
RETAINING AND SITE WALL TABLE. (SEE BELOW).			✓	✓	✓		
STORM WATER RETENTION CALCULATIONS (SEE STORM DRAINAGE DESIGN MANUAL)			✓	✓			✓
DRIVEWAY DETAILS. (SEE BELOW)			√	√	√		✓
POOL FENCE DETAIL SHOWING POOL PROTECTION AND 80% OPEN FENCE.		*	√	√	√		
WATER. (ADEQUATE WATER PRESSUE TO MEET FIRE SAFETY STANDARDS)				√	√		
IDENTIFY LOCATION OF FIRE HYDRANT INSTALLATION. (IF REQUIRED)		*	*	*	*		
IDENTIFY LOCATION OF SEPTIC SYSTEM OR SEWER SYSTEM ON PLAN.				√	√		
ILLUSTRATE ALL EASEMENTS.			√	√	√		
IDENTIFY LOCAITON OF WASH EASEMENT(S). (IF REQUIRED)			√	√	√		
IDENTIFY LOCATION OF UTILITY TRENCH LOCATIONS.				✓	√		
PROVIDE METHOD OF COVERING UTILITY TRENCH.				√	√		
PROVIDE RESTORATION OF CUT AND SPILL SLOPES. (AGING AGENT AND/OR SEED MIX)				√	√		✓



SUBMITTAL REQUIREMENT		APPLICABLE IT REVIEW T - REQUII * - BASED ON SCOP CONCEPT APPLICANT TO CHECK IF SUPPLIED OR MARK N/A					
		CHAIR	CONCEPT	FORMAL	COMBINED	SOLAR	DEMO
HALF STREET OR RIGHT-OF-WAY IMPROVEMENTS.				✓	✓		
LOCATION OF ALL MECHANICAL/POOL EQUIPMENT AND METHOD OF SCREENING. (MECHANICAL EQUIPMENT IS NOT ALLOWED ON ROOF)		*	✓	✓	✓	√	
NON-REFLECTIVE GLASS ON BUILDINGS. (BRING SAMPLE TO MEETING)		*	*	✓	✓		
LOCATION OF POOL/SPA			✓	✓	√		
LOCATION OF TENNIS OR GAME COURTS (NO LIGHTED COURTS ALLOWED)			✓	✓	√		
LOCATION OF ACCESSORY STRUCTURES			✓	✓	✓		
LOCATION OF SCREEN WALLS AND OTHER AMENETIES (E.G. WATER FEATURES, BBQ,			✓	✓	✓		
PROPOSED COLOR/MATERIAL SAMPLES (BOARD MOUNTED) BLENDING WITH THE NATURAL SURROUNDING HAVING A Light Reflective Value (LRV) OF 38% OR LESS. NAME OF COLOR AND LRV.		*		✓	✓	✓	
LANDSCAPE PLAN.		*		✓	✓		
THE TOWN RECOMMENDS THE USE OF NATIVE PLANTS AS LISTED IN THE LANDSCAPE GUIDELINES. PLAN SHALL CLEARLY SHOW LOCATION AND TYPE OF PLANTS TO BE USED.		*		✓	✓		*
SEPARATE LANDSCAPE PLAN SHOWING ALL PROPOSED LANDSCAPING, EXISTING PLANTS AND NEW LOCATION OF SALVAGED PLANTS.				√	√		
LIMITS OF DISTURBED AREA CLEARLY SHOWN ON PLANS.			✓	✓	✓		√
DISTURBED AREA CALCULATIONS			✓	✓	✓		✓



SUBMITTAL REQUIREMENT			E ITEN N TYP QUIREI COPE (P E			
		CHAIR	CONCEPT	FORMAL	COMBINED	SOLAR	DEMO
COVER SHEET WITH SITE VICINITY MAP AND PROJECT NARRATIVE OUTLINING THE LOCATION, NUMBER OF SOLAR MODUALS, ARRAYS, ETC.						√	
SITE PLAN SHOWING LOCATION OF SOLAR PANELS/TILES, INVERTERS, METER, DISCONNECT, ETC.						✓	
CROSS SECTIONS THROUGH EACH SOLAR ARRAY SHOWING METHOD OF SCREENING AND ASSOCIATED HEIGHTS.						✓	
AERIAL PHOTO-LESS THAN 1-YEAR OLD SHOWING LOCATION OF SOLAR PANELS/TILES, INVERTERS, METER, DISCONNECT, ETC.						√	
SITE PHOTOS FROM VARIOUS ANGLES OR VIEWS OF THE PROPERTY INCLUDING PHOTOS OF OUTDOOR EQUIEMPENT LOCATIONS. PROVIDE A KEY MAP SHOWING LOCATION OF EACH CORRESPONDING PHOTO.						✓	
DETAILS SHOWING TYPE OF SOLAR PANEL OR TILE USED, INVERTERS, RACKING SYSTEM, CONDUITS, METER, DISCONNECT, ETC. IDENTIFY THE COLOR AND LIGHT REFLECTIVE VALUES (LRV) OF EACH ITEM.						✓	
READ SECTION 2208 OF THE HILLSIDE CODE PRIOR TO DESIGNING YOUR OUTDOOR LIGHTING. COMPLETE REQUIREMENTS LISTED BELOW FOR BUILDING AND LANDSCAPE LIGHTING.				✓	✓		
LOCATION OF BUILDING LIGHT FIXTURES CLEARLY SHOWN ON BUILDING LIGHITNG PLAN AND NUMBERED				✓	✓		
PROVIDE CUT SHEETS OF EACH LIGHT FIXTURE ON BUILDING LIGHTING PLAN				✓	✓		
LOCATION OF LANDSCAPE LIGHT FIXTURES CLEARLY SHOWN ON LANDSCAPE LIGHITNG PLAN AND NUMBERED				✓	✓		
PROVIDE CUT SHEETS OF EACH LIGHT FIXTURE ON LANDSCAPE LIGHTING PLAN				✓	✓		
PROVIDE LANDSCAPE PLANT TABLE.				✓	✓		✓



SUBMITTAL REQUIREMENT			APPLICABLE ITEMS BY REVIEW TYPE ✓ - REQUIRED * - BASED ON SCOPE OF WORI					
		CHAIR	CONCEPT	FORMAL	COMBINED	SOLAR	DEMO	
A GRADING AND DRAINAGE (G&D) PLAN SIGNED BY AN ARIZONA REGISTERED CIVIL ENGINEER PROVIDING RETENTION FOR THE GROSS SITE DISTURBANCE PER THE TOWN'S STORM DRAINAGE DESIGN MANUAL			*	✓	√		✓	
DEMOLITION GRADING PLAN NOTES							✓	
STORM WATER POLLUTION PREVENTION PLAN (SWPPP) SIGNED BY AN ARIZONA REGISTERED CIVIL ENGINEER				✓	✓		✓	
DEMOLITION PERMIT APPLICATION SUBMITTED TO BUILDING DEPARTMENT INCLUDING THE ABOVE REQUIREMENTS							✓	
GRADING PERMIT APPLICATON SUBMITTED TO THE ENGINEERING DEPARTMENT INLCUDING THE ABOVE REQUIREMENTS				✓	✓		✓	
PROPOSED DISTURBED AREA MARKED. THE AREA SHALL BE CLEARLY STAKED IN THE FIELD WITH A MINIMUM BARRIER OF VISIBLE ROPING AND SHALL REMAIN IN PLACE THROUGHOUT THE DEMOLITION.				✓	✓			
PHOTOGRAPHS OF THE MARKED AREAS SHALL BE PROVIDED IN ELECTRONIC FORMAT (E.G. EMAIL OR USB FLASH DRIVE WITH JPEG FILES).				✓	✓			
PROPOSED BUIDLING MATERIALS CALLED OUT ON ELEVATIONS, ROOF PLANS, AND HARDSCAPE PLANS. PROVIDE CALLOUT AND KEY NOTES WITH COLOR AND LRV FOR ALL ITEMS, INCLUDING BUT NOT LIMITED, BODY COLORS, ROOFS, ETC.				✓	✓	√		
COMPLETE ALL REQUIRED TABLES AND WORKSHEETS IN THIS APPLICATION				✓	✓			

IMPORTANT INFORMATION

Permit reviews include a hillside compliance review.

Final Hillside inspection required prior to any permit close.

HILLSIDE SAFETY IMPROVEMENT PLAN REQUIREMENTS

The following documents are required to be submitted for the Hillside Safety Improvement Plan portion of the development process, unless otherwise noted by Staff. Safety Improvement Plans are applicable to all developments including the potential to affect safety, such as land disturbance, cutting operations, and increases in storm water runoff. The Hillside Safety Improvement Plan requires a minimum 45-day public review period with appropriate noticing. Staff must deem the submittal complete prior to mailing notices. Use numbering and labeling template below to the extent possible.


- 1. Hillside Safety Improvement Plan Cover
- 2. Geotechnical Executive Summary
- 3. Geotechnical Investigation Report w/ Seismic Refraction Survey and Double Ring Infiltrometer Percolation Testing
- 4. Geotechnical Rock Cut Slope Analysis
- 5. Geotechnical Boulder Stability Evaluation
- 6. Drainage Executive Summary
- 7. Drainage Report
- 8. Grading & Drainage Plan
- 9. Blasting Plans (if applicable)
- 10. Notification Materials

See Hillside Safety Improvement Measures and Process Manual for more information.

HILLSIDE SUGGESTED PLANTING LIST

The guide linked below has been provided to assist with the landscape design for properties in the Hillside Development Area. Non-native plants are not recommended on site, however if used, they are suggested to be placed in areas well screened by native vegetation. At no point should non-native vegetation be placed in undisturbed areas of the property.

https://www.paradisevalleyaz.gov/DocumentCenter/View/10233/TOPV-Hillside-Suggested-Plant-List



HILLSIDE PACKET ORGANIZATION

Applicants to organize sheets in the following manner:

- 1. Cover sheet with brief narrative, disturbance area calculations, building heights, assurance bond numbers, lot area, footprint (in square footage and percentage), building pad slope, Floor Area Ration (In square footage and percentage), and total livable square footage.
- 2. Site Plan with Aerial Overlay.
- 3. Elevations with heights and grade offsets (24' for SFR, 16" for accessory structures)
- 4. Colored 3D Renderings
- 5. Materials Board
- 6. Building Lighting Plan, with specs and details.
- 7. Landscape/Hardscape plans with lighting. (Lumen count, lighting accessories, fence materials, and driveway materials to be included)
- 8. Grading and Drainage plan (include disturbance counts, construction notes, storm drain details, inverts, any boulder stabilization methods, outline disturbance areas, and include revegetation area.)
- 9. (Circumstantial) Solar, with panel specs, details, equipment locations, site photos, and roof parapet measurements (if applicable).

NOTICING REQUIREMENTS

Notices are required for all scheduled public reviews. Town Staff will coordinate the meeting and mailing date with the applicant once reviews have been completed and all comments have been addressed. Notices shall be sent to all residents within a 1500-foot radius from the subject property. Instructions on how to generate a current mailing list have been provided below. At no point should notices be mailed out without prior approval from Town Staff.

Use the Maricopa County Assessor's map website (https://maps.mcassessor.maricopa.gov/) to generate a list by using the magnifier icon on the upper right-hand corner of the webpage. YOU (MUST GENERATE AN UPDATED/CURRENT LIST FOR EACH MAILING. You enter the known parcel number, search, and then use the buffer tab to create the 1500-foot buffer (type in 1500 and apply buffer). Be sure to then use option "B. Within or touching the Buffer" to generate the correct number of addresses. After generating the list, you can then use the "..." (dot) menu to export the list to a CSV file to open in Microsoft Excel.



Town of Paradise Valley Community Development Department - Hillside 6401 East Lincoln Drive Paradise Valley, AZ 85253

> Resident Name Address City, State, Zip Code

Sample notices are provided on the following pages in this order:

- 1. Concept Review
- 2. Formal Review
- 3. Combined Review
- 4. Safety Improvement Plan

Hillside Conceptual Plan Review Notification

[date of letter]

Subject: Conceptual Plan Review for [scope of work]

Dear Property Owner,

An application has been submitted to the Town of Paradise Valley for [scope of work] located at [property address]. In compliance with Town requirements, this letter is being sent to you as a courtesy to inform you of the pending application. The Hillside Building Committee will be reviewing this application on [meeting date] at 8:00 AM at the Paradise Valley Town Hall located at 6401 East Lincoln Drive.


The purpose of Conceptual Plan Review meeting is to discuss, review, and provide suggestions and guidance to the Applicant regarding the proposed development including:

- Location of the building pad, driveway, and accessory uses
- Significant natural features
- Preservation of existing vegetation
- Grading concepts and their adaptation to the natural hillside topography

The Conceptual meeting provides suggestions and guidance for the Applicant. Prior to final approval of this application, there will be a Formal Hillside Building Committee Review Meeting. Notification will be sent to you for this meeting. Both meetings are open to the public and you may feel free to attend.

If you have any questions, please call me at [phone number].

Sincerely,



Hillside Formal Plan Review Notification

[date of letter]

Subject: Formal Plan Review for [scope of work]

Dear Property Owner,


An application has been submitted to the Town of Paradise Valley for [scope of work] located at [property address]. In compliance with Town requirements, this letter is being sent to you as a courtesy to inform you of the pending application. The Hillside Building Committee will be reviewing this application on [meeting date] at 8:00 AM at the Paradise Valley Town Hall located at 6401 East Lincoln Drive.

The purpose of the Formal Plan Review meeting is for the Hillside Building Committee to review the submittal for compliance with the goals, purposes, and specific criteria of the Town of Paradise Valley Hillside Development Regulations.

The Hillside Building Committee will approve, approve with stipulations, continue, or deny the submittal. This meeting is open to the public and you may feel free to attend.

If you have any questions, please call me at [phone number].

Sincerely,



Hillside Combined Plan Review Notification

[date of letter]

Subject: Combined Plan Review for [scope of work]

Dear Property Owner,


An application has been submitted to the Town of Paradise Valley for [scope of work] located at [property address]. In compliance with Town requirements, this letter is being sent to you as a courtesy to inform you of the pending application. The Hillside Building Committee will be reviewing this application on [meeting date] at 8:00 AM at the Paradise Valley Town Hall located at 6401 East Lincoln Drive.

The purpose of the Combined Plan Review meeting is for the Hillside Building Committee to review the submittal for compliance with the goals, purposes, and specific criteria of the Town of Paradise Valley Hillside Development Regulations.

The Hillside Building Committee will approve, approve with stipulations, continue, or deny the submittal. This meeting is open to the public and you may feel free to attend.

If you have any questions, please call me at [phone number].

Sincerely,



Hillside Safety Improvement Plan Review Notification

[date of letter]

Subject: Hillside Safety Improvement Plan Review for [scope of work]

Dear Property Owner,

An application has been submitted to the Town of Paradise Valley for [scope of work] located at [property address]. In compliance with Town requirements, this letter is being sent to you as a courtesy to notify you that a Hillside Safety Improvement Plan has been submitted to the Town of Paradise Valley and is available for review and comment at the Town Engineering Division.


The Safety Improvement Plan may include the following items:

- Geotechnical Reports
- Stabilization and Mitigation Plan
- Blasting Plan
- Grading & Drainage Plan

Comments regarding the Safety Improvement Plan must be submitted to the Town Engineer within 45 calendar days from the date of this letter. Any comments must be sealed by a registered professional engineer.

If you have any questions, please call me at [phone number].

Sincerely,



REQUIRED WORKSHEET FORM

SUBMITTAL FORM MUST BE COMPLETED FULLY AND SUBMITTED WITH ALL OTHER REQUIRED DOCUMENTS OR THIS MAY LEAD TO REVEIW DELAYS. LABEL "N/A" IF ITEM IS NOT APPLICABLE TO SCOPE OF WORK.

BACKGROUND/DISCUSSION/SUMMARY

[Summary of the request.] This describes the request of the applicant/property owner. It is like a narrative of the request.

	Lot Data	
1.	Area of Lot	0 ac or 0 SF
2.	Total Floor Area ¹	0 SF
3.	Floor Area Ratio ²	00.00%
4.	Building Site Slope	00.00%
5.	Allowable Disturbed Area	0 SF (00.00%)
6.	Existing Net Disturbed Area	0 SF (00.00%)
7.	Proposed Net Disturbed Area	0 SF (00.00%)
8.	Maximum Building Height	0 ft - 0 in
9.	Overall Height	0 ft - 0 in
10.	Volume of Cut/Fill	0 CY
11.	Hillside Assurance	\$0,000

¹The area under roof added to the floor area of any second story. The total floor area also includes any courtyard areas, the solid portion(s) of trellises and/or open weave roofs, and all area under roof in accessory buildings such as gazebos, ramadas and other accessory buildings. The total floor area excludes the floor area of any fully subterranean portions of a building.

New Single-Family Residence [or Major Remodel/Addition]

[Provide the total square footage of livable area with applicable breakdown of existing and proposed]

Guesthouse and/or Accessory Structures


[Provide statement on the additional structures if applicable]

Driveway

[Describe driveway access location from the right-of-way or easement.] [Provide proposed materials for driveway, including color and LRV.]

Pool

[Provide description of pool type and location on property (deck materials are covered under Hardscape Materials section).] [Provide location of pool equipment on property.]



²The total floor area divided by the total lot area.

Solar

[If applicable, provide description of installation size, type of installation (ground or roof mount), screening method, and location on property.] [Provide proposed materials finishes for panels, racking, attachments, screening, etc., including color and LRV.]

Walls and Fences

[Provide description of wall types (retaining, screen, courtyard, etc.) and fence locations (wall and fence materials are covered under Building Materials section).] [Indicate height and length of each retaining wall on property.]

Building Materials

[Provide description of all hardscape materials (such as stucco color, roof color, roof type (ballasted?), exposed ceilings, retaining walls, fencing, fascia, window/door trim, etc.), locations, color, and LRV.]

Hardscape Materials

[Provide description of all hardscape materials (such as pool decks, pool finishes, patio decks, walkways, etc.), locations, color, and LRV.]

Building Lighting

[Provide a table listing the exterior building light fixtures that includes total number, fixture type, lumens actual, and lumens allowable.]

<u>Landscape & Driveway Lighting</u>

[Provide a table listing the landscape and driveway light fixtures that includes total number, fixture type, lumens actual, and lumens allowable.

Landscaping

[Provide a summary of the proposed landscaping along with a proposed site vegetation table as illustrated below. Landscape plan details will be shown on the landscape plan.]

Trees	Cacti / Accents / Shrubs	Cacti / Accents / Shrubs
[Common Name]	[Common Name]	[Common Name]

Mountain Profile Inviolate


[Include the statement below noting whether or not the property is within the Mountain Profile Inviolate.]

At and above an elevation of 1,500 feet mean sea level, no Development shall occur which will alter the mountain top ridge lines. Further, no structure may extend above a plane that originates on the Primary Ridge Line and angles downward from the Primary Ridge Line by twenty degrees. [The property is under the 1,500 feet in elevation and no further restrictions shall apply.] or [The property has met the requirements of Article XXII, Section 2207.I-A.]

Land Disturbance

[Include the statement below regarding the existing and proposed amount of land disturbance.]

[No disturbance or X,XXX SF of disturbance] currently exists on the lot and the building pad slope of [00.00]% allows a disturbance of ([X,XXX] SF, 00.00]%) the lot. The applicant has proposed a net disturbed area of approximately ([X,XXX] SF, 00.00]%), which is less than the [allowable or existing net] disturbance.



Grading and Drainage

[Indicate whether a grading and drainage plan has been provided, how it complies with requirements, and summarize the findings. Grading and Drainage must meet first flush, 100-year drainage requirements in accordance with the Town of Paradise Valley Storm Drain Manual.]

Sewer

[Provide information on proposed sewer or septic system and whether an extension is required.]

Fire Protection

[Provide a statement on the proposed fire protection.]

Hillside Safety Improvement Plan

[Include the statement below regarding the Hillside Safety Improvement Plan with any additional comments.

[The Applicant submitted a Hillside Safety Improvement Plan in accordance with the Hillside Safety Improvement Measures and Process Manual per Section 5-10-9 of the Town Code. The plan completed 45 days without any public comment. [or add any comments if applicable]]