POISON

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CONTRAC® BLOX™

ACTIVE CONSTITUENT: 0.05 g/kg BROMADIOLONE
Contains Denatonium Benzoate (Bittering Agent)

FOR THE CONTROL OF RATS AND MICE

PRIMARY PACK CONTAINS 285 x 28 g RODENT BLOCKS

WHICH ARE ILLEGAL TO SELL SEPARATELY.
DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.

Manufactured by:

BEIL
LABORATORIES, INC.
www.belllabs.com
Madison. Wisconsin 53704 U.S.A.

NET 8 kg

Australian Agent: Bell Australia Pty Ltd. Level 18 King George Central 145 Ann Street Brisbane, QLD 4000 Australia

EMERGENCY CONTACT NO. (02) 9647 2111

DO NOT exceed 3 m between bait stations for mice, or 9 m for rats. DO NOT use bait stations further than 2 m from buildings.

DIRECTIONS FOR USE [28 g blocks]

JIRECTIONS TO ST		RATE	CRITICAL COMMENTS
SITUATION	PEST	1	Eliminate as far as practicable, all alternative
In and around domestic homes, industrial and commercial buildings, animal houses, farms, wharves, public service buildings, food factories, hospitals, inside transport vehicles (including ships) and around grain terminals.	Mice (Mus	2 to 8 x 28g blocks per bait station 1 to 2 x 28g blocks per placement or bait station	food sources. Bait areas where conditions might encourage rodent activity. Inspect bait stations on a regular basis. Replace eaten or old/deteriorated baits. If eaten quickly increase number of bait stations. Continue observation and replenishment until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

Determine areas where rats and/or mice will most likely find and consume bait. Generally, these areas are along walls, by gnawed openings in or beside burrows, in corners and concealed places between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain or moisture. Replace contaminated or spoilt bait immediately. To prevent reinfestation, eliminate food, water and harbourage as much as possible. If reinfestation should occur, repeat treatment. Where a continuous source of reinfestation is present, establish permanent bait stations and replenish bait as needed. Collect and dispose of all dead rodents and unconsumed bait properly. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.



PRECAUTION

The use of this product for the control of protected native rodents requires permission from wildlife authorities.

DO NOT allow bait to contaminate foodstuffs or food intended for human or animal consumption.

DO NOT apply bait to crops.

DO NOT place in positions where there is a possibility of contaminating food or surfaces that come into direct contact with food. The product is restricted to use in and around buildings (within 2 metres) or enclosed spaces.

PROTECTIONS OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

DO NOT contaminate dams, rivers, streams or drains with the chemical or used container. Place baits in locations which are inaccessible to other animals and birds. This product is hazardous to pigs, cats, dogs, native wildlife and poultry.

POISON

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 0.05 g/kg BROMADIOLONE Contains Denatonium Benzoate (Bittering Agent)

FOR THE CONTROL OF RATS AND MICE

including those resistant to other anticoagulants, in and around domestic, commercial, public services and industrial buildings.

PRIMARY PACK **CONTAINS 285 x 28 g RODENT BLOCKS**

WHICH ARE ILLEGAL TO SELL SEPARATELY. DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.

NET 8 kg

Manufactured by:



MADE IN USA

Australian Agent: Bell Australia Pty Ltd. Level 18 King George Central 145 Ann Street Brisbane, QLD 4000 Australia

EMERGENCY CONTACT NO. (02) 9647 2111

STORAGE AND DISPOSAL

Store in the closed original container in a well ventilated area, as cool as possible. DO NOT store for prolonged periods in direct sunlight. Store in locked room or place away from children, animals, food and feedstuffs, seed and fertilisers. Do not dispose of chemicals on site. Break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Dispose of carcasses safely

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with skin. When preparing product for use wear elbow-length PVC gloves. If on skin and after each baiting, wash thoroughly with soap and water. Vitamin K₁ (Phytomenadione) is antidotal.

FIRST AID INSTRUCTIONS

If poisoning occurs, contact a doctor or the Poisons Information Centre phone Australia 13 11 26; New Zealand 0800 764 766.

SDS

For further information please refer to the Safety Data Sheet which can be obtained from the

CONDITIONS OF SALE

The use of Contrac[®] Blox[™] is beyond the control of the manufacturer. Therefore, no warranty, expressed or implied is given by Bell Laboratories, Inc. regarding its suitability or efficacy for any purpose. Bell Laboratories, Inc. cannot accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the Competition and Consumer Act 2010.

APVMA Approval No.: 48372/113009

GHS Hazard and Precautionary Statements May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Avoid release to the environment. Use personal protective equipment as required. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Collect spillage. Not combustible. Use extinguishing media suited to burning materials. Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

040618/10-17

Batch No ·

D.O.M.

587AC-4 Product Code: 913601